

Cooking Technology	Electric	Electric	Induction	Induction	Induction
<b>Total kW Power</b>	7.5 kW	9.5 kW	7.1 kW	8.6 kW	10.8 kW
Number of Elements	4	5	4	4	5
Power Burner	9" 2,500 W	9"/6" Rapid Boil (3,300 W)	11" 2,300/3,800 W	11"/7" 3,600/4,800 W*	11"/7" 3,600/4,800 W*
Controls	Stainless Steel Spray Knobs	Illuminated Stainless Steel Knobs	Digital Touch	Magnetic Knob + Digital Touch	Magnetic Knob + Digital Touch
Cut-Out Dimensions	28 1/2" (W) 5 1/8" (H) 19 9/16" (D)	28 1/2" (W) 5 1/16" (H) 19 9/16" (D)	28 1/2" (W) 4 1/8" (H) 19 9/16" (D)	28 1/2" (W) 4" (H) 19 9/16" (D)	33 7/8" (W) 4" (H) 19 1/8" (D)
 <b>Key Features</b>	7.5 kW Total Power 4 Radiant Elements Stainless Steel Spray Knobs	9.5 kW Total Power Illuminated STS Knobs SmartThings	7.1 kW Total Power 4 Induction Elements Digital Touch Controls	Virtual Flame™ Flex Zone Bluetooth*	Virtual Flame™ Flex Zone Bluetooth*
Virtual Flame™				✓	✓
Flex Zone				✓	✓
Kitchen Timer			✓	✓	✓
15 Power Levels			✓	✓	✓
Simmer/Melt Option				✓	✓
Safety Shutoff				✓	✓
Child Lock				✓	✓
2 Stage Residual Heat Indicator				✓	✓
Bluetooth*				✓	✓
Power Source	240V/40 Amps	240V/40 Amps	240V/40 Amps	240V/40 Amps	240V/50 Amps

\*Compatible with the NK7000 Range Hoods.

\*\*All cooktops are compatible to be installed over a Samsung wall oven.

All specifications are subject to change



Colour	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Colour Options			Black Stainless Steel NA30N7755TG*	Black Stainless Steel NA36N7755TG
Total BTU Power	45K BTU	56K BTU	59K BTU	59K BTU
Power Burner	17K BTU	19K BTU Dual	22K BTU Dual Brass	22K BTU Dual Brass
Number of Burners	4	5	5	5
Cut-Out Dimensions	28 1/2" (W) 3 1/8" (H) 19 5/8" (D)	28 1/2" (W) 3 1/8" (H) 19 5/8" (D)	28 1/2" (W) 3 1/8" (H) 19 5/8" (D)	33 7/8" (W) 3 1/8" (H) 19 1/8" (D)
★ Key Features	45K BTU Total Power 17K BTU Power Burner Sealed Cooktop Burners	19K BTU Dual Illuminated Knobs Aluminum Griddle	22K BTU Dual Brass Burner Cast Iron Griddle Bluetooth*	22K BTU Dual Brass Burner Cast Iron Griddle Bluetooth*
Edge-to-Edge Grates	✓	✓	✓	✓
Sealed Cooktop Burners	✓	✓	✓	✓
Griddle		Aluminum	Cast Iron	Cast Iron
Wok Grate			✓	✓
Slanted Controls		✓	✓	✓
Bluetooth*			✓	✓
LP Conversion Kit Included	✓	✓	✓	✓
Optional Accessories				

\*Compatible with the NK7000 Range Hoods.

\*\*BSS models have a black ceramic cooktop.

\*\*\*All cooktops are compatible to be installed over a Samsung wall oven.

All specifications are subject to change



NV51T5512SS



NV51K6650SS



NV51K7770SS



NV51K7770DS




NQ70M7770DS

Configuration	Single	Single	Single	Double	Combi
Capacity	5.1 cu. ft.	5.1 cu. ft.	5.1 cu. ft.	10.2 cu. ft.	5.1 cu. ft. + 1.9 cu. ft. Microwave
Colour	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Colour Options			Black Stainless Steel NV51K7770SG	Black Stainless Steel NV51K7770DG	Black Stainless Steel NQ70M7770DG
Controls	Glass Touch Controls	Guiding Light System	7" LCD Display	7" LCD Display	7" LCD Display
Polygon Handle		✓	✓	✓	✓
Cut-Out Dimensions	28 1/2" (W) 27 1/4" (H) 23 1/2" (D)	28 1/2" (W) 27 1/4" (H) 23 1/2" (D)	28 1/2" (W) 27 1/4" (H) 23 1/2" (D)	28 1/2" (W) 50 1/4" (H) 23 1/2" (D)	28 1/2" (W) 42 1/4" (H) 23 1/2" (D)
★ Key Features	5.1 cu. ft. Glass Touch Controls Flush Fit Installation	Steam Bake/Steam Roast Dual Fan True Convection Guiding Light System	Flex Duo™ Dual Fan True Convection 7" LCD Display	Flex Duo™ (Upper Only) Dual Fan True Convection 7" LCD Display	Smart Microwave Flex Duo™ (Upper Only) 7" LCD Display
Oven Type	Thermal	Dual Fan True Convection	Dual Fan True Convection	Dual Fan True Convection	Dual Fan True Convection
Steam Capabilities		Steam Bake/Roast w/ Motorized Reservoir*	Steam Bake/Roast w/ Motorized Reservoir*	Steam Bake/Roast w/ Motorized Reservoir*	Steam Bake/Roast w/ Motorized Reservoir*
Cleaning Technology	Self Clean & Steam Clean	Self Clean & Hybrid Clean (2 HR)	Self Clean & Hybrid Clean (1.5/2.5 HR)	Self Clean & Hybrid Clean (1.5/2.5 HR)	Self Clean, Hybrid Clean (1.5/2.5 HR) & Steam Clean (20 MIN)
FlexDuo™			✓	✓ (Upper Only)	✓ (Oven Only)
LED Spotlighting		✓	✓	✓	✓
Gourmet Cook		✓	✓	✓	✓
Meat Probe		✓	✓	✓	✓
Flush Fit Installation	✓				
Smart Microwave Features					Power Convection (3,250 W) Broil Element (1,600 W) Microwave (950 W) 420 mm Turntable Easy View Glass Auto Latch Door Ceramic Enamel Interior Slim Fry (Air Fry)

\*With Descaling Cycle.

All specifications are subject to change



Width	30"	30"	36"	30"	30"	36"
Colour	Stainless Steel	Stainless Steel	Stainless Steel	White	White	White
Colour Options		Black Stainless Steel NK30K7000WG	Black Stainless Steel NK36K7000WG	Charcoal NK30CB600W33AA Grey NK30CB700WCGAA	Charcoal NK30CB600W33AA Grey NK30CB700WCGAA	Charcoal NK36CB600W33AA Grey NK36CB700WCGAA
Fingerprint Resistant		✓	✓	✓	✓	✓
Controls	Buttons	Digital Touch Controls	Digital Touch Controls	Digital Touch Controls	Digital Touch Controls	Digital Touch Controls
CFM Rating	390 CFM	390 CFM (600 CFM Optional)	390 CFM (600 CFM Optional)	390 CFM (630 CFM Optional)	390 CFM (630 CFM Optional)	390 CFM (630 CFM Optional)
Dimensions	30" (W) 28 6/16" ~ 42 1/8" (H) 19 11/16" (D)	30" (W) 25 25/64" ~ 39 31/64" (H) 19 11/16" (D)	36" (W) 25 25/64" ~ 39 31/64" (H) 19 11/16" (D)	29 27/32" (W) 25 7/16" ~ 41 31/32" (H) 19 11/16" (D)	29 27/32" (W) 25 7/16" ~ 41 31/32" (H) 19 11/16" (D)	35 23/64" (W) 25 7/16" ~ 41 31/32" (H) 19 11/16" (D)
★ Key Features	390 CFM Mesh Filters LED Light	600 CFM Optional Bluetooth* Digital Touch Controls	600 CFM Optional Bluetooth* Digital Touch Controls	630 CFM Optional Wi-Fi Connectivity LED Bar Lighting	630 CFM Optional Wi-Fi Connectivity Smart Ventilation	630 CFM Optional Wi-Fi Connectivity Smart Ventilation
Ventilation Speed	3 Levels	3 Levels + Boost	3 Levels + Boost	3 Levels + Boost	4 Levels + Boost	4 Levels + Boost
Smart Ventilation					✓	✓
Filters	Mesh	Baffle	Baffle	Stainless Steel	Stainless Steel	Stainless Steel
Low Noise				✓	✓	✓
Bluetooth*		✓	✓			
LED Lighting	✓	✓	✓	LED Bar Lighting	LED Bar Lighting	LED Bar Lighting
Timer		✓	✓			
Wall-Mount Chimney Style	Up to 9 ft.	Up to 9 ft.	Up to 9 ft.	Up to 9 ft.	Up to 9 ft.	Up to 9 ft.

Optional Accessories

Recirculation Kit (NK700W)	NK-AR7000WB	Charcoal Filter (NK700W)	NK-AF7000WB	Hood Extension Kit (Up to 12 ft.) for Chimney (NK700W)	NK-AE7000W12 (White) NK-AE7000W33 (Charcoal) NK-AE7000WCG (Grey)
Recirculation Kit (NK7000)	NK-AF030FNB	Charcoal Filter (NK7000)	NK-AF050FNB	Hood Extension Kit (Up to 12 ft.) for Chimney (NK7000)	NK-AE705PWS (STS) NK-AE705PWG (BSS)
Recirculation Kit (NK5000)	NK-AF020FNB	Charcoal Filter (NK5000)	NK-AR040FNB	Hood Extension Kit (Up to 12 ft.) for Chimney (NK5000)	NK-AE505PWS (STS)



Configuration	Under Cabinet	Under Cabinet
Colour	Stainless Steel	Stainless Steel
Colour Options	Black Stainless Steel NK30N7000UG	Black Stainless Steel NK36N7000UG
Fingerprint Resistant	✓	✓
Controls	Digital Touch Control	Digital Touch Control
CFM Rating	390 CFM (600 CFM Optional)	390 CFM (600 CFM Optional)
Dimensions	30" (W) 9 3/4" (H) 19 3/4" (D)	36" (W) 9 3/4" (H) 19 3/4" (D)
★ Key Features	600 CFM Optional Bluetooth* Digital Touch Controls	600 CFM Optional Bluetooth* Digital Touch Controls
Ventilation Speed	3 Levels + Boost	3 Levels + Boost
Mesh Filters		
Baffle Filters	✓	✓
Bluetooth*	✓	✓
LED Lighting	✓	✓
Timer	✓	✓

Wall-Mount Chimney Style

Optional Accessories

Recirculation Kit (NK7000)	NK-AF030FNB	Charcoal Filter (NK7000)	NK-AF050FNB	Hood Extension Kit (Up to 12 ft.) for Chimney (NK7000)	NK-AE705PWS (STS) NK-AE705PWG (BSS)
----------------------------	-------------	--------------------------	-------------	---	--