

About Samsung Electronics Co., Ltd.

Samsung inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, network systems, and memory, system LSI, foundry and LED solutions. For the latest news, please visit the Samsung Newsroom at <http://news.samsung.com>.

Samsung SMART Signage

For more information about Samsung SMART Signage, visit www.samsung.com/business or www.samsung.com/displaysolutions

Copyright © 2019 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd.
416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea
2019-09
www.samsung.com

SAMSUNG



Samsung Large-sized Display Solutions

Delivering stunning content through a large-sized impactful digital display

SAMSUNG

Why large UHD displays for your business?


Large digital displays are becoming more popular in today's business due to its impressive size and delivery of content. Samsung, as the industry leader in digital displays, responded to the trend and designed an entire lineup of large displays that will fit the need of any business. These big displays create a modern and revitalized environment that attracts consumers to businesses. With a sleek and stylish design, these state-of-the-art displays will enhance any business with its commanding presence and exceptional size.

Samsung's large-sized displays are as impressive in size, but also present UHD-quality content creating a spectacular visual experience with outstanding graphics and images. The UHD displays present information realistically and vividly, promoting the services or products with the high-resolution images. Moreover, as more creators of content are producing UHD-quality content, UHD resolution is becoming the standard in the industry. As businesses look to purchase a large display, it should consider one that supports UHD-quality content as this is the new standard in the media industry when content is created.

Creating an endless opportunity of displays, Samsung's large-sized lineup meets and exceeds the expectation of any business. Depending on its needs, budget, space allotment or display location Samsung's large-sized displays can be incorporated to enhance any space.



Integrated designs for any environment




Choose from numerous dimensions

Starting at 65" to 98", supporting both landscape and portrait mode, Samsung's large-sized displays provide the various options for businesses to select, depending on its space allotment.




Accommodate any display location

Samsung's large displays are available in many different brightness options, depending on the lighting needs of where the display is placed. From 350 to 700nit, users can choose the right display to ensure brilliant content delivery regardless of its location.



Deliver multiple formats of content

Embedded in Samsung's large-sized displays, MagicIN-FO player allows businesses to deliver exquisite video, image and text content in UHD as well as FHD resolution.



Pick the perfect connection

Samsung's large displays have various input sources to ensure seamless content playing no matter the content source. Included in the display are DVI, DP, HDMI, RJ45, USB ports.

Samsung's lineup of large-sized displays

Samsung knows that business needs are not the same and developed a full lineup of large-sized displays in QHR, QMR, QMN, QBR and QER series. All of the displays are impressive as they are functional. Depending on the needs of the business, either of these displays would be an ideal addition to create the most up-to-date, appealing space within a business. Regardless of the size or location, Samsung's large-sized displays will deliver content with precision and brilliance.

Series




QHR

View content in any light

The QHR series' impressive 700 nit brightness and reliable, non-glare panel ensures content is easily visible even in bright environments and is the ideal solution for places where clear visibility 24/7 is critical. Additionally, with intelligent UHD upscaling technology, the true-to-life visuals shown on the display are more engaging for viewers.

Size & Key features



* There are 43, 49, 55 inches also available in QHR series.



Landscape



UHD



700 nit



Portrait



24/7 Operation




TIZEN



QMR/QMN

Deliver brilliant visuals all day

The QMR/QMN series is available in sizes from 65" to 98". With 500 nit brightness, UHD picture quality and reliable, guaranteed 24/7 performance, the displays save on maintenance costs and create greater efficiencies.



* There are 43, 49, 55 inches also available in QMR series.
* 65" 75" – QMR, 85" 98" – QMN



Landscape



UHD




500 nit



Portrait



24/7 Operation




TIZEN



QBR/QER

Communicate with powerful displays

The QBR/QER series helps provide businesses with a more modern look, delivering vibrant, inviting images with 350 nit brightness. Backed by the TIZEN operating system, users are assured of painless content management and seamless content transition.



* 65" 75" 98" – QBR, 82" – QER
* There are 43, 49, 55 inches also available in QBR series.



Landscape



UHD



350 nit



Portrait



16/7 Operation




TIZEN

* QBR 98" supports 24/7 operation

Advanced

Essential


Key features of Samsung's large-sized displays



Incredible 4K picture quality

QHR QMR QMN QBR QER

Samsung's UHD displays are able to capture customer attention by providing an incredibly clear picture, showcasing lifelike images and intricate details better than ever before thanks to ultra high-definition 4K resolution.



Intelligent UHD upscaling

QHR QMR QMN QBR QER

Samsung's global leadership in display technology and picture quality spans more than a decade. Thanks to superior semi-conductor technology, Samsung has developed the most powerful video processor available. Additionally, intelligent UHD upscaling technology is a cutting-edge solution based on Samsung's UHD Processor that allows content developed at a lower resolution to be elevated to UHD-level quality. It also performs edge restoration and noise reduction to optimize on-screen text and imagery with crisp edges and fine detail.



Dynamic Crystal Color

QHR QMR QBR QER

Dynamic Crystal Color is what brings the incredible, lifelike color to Samsung displays. Using 10-bit processing, the displays are able to showcase a wider spectrum of colors — up to a billion different shades — capturing subtle differences for flawless color expression, critical to businesses in ensuring brand consistency across communication channels.

* For QBR series, Dynamic Crystal Color is only supported up to 75".



Perfect view with non-glare display

QHR QMR QMN QB98R

When clear visibility is essential, the QHR, QMR, QMN and QB98R feature reliable, non-glare panels that provide better visibility from all angles, anytime of day. The display is ideal for locations such as airports and commuter stations where 24/7 access to clear and accurate information is crucial.



Samsung Workspace secured by Knox

QHR QMR QMN QBR QER

Samsung Workspace is a powerful new feature fortified by proprietary Knox security technology allowing users to create an enhanced virtual collaboration workspace without needing a PC in the room, or any physical connection. Simply connect a keyboard and mouse to the display and immediately get to work accessing a PC remotely or web-based cloud services such as Microsoft Office 365 and VMWare Horizon.

* Samsung Workspace feature support may vary by region and market conditions.
* The scheduled availability of this feature varies by model.



Powerful, all-in-one solution

QHR QMR QMN QBR QER

The Samsung SMART Signage Platform (SSSP) is an open-source, all-in-one solution embedded in Samsung SMART signage that simplifies installation and maintenance. With SSSP, there is no need for any external devices to communicate with the server or play digital media enjoying easy development, reinforced capability with multiple web formats, and secured protection.



Wi-Fi and Bluetooth built-in

QHR QMR QMN QBR QER

The displays feature a nearly endless range of business use-cases thanks to built-in Wi-Fi and Bluetooth. Wireless connectivity allows for personalized and interactive services including enabling integration with beacon technology in store, while also simplifying how businesses showcase content.


* Image is for illustrative purposes only, specific application or program may have to be developed for the depicted usage scenario.



Slim and symmetrical design

QHR QMR QBR

The all-new slim and symmetrical design of the QHR, QMR and QBR series significantly simplifies wall mounting the display and ensures installation is a seamless process. The display's power inlet direction has been redesigned to sit flush against the wall. The new design sets guarantees a long life cycle ensuring the displays will stand the test of time.



Clean cable management

QHR QMR QBR QER

In a corporate or retail environment, the back of a display is often visible to customers. With the new cable guide feature retailers can tuck messy cables away from view. This allows for a clean and more visually-appealing customer shopping experience.

* For QBR series, cable guide feature is only supported up to 75".
* Design varies by model.

Customize your environment with Samsung's large-sized displays

From a corporate lobby to supermarket and retail store, Samsung's large-sized displays can be incorporated in various businesses. Regardless of how the displays are used, they create a highly impactful, focal point to present important information to its business.



QHR

QMR

QMN

Model			QH65R	QH75R	QM65R	QM75R	QM85N
Panel	Diagonal Size	Class	65	75	65	75	85
		Measured	64.5	74.5	64.5	74.5	84.5"/214cm
	Type	Edge LED BLU	Edge LED BLU	Edge LED BLU	Edge LED BLU	Direct LED BLU	
	Resolution	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)	3840x2160(16-9)	
	Pixel Pitch (mm)	0.372 x 0.372	0.42975 x 0.42975	0.372 x 0.372	0.42975 x 0.42975	0.4875 x 0.4875 (mm)	
	Active Display Area	1428.48 (H) x 803.52 (V)	1650.24 (H) x 928.26 (V)	1428.48 (H) x 803.52 (V)	1650.24 (H) x 928.26 (V)	1872.0(H) x 1053.0(V)	
	Brightness(Typ.)	700nit	500nit	500nit	500nit	500nit	
	Contrast Ratio (Typ.)	4000:1	4000:1	4000:1	4000:1	3000:1	
	Viewing Angle(H/V)	178/178	178/178	178/178	178/178	178/178	
	Response Time (G to G)	8ms(Typ.)	8ms(Typ.)	8ms(Typ.)	8ms(Typ.)	8ms(Typ.)	
Display	Display Colors	16.7M(True Display) 1.07B(Dithered 10bit)	16.7M(True Display) 1.07B(Dithered 10bit)	16.7M(True Display) 1.07B(Dithered 10bit)	16.7M(True Display) 1.07B(Dithered 10bit)	16.7M(True Display) 1.07B(Dithered 10bit)	
	Color Gamut	92% (DCI-P3, CIE 1976)	92% (DCI-P3, CIE 1976)	92% (DCI-P3, CIE 1976)	92% (DCI-P3, CIE 1976)	72%	
	Operation Hour	24/7	24/7	24/7	24/7	24/7	
	Haze	25%	44%	25%	44%	44%	
	Dynamic C/R	MEGA	MEGA	MEGA	Mega	Mega	
	H-Scanning Frequency	30 ~ 81kHz	30 ~ 81kHz	30 ~ 81kHz	30 ~ 81kHz	30 ~ 81kHz	
	V-Scanning Frequency	48 ~ 75Hz	48 ~ 75Hz	48 ~ 75Hz	48 ~ 75Hz	48 ~ 75Hz	
	Maximum Pixel Frequency	594MHz	594MHz	594MHz	594MHz	594MHz	
	Speaker Type	Built in Speaker(10W +10W)	Built in Speaker(10W +10W)	Built in Speaker(10W +10W)	Built in Speaker(10W +10W)	Built in Speaker(15W +15W)	
	Connectivity	Input	RGB	DVI-D, Display Port 1.2 (1)	DVI-D, Display Port 1.2 (1)	DVI-D, Display Port 1.2 (1)	DVI-D, Display Port 1.2 (1)
VIDEO			HDMI 2.0 (2)	HDMI 2.0 (2)	HDMI 2.0 (2)	HDMI 2.0 (2)	HDMI 2.0 (2)
HDCP			HDCP2.2	HDCP2.2	HDCP2.2	HDCP2.2	HDCP2.2
AUDIO			Stereo mini Jack, DVI, HDMI	Stereo mini Jack, DVI, HDMI	Stereo mini Jack, DVI, HDMI	Stereo mini Jack, DVI, HDMI	Stereo mini Jack, DVI, HDMI
USB			USB 2.0 x 2	USB 2.0 x 2	USB 2.0 x 2	USB 2.0 x 2	USB 2.0 x 2
Output		RGB	HDMI 2.0 (Loop-out)	HDMI 2.0 (Loop-out)	HDMI 2.0 (Loop-out)	HDMI 2.0 (Loop-out)	HDMI 2.0 (Loop-out)
		VIDEO	N/A	N/A	N/A	N/A	N/A
		AUDIO	Stereo mini Jack	Stereo mini Jack	Stereo mini Jack	Stereo mini Jack	Stereo mini Jack
		PowerOut	N/A	N/A	N/A	N/A	N/A
		USB	N/A	N/A	N/A	N/A	N/A
External Control	RS232C(in/out) thru stereo jack, RJ45	RS232C(in/out) thru stereo jack, RJ45	RS232C(in/out) thru stereo jack, RJ45	RS232C(in/out) thru stereo jack, RJ45	RS232C(in/out) thru stereo jack, RJ45		
External Sensor	IR	IR	IR	IR	IR		
Tuner	N/A	N/A	N/A	N/A	N/A		
Type	Internal	Internal	Internal	Internal	Internal		
Power	Power Supply	AC100 - 240 V- (+/-10%), 50/60 Hz	AC100 - 240 V- (+/-10%), 50/60 Hz	AC100 - 240 V- (+/-10%), 50/60 Hz	AC100 - 240 V- (+/-10%), 50/60 Hz	AC100 - 240 V- (+/-10%), 50/60 Hz	
		Max[W/h]	204	314	181.5	231	495
	Power Consumption	Typical[W/h]	150	247	131	178	362
		Rating[W/h]	185	285	165	210	450
		BTU(Max)	695.6	1070.7	618.9	787.7	1688.0
		Sleep mode	0.5	0.5	0.5	0.5	0.5
		Off mode	N/A	N/A	N/A	N/A	N/A
Dimension(mm)	Set	1453.9 x 831.0 x 46.3	1681.1 x 960.1 x 49.7	1453.9 x 831.0 x 46.3	1681.1 x 960.1 x 49.7	1903.4 x 1090.5 x 69.4 (w/o handle) 1903.4 x 1090.5 x 105.1 (w/ handle)	
Mechanical Spec	Weight (kg)	Package	1611 x 973 x 185	1871 x 1127 x 223	1611 x 973 x 185	1871 x 1127 x 223	2050 x 1265 x 472
		Set	24.9	38.3	24.9	38.3	50.7
	VESA Mount	Package	33.3	49	33.3	49	66.9
		Protection Glass	400 X 400	400 X 400	400 X 400	400 X 400	600x400
		Stand Type	N/A	N/A	N/A	N/A	N/A
Bezel Width (Top/Side/Bot) (mm)	No	No	No	No	No		
Operation	Operating Temperature	9.2mm(U/L/R), 11.2mm(B)	11.5mm(U/L/R), 12.5mm(B)	9.2mm(U/L/R), 11.2mm(B)	11.5mm(U/L/R), 12.5mm(B)	13.2/13.2/19.3	
	Humidity	0°C~ 40°C	0°C~ 40°C	0°C~ 40°C	0°C~ 40°C	0°C~ 40°C	
	Key	10~80%	10~80%	10~80%	10~80%	10~80%	
Feature	Special	H/W	Temperature Sensor/Pivot Display, Clock Battery(168hrs Clock Keeping), Built in Speaker (10W 2ch), Video Wall Daisy Chain(HDCP2.2:4EA,HDCP1.4:7EA), IP5x Rating, Wi-Fi/BT				Temperature Sensor/Pivot Display, Clock Battery(168hrs Clock Keeping), Built in Speaker (10W 2ch), Video Wall Daisy Chain(HDCP2.2:4EA,HDCP1.4:7EA), Wi-Fi/BT
		S/W	Auto Source Switching & Recovery, LFD Home UI, Button Lock, Hot key option, Plug&Play (Initial Setting)				Coretex A72 1.7GHz Quad-Core CPU
	Internal Player (Embedded H/W)	Processor	Coretex A72 1.7GHz Quad-Core CPU				Coretex A72 1.7GHz Quad-Core CPU
		On-Chip Cache Memory	L1 Instruction Cache : 48KB, L1 Data Cache : 32KB, L2 Cache : 2MB				1.7GHz
		Clock Speed	1.7GHz				Graphic resolution : 1920x1080, Output resolution : 3840x2160 (Scale up from graphic processing result.)
		Main Memory Interface	2.5GB				2.5GB
		Graphics	LPDDR4 1.5GHz 64bit				LPDDR4 1.5GHz 64bit
		Storage (FDM)	Graphic resolution : 1920x1080, Output resolution : 3840x2160 (Scale up from graphic processing result.)				8GB (3.88GB Occupied by O/S, 4.12GB Available)
		Multimedia	8GB (3.88GB Occupied by O/S, 4.12GB Available)				*Video Decoder : MPEG-1/2/4, H.263, H.264/AVC, VC-1, AVS+, HEVC, JPEG, PNG, VP8, VP9 *Audio Decoder : AC3 (DD), MPEG
		IO Ports	*Video Decoder : MPEG-1/2/4, H.263, H.264/AVC, UHD H.264/AVC, VC-1, AVS+, HEVC, JPEG, PNG, VP8, VP9 *Audio Decoder : AC3 (DD), MPEG				USB 2.0
Operating System	USB 2.0				Tizen 4.0 (VDLinux)		
Certification	Safety	60950-1	60950-1	60950-1	60950-1	60950-1	
	EMC	Class B	Class B	Class B	Class A	Class A	
	Environment	ENERGY STAR 8.0, Epeat	N/A	ENERGY STAR 7.0 (USA), Epeat	ENERGY STAR 7.0 (USA), Epeat	N/A	
Accessories	Included	Stand	No	No	No	No	
		Mount	WMN4277SE	WMN4277SE, WMN6575SE	WMN4277SE	WMN4277SE, WMN6575SE	WMN8200SD
	Optional	Specialty	CLM450K	CLM450K	CLM450K	CLM450K	-
		Media Player	N/A	N/A	N/A	N/A	N/A
		Media Player	N/A	N/A	N/A	N/A	N/A

QBR

QER

Model	QB65R	QB75R	QB98R	QE82R		
Panel	Diagonal Size	Class	65	75	82	
		Measured	64.5	74.5	81.5"	
	Type	Edge LED BLU	Edge LED BLU	Edge LED BLU	Edge Slim	
	Resolution	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)	
	Pixel Pitch (mm)	0.372 x 0.372	0.42975 x 0.42975	0.562 x 0.562 (mm)	0.47025 x 0.47025	
	Active Display Area	1428.48 (H) x 803.52 (V)	1650.24 (H) x 928.26 (V)	2158.848(H) x 1214.352(V)	1805.76(H) x 1015.74(V)	
	Brightness(Typ.)	350nit	350nit	350nit	350nit	
	Contrast Ratio (Typ.)	4000:1	4000:1	4000:1	6000:1	
	Viewing Angle(H/V)	178/178	178/178	178/178	178/178	
	Response Time (G to G)	8ms(Typ.)	8ms(Typ.)	6ms(Typ.)	6ms(Typ.)	
Display	Display Colors	16.7M(True Display) 1.07B(Dithered 10bit)	16.7M(True Display) 1.07B(Dithered 10bit)	16.7M(True Display), 1.07B(Dithered 10bit)	16.7M	
	Color Gamut	92% (DCI-P3, CIE 1976)	92% (DCI-P3, CIE 1976)	92% (DCI-P3, CIE 1976)	72%	
	Operation Hour	24/7	24/7	24/7	24/7	
	Haze	2%	2%	2%	2%	
	Dynamic C/R	MEGA	MEGA	MEGA	MEGA	
	H-Scanning Frequency	30 ~ 81kHz	30 ~ 81kHz	30 ~ 81kHz	30 ~ 81kHz	
	V-Scanning Frequency	48 ~ 75Hz	48 ~ 75Hz	48 ~ 75Hz	48 ~ 75Hz	
	Maximum Pixel Frequency	594MHz	594MHz	594MHz	594MHz	
	Speaker Type	Built in Speaker(10W +10W)	Built in Speaker(15W +15W)	Built in Speaker(10W +10W)	Built in Speaker(10W +10W)	
	Connectivity	Input	RGB	DVI-D, Display Port 1.2 (1)	DVI-D, Display Port 1.2 (1)	DVI-D, Display Port 1.2 (1)
VIDEO			HDMI 2.0 (2)	HDMI 2.0 (2)	HDMI 2.0 (2)	
HDCP			HDCP2.2	HDCP2.2	HDCP2.2	
AUDIO			Stereo mini Jack, DVI, HDMI	Stereo Mini Jack, DVI/HDMI/Audio(Common)	Stereo Mini Jack, DVI, HDMI	Stereo Mini Jack, DVI/HDMI/Audio(Common)
USB			USB 2.0 x 2	USB 2.0 x 2 (Loop-out)	USB 2.0 x 2	USB 2.0 x 2
Output		RGB	N/A	N/A	N/A	
		VIDEO	N/A	N/A	N/A	
		AUDIO	Stereo mini Jack	Stereo Mini Jack	Stereo mini Jack	
		PowerOut	N/A	N/A	N/A	
		USB	N/A	N/A	N/A	
External Control	RS232C(in/out) thru stereo jack, RJ45	RS232C(in/out) thru stereo jack, RJ45	RS232C(in/out) thru stereo jack, RJ45	RS232C(in/out) thru stereo jack, RJ45		
External Sensor	IR	IR	IR	IR		
Tuner	N/A	N/A	N/A	N/A		
Type	Internal	Internal	Internal	Internal		
Power	Power Supply	AC100 - 240 V- (+/-10%), 50/60 Hz	AC100 - 240 V- (+/-10%), 50/60 Hz	AC100 - 240 V- (+/-10%), 50/60 Hz	AC100 - 240 V- (+/-10%), 50/60 Hz	
		Max[W/h]	181.5	231	372	231
	Power Consumption	Typical[W/h]	128	150	480	173
		Rating[W/h]	165	210	1800.5	210
		BTU(Max)	618.9	787.7	618.9	787.7
		Sleep mode	0.5	0.5	0.5	0.5
		Off mode	N/A	N/A	N/A	N/A
Dimension(mm)	Set	1453.9 x 831.0 x 46.3	1681.1 x 960.1 x 49.7	2194.2 x 1249.8 x 71.6 (w/o handle) 2194.2 x 1249.8 x 75.3 (w/ handle)	1838 x 1052.4 x 61.2 2039 x 1224 x 260	
Mechanical Spec	Weight (kg)	Package	1611 x 973 x 185	1871 x 1127 x 223	2500 x 1618 x 815	46.8
		Set	24.9	38.3	77.1	60.6
	VESA Mount	Package	33.3	49	900x600	600*400
		Protection Glass	400 X 400	400 X 400	400 X 400	N/A
		Stand Type	N/A	N/A	N/A	N/A
Bezel Width (Top/Side/Bot) (mm)	No	No	No	No		
Operation	Operating Temperature	9.2mm(U/L/R), 11.2mm(B)	11.5mm(U/L/R), 12.5mm(B)	15.2/15.2/15.2	10.8mm(U/L/R), 10.9mm(B)	
	Humidity	0°C~ 40°C	0°C~ 40°C	0°C~ 40°C	0°C~ 40°C	
	Key	10~80%	10~80%	10~80%	10~80%	
Feature	Special	H/W	UHD Signage Display, Slim & Light Signage with Built-in MagicInfo S6, SSSP 6.0		UHD Signage Display, Slim & Light Signage with Built-in MagicInfo S6, SSSP 6.0	
		S/W	Auto Source Switching & Recovery, LFD Home UI, Button Lock, Hot key option, Plug&Play (Initial Setting)		Coretex A72 1.7GHz Quad-Core CPU	
	Internal Player (Embedded H/W)	Processor	Coretex A72 1.7GHz Quad-Core CPU		Coretex A72 1.7GHz Quad-Core CPU	
		On-Chip Cache Memory	L1 Instruction Cache : 48KB, L1 Data Cache : 32KB, L2 Cache : 2MB		1.7GHz	
		Clock Speed	1.7GHz		Graphic resolution : 1920x1080, Output resolution : 3840x2160 (Scale up from graphic processing result.)	
		Main Memory Interface	2.5GB		2.5GB	
		Graphics	LPDDR4 1.5GHz 64bit		LPDDR4 1.5GHz 64bit	
		Storage (FDM)	Graphic resolution : 1920x1080, Output resolution : 3840x2160 (Scale up from graphic processing result.)		8GB (3.88GB Occupied by O/S, 4.12GB Available)	
		Multimedia	8GB (3.88GB Occupied by O/S, 4.12GB Available)		*Video Decoder : MPEG-1/2/4, H.263, H.264/AVC, VC-1, AVS+, HEVC, JPEG, PNG, VP8, VP9 *Audio Decoder : AC3 (DD), MPEG	
		IO Ports	*Video Decoder : MPEG-1/2/4, H.263, H.264/AVC, UHD H.264/AVC, VC-1, AVS+, HEVC, JPEG, PNG, VP8, VP9 *Audio Decoder : AC3 (DD), MPEG		USB 2.0	
Operating System	USB 2.0		Tizen 4.0 (VDLinux)			
Certification	Safety	60950-1	60950-1	60950-1		
	EMC	Class B	Class B	Class A		
	Environment	ENERGY STAR 8.0, Epeat	N/A	ENERGY STAR 7.0 (USA), Epeat	N/A	
Accessories	Included	Stand	No	No		
		Mount	WMN4277SE	WMN4277SE, WMN6575SE		
	Optional	Specialty	CLM450K	CLM450K	CLM450K	
		Media Player	N/A	N/A	N/A	
		Media Player	N/A	N/A	N/A	