

Odyssey OLED G8

ก้าวล้ำไปไกลกว่าเดิม



มุมมองอันน่าทึ่งในหน้าจอ OLED

มุมมองอันน่าทึ่งในหน้าจอ OLED ที่ปรับปรุงด้วย Neo Quantum Processor ทำให้มีสีสว่างที่สว่างขึ้น สีดำนที่เข้มขึ้น และความคมชัดของสีที่ใกล้เคียงกัน



ความเร็วดุจสายฟ้า

หน้าจอ Odyssey OLED G8 Gaming Monitor ของ Samsung มีรีเฟรชเรต 175Hz และอัตราการตอบสนอง 0.03ms สามารถตอบสนองทุกความเคลื่อนไหว เมื่อนำไปเปรียบเทียบกับจอที่ไวที่สุดของซีรีส์ Odyssey หน้าจอรุ่นนี้ ถือว่าทำผลงานได้ดีกว่า



ประสบการณ์ Smart TV

เข้าถึงบริการสตรีมชั้นนำได้ทันทีผ่าน Smart TV และเพลิดเพลินกับการเล่นที่ราบรื่นด้วยเทคโนโลยีการสตรีมขั้นสูงของ Samsung




จอเกมมีสไตล์ในแบบคุณ

เฟรมที่เพรียวบางเป็นพิเศษพร้อมพื้นผิววัสดุโลหะพรีเมียม และ Core Lighting+ ที่ชวนให้หลงใหล ทั้งหมดเพื่อให้คุณเล่นเกมของคุณดูเหนือชั้นยิ่งขึ้น



Odyssey Neo G7

ก้าวล้ำไปไกลกว่าเดิมกับ Odyssey Neo



สกดทุกสายตา
G70NC หน้าจอที่ออกแบบมาเพื่อความบันเทิงสมรรถนะแบบไม่จำกัดเทคโนโลยี สื่อ หรือเกม ก็สวยงามจริง รองรับความละเอียด UHD หรือ 4K, แผงหน้าจอ Quantum Mini LED และ VESA Display HDR600



เพลิดเพลินกับหนังและซีรีส์โปรด
รวมความสนุกไว้ในที่เดียว G70NC ให้คุณดูหนังหรือคอนเทนต์โปรดได้อย่างชาญฉลาด ไปกับแอป Smart TV ต่างๆ ได้ทุกเมื่อที่ต้องการ



สนุกกับเกมแบบเหนือไปอีกขั้น
มาพร้อมรีเฟรชเรต 144Hz, อัตราการตอบสนอง 1ms (MPRT) และ AMD FreeSync Premium Pro ให้คุณยืนหนึ่งเรื่องเล่นเกม

Smart Monitor

รับชม เล่น หรือทำงาน ครบ จบ ในเครื่องเดียว




เชื่อมต่อได้อย่างสบาย
พอร์ตการเชื่อมต่อที่หลากหลายสามารถเชื่อมต่อกับ Smart Monitor ได้อย่างสมบูรณ์โดยไม่ต้องใช้แอดAPTERใดๆ ด้วยพอร์ต USB-C, HDMI และ USB-A



รับชมได้สะดวกสบายยิ่งขึ้น
ดีไซน์ที่เข้ากับสรีระ หน้าจอที่ปรับความสูงกับเอียงและหันได้ ช่วยให้คุณมีมุมมองในการรับชมและความผ่อนคลายที่ดีที่สุด นอกจากนี้ คุณยังสามารถหมุนหน้าจอได้ 90 องศา ซึ่งเหมาะอย่างยิ่งสำหรับเอาไว้ใช้ดูเอกสารหน้ายาวๆ เพื่อที่คุณจะไม่ต้องเลื่อนหน้าจอบ่อยๆ ยิ่งไปกว่านั้น คุณจะสามารถให้ทีวีดูสะอาดตาได้ด้วยขายึดหน้าจอแบบ VESA



การควบคุมสมาร์ทโฮมที่เรียบง่าย
ศูนย์รวมอุปกรณ์ IoT ในตัวบริหารจัดการสมาร์ทโฮมของคุณได้โดยไม่ต้องหยุดดูรายการที่รับชมอยู่ โดย Smart Monitor ช่วยให้ชีวิตคุณสะดวกสบายได้ด้วยแอป SmartThings ซึ่งเป็นศูนย์รวมครบวงจรสำหรับอุปกรณ์สมาร์ทโฮมของคุณ ที่จะช่วยให้คุณสามารถปิดไฟ, ปรับอุณหภูมิ และอื่นๆ อีกมากมายได้โดยไม่ต้องลุกไปไหน



GAMING AND HIGH RESOLUTION MONITORS

SMART AND WORKING MONITORS

Odyssey

				
LS55BG970NEXXT	LS34BG850SEXXT	LS43CG700NEXXT	LS28BG700EEXXT	LS32BG702EEXXT

Display Aspect Ratio Brightness (Typical) Contrast Ratio Static Panel Type Frame Rate Resolution Response Time Screen Size (Inch) Flat / Curved Viewing Angle (H/V)	16:9 600 cd/m ² 1,000,000:1(Static) VA Max 165Hz 3,840 x 2,160 1ms(GTG) 55 Curved 178°(H)/178°(V)	21:9 250 cd/m ² 1,000,000:1(Typ.) OLED Max 175Hz 3,440 x 1,440 0.03ms(GTG) 34 Curved 178°(H)/178°(V)	16:9 400 cd/m ² 4250:1(Static), 1,000,000:1(Dynamic) VA Max 144Hz 3,840 x 2,160 1ms(MPRT) 43 Flat 178°(H)/178°(V)	16:9 300 cd/m ² 1,000:1(Typ.) IPS Max 144Hz 3,840 x 2,160 1ms(GTG) 28 Flat 178°(H)/178°(V)	16:9 350 cd/m ² 1,000:1(Typ.) IPS Max 144Hz 3,840 x 2,160 1ms(GTG) 32 Flat 178°(H)/178°(V)
Interface Display Port D-Sub HDMI Headphone	No No 4 EA Yes	1 EA (mini DP) No 1 EA (mini HDMI) No	1 EA No 2 EA Yes	1 EA No 2 EA Yes	1 EA No 2 EA Yes
General Feature FreeSync G-Sync Picture-By-Picture Picture-In-Picture	FreeSync Premium Pro No No No	FreeSync Premium No No No	FreeSync Premium Pro No Yes Yes	FreeSync Premium Pro G-Sync Compatible No No	FreeSync Premium Pro G-Sync Compatible No No
Design HAS (Height Adjustable Stand) (mm) Wall Mount (mm) Dimension Set Dimension with Stand (WxHxD) (mm)	Landscape: 0~270mm(±5.0 mm), Portrait: 0~30mm(±5.0 mm) 200.0 x 200.0 1174.8 x 1102.0 x 379.0 mm	120.0 ± 5.0 100 x 100 813.6 x 522.3 x 192.8 mm	No 200 x 200 960.8 x 635.0 x 254.1 mm	120.0 ± 5.0 100.0 x 100.0 637.9 x 577.0 x 244.8 mm	120.0 ± 5.0 100.0 x 100.0 714.6 x 602.6 x 311.1 mm

Odyssey

				
LS27CG510EEXXT	LS32CG510EEXXT	LS25BG400EEXXT	LS27AG320NEXXT	LS24AG320NEXXT

Display Aspect Ratio Brightness (Typical) Contrast Ratio Static Panel Type Frame Rate Resolution Response Time Screen Size (Inch) Flat / Curved Viewing Angle (H/V)	16:9 300 cd/m ² 3,000:1(Typ.) VA Max 165Hz 2,560 x 1,440 1ms(MPRT) 27 Flat 178°(H)/178°(V)	16:9 300 cd/m ² 3,000:1(Typ.) VA Max 165Hz 2,560 x 1,440 1ms(MPRT) 32 Flat 178°(H)/178°(V)	16:9 400 cd/m ² 1,000:1(Typ.) IPS Max 240Hz 1,920 x 1,080 1ms(GTG) 25 Flat 178°(H)/178°(V)	16:9 250 cd/m ² 3,000:1(Typ.) VA Max 165Hz 1,920 x 1,080 1ms(MPRT) 27 Flat 178°(H)/178°(V)	16:9 250 cd/m ² 3,000:1(Typ.) VA Max 165Hz 1,920 x 1,080 1ms(MPRT) 24 Flat 178°(H)/178°(V)
Interface Display Port D-Sub HDMI Headphone	1 EA No 2 EA Yes	1 EA No 2 EA Yes	1 EA No 2 EA Yes	1 EA No 1 EA Yes	1 EA No 1 EA Yes
General Feature FreeSync G-Sync Picture-By-Picture Picture-In-Picture	FreeSync Premium No No No	FreeSync Premium No No No	FreeSync Premium G-Sync Compatible No No	Yes (Premium) No No No	Yes (Premium) No No No
Design HAS (Height Adjustable Stand) (mm) Wall Mount (mm) Dimension Set Dimension with Stand (WxHxD) (mm)	120.0 ± 5.0 100.0 x 100.0 618.2 x 520.6 x 234.2 mm	120.0 ± 5.0 100.0 x 100.0 719.2 x 597.4 x 248.8 mm	120.0 ± 5.0mm 100 x 100 558.5 x 552.9 x 244.8 mm	120.0 ± 5.0 mm 100.0 x 100.0 618.2 x 520.6 x 234.2 mm	120.0 ± 5.0 mm 100.0 x 100.0 544.0 x 498.7 x 234.2 mm

ViewFinity
High Resolution Monitor

		
LS34A650UBEXXT	LS34C500GAEXXT	LS27A800JEXXT




Display Aspect Ratio Brightness (Typical) Contrast Ratio Static Panel Type Frame Rate Resolution Response Time (ms) Screen Size (Class) Flat / Curved Viewing Angle (H/V)	21:9 350 cd/m ² 4000:1(Typ.) VA Max 100Hz 3,440 x 1,440 5ms 34 Curved 178°/178°	21:9 300 cd/m ² 3000:1 VA Max 100Hz 3,440 x 1,440 5(GTG) 34 Flat 178°/178°	16:9 300 cd/m ² 1000:1(Typ.) IPS Max 60Hz 3,840 x 2,160 5ms 27 Flat 178°/178°
Interface Display Port D-Sub HDMI Headphone	1 EA No 1 EA Yes	1 EA No 2 EA Yes	1 EA No 1 EA Yes
General Feature FreeSync / G-Sync Picture-By-Picture Picture-In-Picture	Yes (FreeSync) Yes Yes	Yes Yes Yes	No Yes Yes
Design HAS (Height Adjustable Stand) (mm) Wall Mount (mm) Dimension Set Dimension with Stand (WxHxD) (mm)	120.0mm(±5.0mm) 100 x 100 806.6 x 553.3 x 234.9 mm	No 100 x 100 815.3 x 457.7 x 221.3 mm	120.0mm(±5.0mm) 100 x 100 615.5 x 551.9 x 196.4 mm

Smart Monitor

		
LS32CM801UEXXT	LS32CM701UEXXT	LS27CM500EEXXT

Display Aspect Ratio Brightness (Typical) Contrast Ratio Static Panel Type Frame Rate Resolution Response Time (ms) Screen Size (Class) Flat / Curved Viewing Angle (H/V)	16:9 400 cd/m ² 3,000:1(Static) VA Max 144Hz 3,840 x 2,160 4ms(GTG) 32 Flat 178°(H)/178°(V)	16:9 300 cd/m ² 3,000:1(Static) VA Max 60Hz 3,840 x 2,160 4ms(GTG) 32 Flat 178°(H)/178°(V)	16:9 250 cd/m ² 3,000:1(Typ.) VA Max 60Hz 1,920 x 1,080 4ms(GTG) 27 Flat 178°(H)/178°(V)
Interface Display Port D-Sub HDMI Headphone Speaker	No No 1 EA No Yes	No 1 EA No No Yes	No No 2 EA N/A Yes
Smart Feature SMART Apps (Netflix, YouTube) Web Browser AirPlay 2 Microsoft Office 365	Yes Yes Yes Yes	Yes Yes Yes Yes	Yes Yes Yes Yes
Design HAS (Height Adjustable Stand) Wall Mount Dimension Set Dimension with Stand (WxHxD)	120 100 x 100 713.4 x 616.2 x 200.1 mm	120 100 x 100 713.4 x 643.5 x 200 mm	No 100 x 100 615.5 x 455.4 x 193.5 mm

Flat Monitor

		
LS22C310EAEXXT	LS24C310EAEXXT	LS27C310EAEXXT

Display Aspect Ratio Brightness (Typical) Contrast Ratio Static Panel Type Frame Rate Resolution Response Time Screen Size (Inch) Flat / Curved Viewing Angle (H/V)	16:9 250cd/m ² 1000:1(Typical) IPS Max 75Hz 1,920 x 1,080 5ms(GTG) 22 Flat 178°(H)/178°(V)	16:9 250cd/m ² 1000:1(Typ.) IPS Max 75Hz 1,920 x 1,080 5ms(GTG) 24 Flat 178°(H)/178°(V)	16:9 250cd/m ² 1000:1(Typ.) IPS Max 75Hz 1,920 x 1,080 5ms(GTG) 27 Flat 178°(H)/178°(V)
Interface Display Port D-Sub HDMI Headphone	No 1 EA 1 EA No	N/A 1 EA 1 EA No	N/A 1 EA 1 EA No
General Feature FreeSync / G-Sync Picture-By-Picture Picture-In-Picture	Yes No No	Yes No No	Yes No No
Design HAS (Height Adjustable Stand) (mm) Wall Mount (mm) Dimension Set Dimension with Stand (WxHxD) (mm)	No 100.0 x 100.0 488.4 x 394.1 x 217.4 mm	No 100.0 x 100.0 539.5 x 422.8 x 217.4 mm	No 100.0 x 100.0 612.1 x 463.3 x 217.4 mm

SSD (Solid State Drive)

		
970 EVO Plus NVMe M.2 SSD	870 QVO SATA III 2.5	T7 Touch / T7

Capacity Speed (Read) Speed (Write) Connectivity Security Warranty	250 GB, 500 GB, 1 TB, 2 TB 3,500 MB/s 3,300 MB/s - - 5 Years (Limited)	1 TB, 2 TB, 4 TB, 8 TB 560 MB/s 530 MB/s - - 3 Years (Limited)	500 GB, 1 TB, 2 TB 1,050 MB/s 1,000 MB/s USB 3.2 Gen.2 (10 Gbps) Finger Scan (only T7 Touch) 3 Years (Limited)
---	---	---	---

Home Entertainment

BESPOKE Laundry

BESPOKE Kitchen

Cool & Fresh Room

BESPOKE Living

Monitors