Sheet of household washing machines

The design and specifications are subject to change without notice for quality improvement purposes.

According to Regulation (EU) No. 1061/2010

Ø

" * " Asterisk(s) means variant model and can be varied (0-9) or (A-Z).

Samsung								
Model Name			WW80H7600E*	WW90H7600E*				
Capacity	kg		8	9				
Energy Efficiency								
A+++ (highest efficiency) to D (least efficient)			A+++	A+++				
Energy Consumption								
Annual Energy Consumption (AE_C) ¹⁾	kWh/yr		151	151				
Energy Consumption (E_t.60) Cotton 60 °C at full load	kWh		0.78	0.80				
Energy Consumption (E_t.60.1/2) Cotton 60 °C with partial load	kWh		0.66	0.64				
Energy Consumption (E_t.40.1/2) Cotton 40 °C with partial load	kWh		0.50	0.50				
Weighted power off-mode (P_o)	W		0.45	0.45				
Weighted power in left-on mode (P_I)	W		10	10				
Annual water consumption (AW_c) ²⁾	L/yr		9400	9400				
Spin efficiency class ³⁾								
A (most efficient) to G (least efficient)			A	A				
Maximum Spin Speed	rpm		1600	1600				
Residual moisture	%		44	44				
Programs to which the information on the label and the Sheet relate			Cotton 60 °C and 40 °C ⁴⁾					
Program duration of the standard program								
Cotton 60 °C at full load	min		270	270				
Cotton 60 °C for partial load	min		250	250				
Cotton 40 °C with partial load	min		230	230				
Weighted time in left-on mode	min		8	8				
Airborne noise emissions								
Wash	dB (A) re 1 pW		52	52				
Spin	dB (A) re 1 pW		76	76				
Dimensions								
Unit dimensions	Height	mm	850	850				
	Width	mm	600	600				
	Depth ⁵⁾	mm	600	600				
Net weight	kg		76	76				
Gross weight	kg		78	78				
Package weight	kg		2	2				
Water Pressure	kPa		50-800					
Electrical connection								
Voltage	V		220-240					
Power consumption	W		2000-2400					
requency Hz		50						
Name of company			Samsung Electronics Co., Ltd.					

- Annual energy consumption is based on 220 standard washing cycles for € COTTON course at 60 °C and 40 °C at full and partial load, and the consumption of off and left-on modes. Actual energy consumption will depend on how the appliance is used.
- 2. Annual water consumption is based on 220 standard washing cycles for *€* COTTON course at 60 °C and 40 °C at full and partial load. Actual water consumption will depend on how the appliance is used.
- Spin extraction is very important when you use a clothes dryer to dry your clothes. The energy for drying costs much higher than the energy for washing. Wasing with the high spin saves more energy in drying your clothes in a clothes dryer.
- 4. The *E* COTTON 60 °C and *E* COTTON 40 °C programs are the 'standard cotton 60 °C program' and the 'standard cotton 40 °C program'. They are suitable to clean normally soiled cotton laundry and they are the most efficient (concerning water and energy consumption) for this type of laundry. Please run Calibration Mode after the installation (refer to the "Run Calibration mode (recommended)" section on page 18).

In these programs the actual water temperature may differ from the declared temperature.

5. Distance to the wall from the unit is not included in the depth dimension.

Sheet of household washing machines

The design and specifications are subject to change without notice for quality improvement purposes.

According to Regulation (EU) No. 1061/2010



" * " Asterisk(s) means variant model and can be varied (0-9) or (A-Z).

Samsung								
Model Name			WW80H7410E*	WW90H7410E*				
Capacity	ka		8	9				
Energy Efficiency								
A+++ (highest efficiency) to D (least efficient)			A+++	A+++				
Energy Consumption								
Annual Energy Consumption (AE_C) 1)	kWh/yr		136	151				
Energy Consumption (E_t.60) Cotton 60 °C at full load	kWh		0.66	0.77				
Energy Consumption (E_t.60.1/2) Cotton 60 °C with partial load	kWh		0.63	0.67				
Energy Consumption (E_t.40.1/2) Cotton 40 °C with partial load	kWh		0.48	0.51				
Weighted power off-mode (P_o)	W		0.45	0.45				
Weighted power in left-on mode (P_I)	W		10	10				
Annual water consumption (AW_c) ²⁾	L/yr		8400	9400				
Spin efficiency class ³⁾								
A (most efficient) to G (least efficient)			А	А				
Maximum Spin Speed	rpm		1400	1400				
Residual moisture	%		44	44				
Programs to which the information on the label and the Sheet relate			€ Cotton 60 °C and 40 °C ⁴⁾					
Program duration of the standard program								
Cotton 60 °C at full load	min		270	270				
Cotton 60 °C for partial load	min		250	250				
Cotton 40 °C with partial load	min		230	230				
Weighted time in left-on mode	min		8	8				
Airborne noise emissions								
Wash	dB (A) re 1 pW		52	52				
Spin	dB (A) re 1 pW		74	74				
Dimensions								
Unit dimensions	Height	mm	850	850				
	Width	mm	600	600				
	Depth ⁵⁾	mm	600	600				
Net weight	kg		73	73				
Gross weight	kg		75	75				
Package weight	kg		2	2				
Water Pressure	kPa		50-800					
Electrical connection								
Voltage	V		220-240					
Power consumption	W		2000-2400					
Frequency		50						
Name of company			Samsung Electronics Co., Ltd.					

- Annual energy consumption is based on 220 standard washing cycles for € COTTON course at 60 °C and 40 °C at full and partial load, and the consumption of off and left-on modes. Actual energy consumption will depend on how the appliance is used.
- 2. Annual water consumption is based on 220 standard washing cycles for *€* COTTON course at 60 °C and 40 °C at full and partial load. Actual water consumption will depend on how the appliance is used.
- Spin extraction is very important when you use a clothes dryer to dry your clothes. The energy for drying costs much higher than the energy for washing. Wasing with the high spin saves more energy in drying your clothes in a clothes dryer.
- 4. The *E* COTTON 60 °C and *E* COTTON 40 °C programs are the 'standard cotton 60 °C program' and the 'standard cotton 40 °C program'. They are suitable to clean normally soiled cotton laundry and they are the most efficient (concerning water and energy consumption) for this type of laundry. Please run Calibration Mode after the installation (refer to the "Run Calibration mode (recommended)" section on page 18).

In these programs the actual water temperature may differ from the declared temperature.

5. Distance to the wall from the unit is not included in the depth dimension.