

#### According to Regulation (EU) No. 1061/2010

"\*" Asterisk(s) means variant model and can be varied (0-9) or (A-Z).

Samsung			
Model Name		WW9*J5455**	WW9*J5255**
Capacity	kg	9.0	
Energy Efficiency on a scale from D (least efficient) to A+++ (most efficient)		A+++	
Annual energy consumption (It is based on 220 standard washing cycles for standard cotton course at 60 °C and 40 °C at full and partial load, and the consumption of off and left-on modes. Actual energy consumption will depend on how the appliance is used.)	kWh/yr	130	
Energy Consumption			
The standard 60 °C cotton programme at full load	kWh	0.0	 55
The standard 60 °C cotton programme at partial load	kWh	0.5	51
The standard 40 °C cotton programme at partial load	kWh	0.5	51
Weighted power consumption of the off-mode.	W	0.4	48
Weighted power consumption of the left-on mode.	W	5.0	00
Annual water consumption (It is based on 220 standard washing cycles for standard cotton course at 60 °C and 40 °C at full and partial load. Actual water consumption will depend on how the appliance is used.)	L/yr	9400	
Spin efficiency class			
Spin-drying efficiency class on a scale from G (least efficient) to Δ (most			В
Maximun Spin Speed	rpm	1400	1200
Residual moisture	%	44	53
The Cotton 60 °C and Cotton 40 °C programs are the 'standard cotton 60 °C program' and the 'standard cotton 40 °C program'. They are suitable to clean normally soiled cotton laundry and they are the most efficient (concerning water and energy consumption) for this type of laundry. In these programs the actual water temperature may differ from the declared temperature. Please run Calibration Mode after the installation (refer to the "Run Calibration (recommended)" section on page 26).			
Program duration of the standard program			
The standard 60 °C cotton programme at full load	min	319	
The standard 60 °C cotton programme at partial load	min	289	
The standard 40 °C cotton programme at partial load	min	289	
The duration of the left-on mode (TI)	min	2	
Airborne acoustical noise emissions expressed in dB(A) re 1 pW and rounded to the nearest integer during the washing and spinning phases for the standard 60 °C cotton programme at full load;			
Wash	dB (A) re 1 pW	5	0
Spin	dB (A) re 1 pW	74	









## According to Regulation (EU) No. 1061/2010

"\*" Asterisk(s) means variant model and can be varied (0-9) or (A-Z).

Samsung		
Model Name		WW9*J5475**
Capacity	kg	9.0
Energy Efficiency on a scale from D (least efficient) to A+++	(most efficient)	A+++
Annual energy consumption (It is based on 220 standard washing cycles for standard cotton course at 60 °C and 40 °C at full and partial load, and the consumption of off and left-on modes. Actual energy consumption will depend on how the appliance is used.)	kWh/yr	196
Energy Consumption		
The standard 60 °C cotton programme at full load	kWh	0.96
The standard 60 °C cotton programme at partial load	kWh	0.80
The standard 40 °C cotton programme at partial load	kWh	0.80
Weighted power consumption of the off-mode.	W	0.48
Weighted power consumption of the left-on mode.	W	5.00
Annual water consumption (It is based on 220 standard washing cycles for standard cotton course at 60 °C and 40 °C at full and partial load. Actual water consumption will depend on how the appliance is used.)	L/yr	9400
Spin efficiency class		
Spin-drying efficiency class on a scale from G (least efficient) to A (most efficient)		А
Maximun Spin Speed	rpm	1400
Residual moisture	%	44
The Ce COTTON 60 °C and Ce COTTON 40 °C program the 'standard cotton 40 °C program'. They are suitable to cle the most efficient (concerning water and energy consumption actual water temperature may differ from the declared temperature installation (refer to the "Run Calibration (recommended)" see	ean normally soiled on) for this type of perature. Please rui	cotton laundry and they are laundry. In these programs the
Program duration of the standard program		
The standard 60 °C cotton programme at full load	min	319
The standard 60 °C cotton programme at partial load	min	289
The standard 40 °C cotton programme at partial load	min	289
The duration of the left-on mode (TI)	min	2
Airborne acoustical noise emissions expressed in dB(A) re 1 washing and spinning phases for the standard 60 °C cotton		
Wash	dB (A) re 1 pW	50
Spin	dB (A) re 1 pW	74









#### According to Regulation (EU) No. 1061/2010

"\*" Asterisk(s) means variant model and can be varied (0-9) or (A-Z).

Samsung				
Model Name		WW9*J53*5**		
Capacity	kg	9.0		
Energy Efficiency on a scale from D (least efficient) to A+++	(most efficient)	A+++		
Annual energy consumption (It is based on 220 standard washing cycles for standard cotton course at 60 °C and 40 °C at full and partial load, and the consumption of off and left-on modes. Actual energy consumption will depend on how the appliance is used.)	kWh/yr	175		
Energy Consumption				
The standard 60 °C cotton programme at full load	kWh	0.86		
The standard 60 °C cotton programme at partial load	kWh	0.83		
The standard 40 °C cotton programme at partial load	kWh	0.59		
Weighted power consumption of the off-mode.	W	0.48		
Weighted power consumption of the left-on mode.	W	5.00		
Annual water consumption (It is based on 220 standard washing cycles for standard cotton course at 60 °C and 40 °C at full and partial load. Actual water consumption will depend on how the appliance is used.)	L/yr	9400		
Spin efficiency class				
Spin-drying efficiency class on a scale from G (least efficient) to A (most efficient)				
Maximun Spin Speed	rpm	1200		
Residual moisture	%	53		
The COTTON 60 °C and COTTON 40 °C programs are the 'standard cotton 60 °C program' and the 'standard cotton 40 °C program'. They are suitable to clean normally soiled cotton laundry and they are the most efficient (concerning water and energy consumption) for this type of laundry. In these programs the actual water temperature may differ from the declared temperature. Please run Calibration Mode after the installation (refer to the "Run Calibration (recommended)" section on page 26).				
Program duration of the standard program				
The standard 60 °C cotton programme at full load	min	280		
The standard 60 °C cotton programme at partial load	min	220		
The standard 40 °C cotton programme at partial load	min	180		
The duration of the left-on mode (TI)	min	2		
Airborne acoustical noise emissions expressed in dB(A) re 1 pW and rounded to the nearest integer during the washing and spinning phases for the standard 60 °C cotton programme at full load;				
Wash	dB (A) re 1 pW	62		
Spin	dB (A) re 1 pW	76		









### According to Regulation (EU) No. 1061/2010

"\*" Asterisk(s) means variant model and can be varied (0-9) or (A-Z).

Samsung			
Model Name		WW8*J54*5** WW8*J52*5	
Capacity	kg	8.0	
Energy Efficiency on a scale from D (least efficient) to A+++	(most efficient)	A+++	
Annual energy consumption (It is based on 220 standard			
washing cycles for standard cotton course at 60 °C and 40		116	
°C at full and partial load, and the consumption of off and	kWh/yr		
left-on modes. Actual energy consumption will depend on			
how the appliance is used.)			
Energy Consumption			
The standard 60 °C cotton programme at full load	kWh	0.	54
The standard 60 °C cotton programme at partial load	kWh	0.	48
The standard 40 °C cotton programme at partial load	kWh	0.48	
Weighted power consumption of the off-mode.	W	0.48	
Weighted power consumption of the left-on mode.	W	5.00	
Annual water consumption (It is based on 220 standard			
washing cycles for standard cotton course at 60 °C and 40	L/yr	8100	
°C at full and partial load. Actual water consumption will	<u> </u>		
depend on how the appliance is used.)			
Spin efficiency class			
Spin-drying efficiency class on a scale from G (least efficient	t) to A (most	А	В
efficient)			
Maximun Spin Speed	rpm	1400	1200
Residual moisture	%	44	53
The COCOTTON 60 °C and COCOTTON 40 °C program	ns are the 'standar	d cotton 60 °C pr	ogram' and
the 'standard cotton 40 °C program'. They are suitable to cle	an normally soiled	cotton laundry a	nd they are
the most efficient (concerning water and energy consumption		-	
actual water temperature may differ from the declared temp		n Calibration Mod	de after the
installation (refer to the "Run Calibration (recommended)" se	ection on page <b>26</b> ).		
Program duration of the standard program			
The standard 60 °C cotton programme at full load	min	319	
The standard 60 °C cotton programme at partial load	min	259	
The standard 40 °C cotton programme at partial load	min	259	
The duration of the left-on mode (TI)	min	2	
Airborne acoustical noise emissions expressed in dB(A) re 1 pW and rounded to the nearest integer during the washing and spinning phases for the standard 60 $^{\circ}$ C cotton programme at full load;			







49

74

dB (A) re 1 pW

dB (A) re 1 pW

Wash

Spin



#### According to Regulation (EU) No. 1061/2010

"\*" Asterisk(s) means variant model and can be varied (0-9) or (A-Z).

Samsung			
Model Name		WW8*J55*5**	WW8*J53*5**
Capacity	kg	8.0	
Energy Efficiency on a scale from D (least efficient) to A+++	(most efficient)	A+++	
Annual energy consumption (It is based on 220 standard washing cycles for standard cotton course at 60 °C and 40 °C at full and partial load, and the consumption of off and left-on modes. Actual energy consumption will depend on how the appliance is used.)	kWh/yr	166	
Energy Consumption			
The standard 60 °C cotton programme at full load	kWh	0.0	35
The standard 60 °C cotton programme at partial load	kWh	0.7	73
The standard 40 °C cotton programme at partial load	kWh	0.1	56
Weighted power consumption of the off-mode.	W	0.4	48
Weighted power consumption of the left-on mode.	W	5.0	00
Annual water consumption (It is based on 220 standard washing cycles for standard cotton course at 60 °C and 40 °C at full and partial load. Actual water consumption will depend on how the appliance is used.)	L/yr	8100	
Spin efficiency class			
Spin-drying efficiency class on a scale from G (least efficient) to A (most efficient)		В	
Maximun Spin Speed	rpm	1400 1200	
Residual moisture	%	53	
The COTTON 60 °C and COTTON 40 °C programs are the 'standard cotton 60 °C program' and the 'standard cotton 40 °C program'. They are suitable to clean normally soiled cotton laundry and they are the most efficient (concerning water and energy consumption) for this type of laundry. In these programs the actual water temperature may differ from the declared temperature. Please run Calibration Mode after the installation (refer to the "Run Calibration (recommended)" section on page 26).			
Program duration of the standard program			
The standard 60 °C cotton programme at full load	min	252	
The standard 60 °C cotton programme at partial load	min	222	
The standard 40 °C cotton programme at partial load	min	182	
The duration of the left-on mode (TI)	min	2	
Airborne acoustical noise emissions expressed in dB(A) re 1 pW and rounded to the nearest integer during the washing and spinning phases for the standard 60 °C cotton programme at full load;			
Wash	dB (A) re 1 pW	62	
Spin	dB (A) re 1 pW	79	76
Free Standing			









## According to Regulation (EU) No. 1061/2010

"\*" Asterisk(s) means variant model and can be varied (0-9) or (A-Z).

WW7*J54*5**   7.0 t) A++			
t) A++			
	++		
103	103		
0.5	2		
0.3	9		
0.3	9		
0.4	.8		
5.0	5.00		
740	7400		
В			
1400	1200		
53	}		
The COTTON 60 °C and COTTON 40 °C programs are the 'standard cotton 60 °C program' and the 'standard cotton 40 °C program'. They are suitable to clean normally soiled cotton laundry and they are the most efficient (concerning water and energy consumption) for this type of laundry. In these programs the actual water temperature may differ from the declared temperature. Please run Calibration Mode after the installation (refer to the "Run Calibration (recommended)" section on page 26).			
31.	312		
19	197		
19	197		
	2		
2 ded to the nearest integ t full load;			
ded to the nearest integ	ger during the		
	1400 53  ndard cotton 60 °C pro poiled cotton laundry an pe of laundry. In these page run Calibration Mode 26).  31 19		









#### According to Regulation (EU) No. 1061/2010

"\*" Asterisk(s) means variant model and can be varied (0-9) or (A-Z).

Samsung			
Model Name		WW7*J55*5**	WW7*J53*5**
Capacity	kg	7.0	
Energy Efficiency on a scale from D (least efficient) to A+++	(most efficient)	A+++	
Annual energy consumption (It is based on 220 standard washing cycles for standard cotton course at 60 °C and 40 °C at full and partial load, and the consumption of off and left-on modes. Actual energy consumption will depend on how the appliance is used.)	kWh/yr	153	
Energy Consumption			
The standard 60 °C cotton programme at full load	kWh	0.7	74
The standard 60 °C cotton programme at partial load	kWh	0.7	72
The standard 40 °C cotton programme at partial load	kWh	0.1	53
Weighted power consumption of the off-mode.	W	0.4	48
Weighted power consumption of the left-on mode.	W	5.0	00
Annual water consumption (It is based on 220 standard washing cycles for standard cotton course at 60 °C and 40 °C at full and partial load. Actual water consumption will depend on how the appliance is used.)	L/yr	7400	
Spin efficiency class			
Spin-drying efficiency class on a scale from G (least efficient) to A (most efficient)			3
Maximun Spin Speed	rpm	1400	1200
Residual moisture	%	5	3
The COTTON 60 °C and COTTON 40 °C programs are the 'standard cotton 60 °C program' and the 'standard cotton 40 °C program'. They are suitable to clean normally soiled cotton laundry and they are the most efficient (concerning water and energy consumption) for this type of laundry. In these programs the actual water temperature may differ from the declared temperature. Please run Calibration Mode after the installation (refer to the "Run Calibration (recommended)" section on page 26).			
Program duration of the standard program			
The standard 60 °C cotton programme at full load	min	252	
The standard 60 °C cotton programme at partial load	min	222	
The standard 40 °C cotton programme at partial load	min	182	
The duration of the left-on mode (TI)	min	2	
Airborne acoustical noise emissions expressed in dB(A) re 1 pW and rounded to the nearest integer during the washing and spinning phases for the standard 60 °C cotton programme at full load;			
Wash	dB (A) re 1 pW	62	
Spin	dB (A) re 1 pW	79	76





68 English -

