

COMMISSION DELEGATED REGULATION (EU) No 811/2013ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER)ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDEG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	7221
		Low-temperature ⁽ⁱ⁾	kWh	5454
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	135
		Low-temperature ⁽ⁱ⁾	%	186
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	44
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	9587
		Low-temperature ⁽ⁱ⁾	kWh	7577
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	3442
		Low-temperature ⁽ⁱ⁾	kWh	2479
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	121
		Low-temperature ⁽ⁱ⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	183
		Low-temperature ⁽ⁱ⁾	%	263
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	61

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER)ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDEG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	125
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [(294/(11 x • Prated))]		-	2,2
AI	Value of IV [(115/(11 x • Prated))]		-	0,9
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	14
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDEG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	12,1
		Low-temperature ⁽¹⁾	kW	12,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	7221
		Low-temperature ⁽¹⁾	kWh	5454
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	135
		Low-temperature ⁽¹⁾	%	186
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	44
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	12,1
		Low-temperature ⁽¹⁾	kW	12,5
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	12,1
		Low-temperature ⁽¹⁾	kW	12,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	9587
		Low-temperature ⁽¹⁾	kWh	7577
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	3442
		Low-temperature ⁽¹⁾	kWh	2479
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	121
		Low-temperature ⁽¹⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	183
		Low-temperature ⁽¹⁾	%	263
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	61

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDEG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	125
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III $[(294/(11 \times \bullet \text{Prated}))]$		-	2,2
AI	Value of IV $[(115/(11 \times \bullet \text{Prated}))]$		-	0,9
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	14
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of $[(220 \times Q_{ref})/Q_{nonsol}]$		%	370
AP	Value of $[(Q_{aux} \times 2,5)/(220 \times Q_{ref})]$		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXE DEG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	12,5
		Low-temperature ⁽ⁱ⁾	kW	13,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	7481
		Low-temperature ⁽ⁱ⁾	kWh	5930
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	135
		Low-temperature ⁽ⁱ⁾	%	185
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	44
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	12,5
		Low-temperature ⁽ⁱ⁾	kW	13,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	12,3
		Low-temperature ⁽ⁱ⁾	kW	12,7
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	9865
		Low-temperature ⁽ⁱ⁾	kWh	8225
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	3502
		Low-temperature ⁽ⁱ⁾	kWh	2519
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	122
		Low-temperature ⁽ⁱ⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	183
		Low-temperature ⁽ⁱ⁾	%	262
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	62

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXE DEG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	126
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	2,1
AI	Value of IV [115/(11 x • Prated)]		-	0,8
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	13
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDGG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	12,1
		Low-temperature ⁽¹⁾	kW	12,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	7221
		Low-temperature ⁽¹⁾	kWh	5454
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	135
		Low-temperature ⁽¹⁾	%	186
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	44
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	12,1
		Low-temperature ⁽¹⁾	kW	12,5
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	12,1
		Low-temperature ⁽¹⁾	kW	12,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	9587
		Low-temperature ⁽¹⁾	kWh	7577
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	3442
		Low-temperature ⁽¹⁾	kWh	2479
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	121
		Low-temperature ⁽¹⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	183
		Low-temperature ⁽¹⁾	%	263
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	61

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDGG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	125
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	2,2
AI	Value of IV [115/(11 x • Prated)]		-	0,9
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	14
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXEDGG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	12,5
		Low-temperature ⁽ⁱ⁾	kW	13,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	7481
		Low-temperature ⁽ⁱ⁾	kWh	5930
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	135
		Low-temperature ⁽ⁱ⁾	%	185
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	44
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	12,5
		Low-temperature ⁽ⁱ⁾	kW	13,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	12,3
		Low-temperature ⁽ⁱ⁾	kW	12,7
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	9865
		Low-temperature ⁽ⁱ⁾	kWh	8225
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	3502
		Low-temperature ⁽ⁱ⁾	kWh	2519
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	122
		Low-temperature ⁽ⁱ⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	183
		Low-temperature ⁽ⁱ⁾	%	262
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	62

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXEDGG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	126
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	2,1
AI	Value of IV [115/(11 x • Prated)]		-	0,8
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	13
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE040RXEDEG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	5,0
		Low-temperature ⁽¹⁾	kW	5,0
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	3178
		Low-temperature ⁽¹⁾	kWh	2253
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	127
		Low-temperature ⁽¹⁾	%	180
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	40
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	4,0
		Low-temperature ⁽¹⁾	kW	4,0
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	5,0
		Low-temperature ⁽¹⁾	kW	5,0
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	3992
		Low-temperature ⁽¹⁾	kWh	2770
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	1753
		Low-temperature ⁽¹⁾	kWh	1134
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	96
		Low-temperature ⁽¹⁾	%	139
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	149
		Low-temperature ⁽¹⁾	%	233
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	58

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE040RXEDEG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	131
Y	Seasonal space heating energy efficiency (Colder)		%	100
Z	Seasonal space heating energy efficiency (Warmer)		%	153
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	5,3
AI	Value of IV [115/(11 x • Prated)]		-	2,1
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	31
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	22
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE060CXE DEG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	6,0
		Low-temperature ⁽ⁱ⁾	kW	6,0
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	3745
		Low-temperature ⁽ⁱ⁾	kWh	2705
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	129
		Low-temperature ⁽ⁱ⁾	%	180
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	40
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	4,8
		Low-temperature ⁽ⁱ⁾	kW	4,8
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	5,6
		Low-temperature ⁽ⁱ⁾	kW	5,6
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	4951
		Low-temperature ⁽ⁱ⁾	kWh	3305
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	1953
		Low-temperature ⁽ⁱ⁾	kWh	1264
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	93
		Low-temperature ⁽ⁱ⁾	%	140
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	150
		Low-temperature ⁽ⁱ⁾	%	234
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	60

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE060CXE DEG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	133
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	154
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	4,5
AI	Value of IV [115/(11 x • Prated)]		-	1,7
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	36
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	21
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE060RXEDEG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	6,0
		Low-temperature ⁽¹⁾	kW	6,0
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	3745
		Low-temperature ⁽¹⁾	kWh	2705
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	129
		Low-temperature ⁽¹⁾	%	180
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	40
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	4,8
		Low-temperature ⁽¹⁾	kW	4,8
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	5,6
		Low-temperature ⁽¹⁾	kW	5,6
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	4951
		Low-temperature ⁽¹⁾	kWh	3305
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	1953
		Low-temperature ⁽¹⁾	kWh	1264
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	93
		Low-temperature ⁽¹⁾	%	140
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	150
		Low-temperature ⁽¹⁾	%	234
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	60

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE060RXEDEG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	133
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	154
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	4,5
AI	Value of IV [115/(11 x • Prated)]		-	1,7
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	36
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	21
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090CXE DEG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	8,0
		Low-temperature ⁽ⁱ⁾	kW	8,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	5103
		Low-temperature ⁽ⁱ⁾	kWh	3949
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	127
		Low-temperature ⁽ⁱ⁾	%	175
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	40
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	7,0
		Low-temperature ⁽ⁱ⁾	kW	7,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	8,0
		Low-temperature ⁽ⁱ⁾	kW	8,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	7220
		Low-temperature ⁽ⁱ⁾	kWh	5252
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	2720
		Low-temperature ⁽ⁱ⁾	kWh	1865
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	93
		Low-temperature ⁽ⁱ⁾	%	138
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	154
		Low-temperature ⁽ⁱ⁾	%	241
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	65

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090CXE DEG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	131
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	158
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	3,3
AI	Value of IV [115/(11 x • Prated)]		-	1,3
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	34
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	27
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090CXEDGG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	8,0
		Low-temperature ⁽ⁱ⁾	kW	8,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	5103
		Low-temperature ⁽ⁱ⁾	kWh	3949
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	127
		Low-temperature ⁽ⁱ⁾	%	175
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	40
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	7,0
		Low-temperature ⁽ⁱ⁾	kW	7,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	8,0
		Low-temperature ⁽ⁱ⁾	kW	8,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	7220
		Low-temperature ⁽ⁱ⁾	kWh	5252
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	2720
		Low-temperature ⁽ⁱ⁾	kWh	1865
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	93
		Low-temperature ⁽ⁱ⁾	%	138
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	154
		Low-temperature ⁽ⁱ⁾	%	241
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	65

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090CXEDGG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	131
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	158
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [(294/(11 x • Prated))]		-	3,3
AI	Value of IV [(115/(11 x • Prated))]		-	1,3
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	34
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	27
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark	-	Samsung
B	Supplier's model identifier	-	AE090RXEDEC / AE200DNWSPG
C	For space heating	-	Medium-temperature application
E	For water heating	Load profile ^(f)	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	A++
		Low-temperature ⁽ⁱ⁾	A+++
J	Water heating energy efficiency class	-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	8,0
		Low-temperature ⁽ⁱ⁾	8,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	5103
		Low-temperature ⁽ⁱ⁾	3949
M	Annual electricity consumption for water heating (Average)	kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	127
		Low-temperature ⁽ⁱ⁾	175
O	Water heating energy efficiency (Average)	%	148
P	L _{wa} (sound power level, indoor)	dB	40
Q	Work only on off-peak hours	(Yes/No)	No
R	Specific precautions ¹⁾	-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	7,0
		Low-temperature ⁽ⁱ⁾	7,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	8,0
		Low-temperature ⁽ⁱ⁾	8,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	7220
		Low-temperature ⁽ⁱ⁾	5252
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	2720
		Low-temperature ⁽ⁱ⁾	1865
W	Annual electricity consumption for water heating (Colder)	kWh	906
X	Annual electricity consumption for water heating (Warmer)	kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	93
		Low-temperature ⁽ⁱ⁾	138
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	154
		Low-temperature ⁽ⁱ⁾	241
AA	Water heating energy efficiency (Colder)	%	113
AB	Water heating energy efficiency (Warmer)	%	162
AC	L _{wa} (sound power level, outdoor)	dB	64

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark	-	Samsung
B	Supplier's model identifier	-	AE090RXEDEC / AE200DNWSPG / Temp-Control
AE	Preferential heater	-	
AF	Seasonal space heating energy efficiency class (Average)	-	A++
N	Seasonal space heating energy efficiency (Average)	%	131
Y	Seasonal space heating energy efficiency (Colder)	%	97
Z	Seasonal space heating energy efficiency (Warmer)	%	158
AG	Weight factor (Preferential and Supplementary heater)	-	0
AH	Value of III [294/(11 x • Prated)]	-	3,3
AI	Value of IV [115/(11 x • Prated)]	-	1,3
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions	%	34
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions	%	27
AS	the class of the temperature control	-	CLASS VI
AT	the contribution of the temperature control	%	4
AL	Water heating	-	
AM	Seasonal water heating energy efficiency class (Average)	-	A+
AN	Water heating energy efficiency of the combination heater (Average)	%	148
AO	Value of [(220 x Qref)/Qonsol]	%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]	%	0
AQ	Declared load profile (Average)	-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090RXEDGG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	8,0
		Low-temperature ⁽¹⁾	kW	8,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	5103
		Low-temperature ⁽¹⁾	kWh	3949
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	127
		Low-temperature ⁽¹⁾	%	175
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	40
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	7,0
		Low-temperature ⁽¹⁾	kW	7,5
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	8,0
		Low-temperature ⁽¹⁾	kW	8,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	7220
		Low-temperature ⁽¹⁾	kWh	5252
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	2720
		Low-temperature ⁽¹⁾	kWh	1865
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	93
		Low-temperature ⁽¹⁾	%	138
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	154
		Low-temperature ⁽¹⁾	%	241
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	64

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090RXEDGG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	131
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	158
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III $[(294/(11 \times \bullet \text{Prated}))]$		-	3,3
AI	Value of IV $[(115/(11 \times \bullet \text{Prated}))]$		-	1,3
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	34
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	27
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of $[(220 \times \text{Qref})/\text{Qnonsol}]$		%	370
AP	Value of $[(\text{Qaux} \times 2,5)/((220 \times \text{Qref}))]$		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXE DEG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	7221
		Low-temperature ⁽ⁱ⁾	kWh	5454
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	135
		Low-temperature ⁽ⁱ⁾	%	186
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	46
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	9587
		Low-temperature ⁽ⁱ⁾	kWh	7577
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	3442
		Low-temperature ⁽ⁱ⁾	kWh	2479
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	121
		Low-temperature ⁽ⁱ⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	183
		Low-temperature ⁽ⁱ⁾	%	263
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	61

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXE DEG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	125
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	2,2
AI	Value of IV [115/(11 x • Prated)]		-	0,9
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	14
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXEDEG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	12,5
		Low-temperature ⁽¹⁾	kW	13,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	7481
		Low-temperature ⁽¹⁾	kWh	5930
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	135
		Low-temperature ⁽¹⁾	%	185
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	46
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	12,5
		Low-temperature ⁽¹⁾	kW	13,5
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	12,3
		Low-temperature ⁽¹⁾	kW	12,7
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	9865
		Low-temperature ⁽¹⁾	kWh	8225
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	3502
		Low-temperature ⁽¹⁾	kWh	2519
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	122
		Low-temperature ⁽¹⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	183
		Low-temperature ⁽¹⁾	%	262
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	62

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXEDEG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	126
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	2,1
AI	Value of IV [115/(11 x • Prated)]		-	0,8
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	13
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDGG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	7221
		Low-temperature ⁽ⁱ⁾	kWh	5454
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	135
		Low-temperature ⁽ⁱ⁾	%	186
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	46
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	9587
		Low-temperature ⁽ⁱ⁾	kWh	7577
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	3442
		Low-temperature ⁽ⁱ⁾	kWh	2479
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	121
		Low-temperature ⁽ⁱ⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	183
		Low-temperature ⁽ⁱ⁾	%	263
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	61

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDGG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	125
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	2,2
AI	Value of IV [115/(11 x • Prated)]		-	0,9
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	14
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXEDGG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	12,5
		Low-temperature ⁽¹⁾	kW	13,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	7481
		Low-temperature ⁽¹⁾	kWh	5930
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	135
		Low-temperature ⁽¹⁾	%	185
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	46
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	12,5
		Low-temperature ⁽¹⁾	kW	13,5
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	12,3
		Low-temperature ⁽¹⁾	kW	12,7
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	9865
		Low-temperature ⁽¹⁾	kWh	8225
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	3502
		Low-temperature ⁽¹⁾	kWh	2519
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	122
		Low-temperature ⁽¹⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	183
		Low-temperature ⁽¹⁾	%	262
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	62

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXEDGG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	126
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	2,1
AI	Value of IV [115/(11 x • Prated)]		-	0,8
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	13
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE040RXEDEG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	5,0
		Low-temperature ⁽ⁱ⁾	kW	5,0
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	3178
		Low-temperature ⁽ⁱ⁾	kWh	2253
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	127
		Low-temperature ⁽ⁱ⁾	%	180
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	42
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	4,0
		Low-temperature ⁽ⁱ⁾	kW	4,0
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	5,0
		Low-temperature ⁽ⁱ⁾	kW	5,0
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	3992
		Low-temperature ⁽ⁱ⁾	kWh	2770
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	1753
		Low-temperature ⁽ⁱ⁾	kWh	1134
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	96
		Low-temperature ⁽ⁱ⁾	%	139
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	149
		Low-temperature ⁽ⁱ⁾	%	233
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	58

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE040RXEDEG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	131
Y	Seasonal space heating energy efficiency (Colder)		%	100
Z	Seasonal space heating energy efficiency (Warmer)		%	153
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	5,3
AI	Value of IV [115/(11 x • Prated)]		-	2,1
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	31
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	22
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE060CXEDEG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	6,0
		Low-temperature ⁽¹⁾	kW	6,0
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	3745
		Low-temperature ⁽¹⁾	kWh	2705
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	129
		Low-temperature ⁽¹⁾	%	180
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	42
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	4,8
		Low-temperature ⁽¹⁾	kW	4,8
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	5,6
		Low-temperature ⁽¹⁾	kW	5,6
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	4951
		Low-temperature ⁽¹⁾	kWh	3305
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	1953
		Low-temperature ⁽¹⁾	kWh	1264
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	93
		Low-temperature ⁽¹⁾	%	140
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	150
		Low-temperature ⁽¹⁾	%	234
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	60

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE060CXEDEG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	133
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	154
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III $[(294/(11 \times \bullet \text{Prated}))]$		-	4,5
AI	Value of IV $[(115/(11 \times \bullet \text{Prated}))]$		-	1,7
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	36
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	21
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of $[(220 \times Q_{ref})/Q_{nonsol}]$		%	370
AP	Value of $[(Q_{aux} \times 2,5)/(220 \times Q_{ref})]$		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE060RXEDEG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	6,0
		Low-temperature ⁽ⁱ⁾	kW	6,0
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	3745
		Low-temperature ⁽ⁱ⁾	kWh	2705
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	129
		Low-temperature ⁽ⁱ⁾	%	180
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	42
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	4,8
		Low-temperature ⁽ⁱ⁾	kW	4,8
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	5,6
		Low-temperature ⁽ⁱ⁾	kW	5,6
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	4951
		Low-temperature ⁽ⁱ⁾	kWh	3305
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	1953
		Low-temperature ⁽ⁱ⁾	kWh	1264
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	93
		Low-temperature ⁽ⁱ⁾	%	140
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	150
		Low-temperature ⁽ⁱ⁾	%	234
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	60

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE060RXEDEG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	133
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	154
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	4,5
AI	Value of IV [115/(11 x • Prated)]		-	1,7
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	36
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	21
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090CXEDEG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	8,0
		Low-temperature ⁽¹⁾	kW	8,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	5103
		Low-temperature ⁽¹⁾	kWh	3949
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	127
		Low-temperature ⁽¹⁾	%	175
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	42
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	7,0
		Low-temperature ⁽¹⁾	kW	7,5
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	8,0
		Low-temperature ⁽¹⁾	kW	8,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	7220
		Low-temperature ⁽¹⁾	kWh	5252
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	2720
		Low-temperature ⁽¹⁾	kWh	1865
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	93
		Low-temperature ⁽¹⁾	%	138
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	154
		Low-temperature ⁽¹⁾	%	241
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	65

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090CXEDEG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	131
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	158
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	3,3
AI	Value of IV [115/(11 x • Prated)]		-	1,3
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	34
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	27
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090CXEDGG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	8,0
		Low-temperature ⁽ⁱ⁾	kW	8,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	5103
		Low-temperature ⁽ⁱ⁾	kWh	3949
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	127
		Low-temperature ⁽ⁱ⁾	%	175
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	42
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	7,0
		Low-temperature ⁽ⁱ⁾	kW	7,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	8,0
		Low-temperature ⁽ⁱ⁾	kW	8,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	7220
		Low-temperature ⁽ⁱ⁾	kWh	5252
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	2720
		Low-temperature ⁽ⁱ⁾	kWh	1865
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	93
		Low-temperature ⁽ⁱ⁾	%	138
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	154
		Low-temperature ⁽ⁱ⁾	%	241
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	65

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090CXEDGG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	131
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	158
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	3,3
AI	Value of IV [115/(11 x • Prated)]		-	1,3
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	34
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	27
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090RXEDEG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	8,0
		Low-temperature ⁽¹⁾	kW	8,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	5103
		Low-temperature ⁽¹⁾	kWh	3949
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	127
		Low-temperature ⁽¹⁾	%	175
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	42
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	7,0
		Low-temperature ⁽¹⁾	kW	7,5
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	8,0
		Low-temperature ⁽¹⁾	kW	8,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	7220
		Low-temperature ⁽¹⁾	kWh	5252
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	2720
		Low-temperature ⁽¹⁾	kWh	1865
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	93
		Low-temperature ⁽¹⁾	%	138
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	154
		Low-temperature ⁽¹⁾	%	241
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	64

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090RXEDEG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	131
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	158
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	3,3
AI	Value of IV [115/(11 x • Prated)]		-	1,3
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	34
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	27
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090RXEDGG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	8,0
		Low-temperature ⁽ⁱ⁾	kW	8,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	5103
		Low-temperature ⁽ⁱ⁾	kWh	3949
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	127
		Low-temperature ⁽ⁱ⁾	%	175
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	42
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	7,0
		Low-temperature ⁽ⁱ⁾	kW	7,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	8,0
		Low-temperature ⁽ⁱ⁾	kW	8,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	7220
		Low-temperature ⁽ⁱ⁾	kWh	5252
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	2720
		Low-temperature ⁽ⁱ⁾	kWh	1865
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	93
		Low-temperature ⁽ⁱ⁾	%	138
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	154
		Low-temperature ⁽ⁱ⁾	%	241
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	64

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE090RXEDGG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	131
Y	Seasonal space heating energy efficiency (Colder)		%	97
Z	Seasonal space heating energy efficiency (Warmer)		%	158
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	3,3
AI	Value of IV [115/(11 x • Prated)]		-	1,3
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	34
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	27
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER)ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDGG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	7221
		Low-temperature ⁽ⁱ⁾	kWh	5454
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	135
		Low-temperature ⁽ⁱ⁾	%	186
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	44
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	9587
		Low-temperature ⁽ⁱ⁾	kWh	7577
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	3442
		Low-temperature ⁽ⁱ⁾	kWh	2479
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	121
		Low-temperature ⁽ⁱ⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	183
		Low-temperature ⁽ⁱ⁾	%	263
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	61

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER)ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDGG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	125
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [(294/(11 x • Prated))]		-	2,2
AI	Value of IV [(115/(11 x • Prated))]		-	0,9
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	14
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDGG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	7221
		Low-temperature ⁽ⁱ⁾	kWh	5454
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	135
		Low-temperature ⁽ⁱ⁾	%	186
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	46
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	12,1
		Low-temperature ⁽ⁱ⁾	kW	12,5
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	9587
		Low-temperature ⁽ⁱ⁾	kWh	7577
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	3442
		Low-temperature ⁽ⁱ⁾	kWh	2479
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	121
		Low-temperature ⁽ⁱ⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	183
		Low-temperature ⁽ⁱ⁾	%	263
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	61

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE125DXEDGG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	125
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	2,2
AI	Value of IV [115/(11 x • Prated)]		-	0,9
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	14
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXEDGG / AE200DNWSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ⁽⁷⁾	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ⁽⁴⁾	-	A++
		Low-temperature ⁽¹⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ⁽⁴⁾	kW	12,5
		Low-temperature ⁽¹⁾	kW	13,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ⁽⁴⁾	kWh	7481
		Low-temperature ⁽¹⁾	kWh	5930
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ⁽⁴⁾	%	135
		Low-temperature ⁽¹⁾	%	185
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	44
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ⁽⁴⁾	kW	12,5
		Low-temperature ⁽¹⁾	kW	13,5
T	Rated heat output (Warmer)	Medium-temperature ⁽⁴⁾	kW	12,3
		Low-temperature ⁽¹⁾	kW	12,7
U	Annual energy consumption for space heating (Colder)	Medium-temperature ⁽⁴⁾	kWh	9865
		Low-temperature ⁽¹⁾	kWh	8225
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ⁽⁴⁾	kWh	3502
		Low-temperature ⁽¹⁾	kWh	2519
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ⁽⁴⁾	%	122
		Low-temperature ⁽¹⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ⁽⁴⁾	%	183
		Low-temperature ⁽¹⁾	%	262
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	62

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) ⁱⁱⁱ⁾

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXEDGG / AE200DNWSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	126
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	2,1
AI	Value of IV [115/(11 x • Prated)]		-	0,8
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	13
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qnonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER) ii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXEDGG / AE200DNXSPG
C	For space heating		-	Medium-temperature application
E	For water heating	Load profile ^(f)	-	L
G	Seasonal space heating energy efficiency class	Medium-temperature ^(h)	-	A++
		Low-temperature ⁽ⁱ⁾	-	A+++
J	Water heating energy efficiency class		-	A+
K	Rated heat output (Average)	Medium-temperature ^(h)	kW	12,5
		Low-temperature ⁽ⁱ⁾	kW	13,5
L	Annual energy consumption for space heating (Average)	Medium-temperature ^(h)	kWh	7481
		Low-temperature ⁽ⁱ⁾	kWh	5930
M	Annual electricity consumption for water heating (Average)		kWh	692
N	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(h)	%	135
		Low-temperature ⁽ⁱ⁾	%	185
O	Water heating energy efficiency (Average)		%	148
P	L _{WA} (sound power level, indoor)		dB	46
Q	Work only on off-peak hours		(Yes/No)	No
R	Specific precautions ¹⁾		-	-
S	Rated heat output (Colder)	Medium-temperature ^(h)	kW	12,5
		Low-temperature ⁽ⁱ⁾	kW	13,5
T	Rated heat output (Warmer)	Medium-temperature ^(h)	kW	12,3
		Low-temperature ⁽ⁱ⁾	kW	12,7
U	Annual energy consumption for space heating (Colder)	Medium-temperature ^(h)	kWh	9865
		Low-temperature ⁽ⁱ⁾	kWh	8225
V	Annual energy consumption for space heating (Warmer)	Medium-temperature ^(h)	kWh	3502
		Low-temperature ⁽ⁱ⁾	kWh	2519
W	Annual electricity consumption for water heating (Colder)		kWh	906
X	Annual electricity consumption for water heating (Warmer)		kWh	632
Y	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(h)	%	122
		Low-temperature ⁽ⁱ⁾	%	159
Z	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(h)	%	183
		Low-temperature ⁽ⁱ⁾	%	262
AA	Water heating energy efficiency (Colder)		%	113
AB	Water heating energy efficiency (Warmer)		%	162
AC	L _{WA} (sound power level, outdoor)		dB	62

AD ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER) iii)

A	Supplier's name or trademark		-	Samsung
B	Supplier's model identifier		-	AE160DXEDGG / AE200DNXSPG / Temp-Control
AE	Preferential heater			
AF	Seasonal space heating energy efficiency class (Average)		-	A++
N	Seasonal space heating energy efficiency (Average)		%	139
Y	Seasonal space heating energy efficiency (Colder)		%	126
Z	Seasonal space heating energy efficiency (Warmer)		%	187
AG	Weight factor (Preferential and Supplementary heater)		-	0
AH	Value of III [294/(11 x • Prated)]		-	2,1
AI	Value of IV [115/(11 x • Prated)]		-	0,8
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions		%	13
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions		%	48
AS	the class of the temperature control		-	CLASS VI
AT	the contribution of the temperature control		%	4
AL	Water heating			
AM	Seasonal water heating energy efficiency class (Average)		-	A+
AN	Water heating energy efficiency of the combination heater (Average)		%	148
AO	Value of [(220 x Qref)/Qonsol]		%	370
AP	Value of [(Qaux x 2,5)/(220 x Qref)]		%	0
AQ	Declared load profile (Average)		-	L

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

No	English(EN)	Bulgarian(BG)	Spanish(ES)	Czech(CS)
i	COMMISSION DELEGATED REGULATION (EU) No 811/2013	ДЕЛЕГИРАН РЕГЛАМЕНТ (ЕС) No 811/2013	REGLAMENTO DELEGADO (UE) N.º 811/2013	NAŘÍZENÍ KOMISE V PŘENESENÉ PRÁVOMOCI (EU) Č. 811/2013
ii	PRODUCT FICHE (ENERGY LABELLING OF COMBINATION HEATER)	ФИШ НА ПРОДУКТА (ЕНЕРГИЕН ПАСПОРТ НА КОМБИНИРАН ОТОПЛИТЕЛ)	FICHA DEL PRODUCTO (ETIQUETADO DE EFICIENCIA ENERGÉTICA DEL CALENTADOR COMBINADO)	LIST VÝROBKU (ENERGETICKÉ ŠTÍTKY KOMBINOVANÉHO OHŘÍVAČE)
iii	PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF COMBINATION HEATER)	ФИШ НА ПРОДУКТА (ЕНЕРГИЙНО ЕТИКЕТИРАНЕ НА ПАКЕТИ НА КОМБИНАЦИОНЕН ОТОПЛИТЕЛ)	FICHA DEL PRODUCTO (ETIQUETADO DE EFICIENCIA ENERGÉTICA DE LOS PAQUETES DE CALENTADOR COMBINADO)	LIST VÝROBKU (ENERGETICKÉ ŠTÍTKY OBALŮ KOMBINOVANÉHO OHŘÍVAČE)
A	Supplier's name or trademark	Име или търговска марка на доставчика	Nombre o marca comercial del proveedor	Název nebo obchodní značka dodavatele
B	Supplier's model identifier	Идентификационен номер на модела на доставчика	Identificador de modelo del proveedor	Identifikátor modelu dodavatele
C	For space heating	За отопление на помещения	Para calefacción de espacio	Pro vytápění prostor
D	Medium-temperature application	Средно-температурно приложение	Aplicación de temperatura media	Použití střední hodnoty teploty
E	For water heating	За водно отопление	Para calentamiento de agua	Pro ohřev vody
F	Load profile	При максимален товар	Cargar perfil	Načíst profil
G	Seasonal space heating energy efficiency class	Сезонен клас на енергийна ефективност при отопление на помещения	Clase de eficiencia energética de calefacción de espacio de temporada	Třída sezónní energetické účinnosti vytápění prostor
H	Medium-temperature	Средно-температурен профил	Temperatura media	Teplota v střední
I	Low-temperature	Ниско-температурен профил	Temperatura en baja	Teplota v nízké
J	Water heating energy efficiency class	Клас на енергийна ефективност за водно отопление	Clase de eficiencia energética de calentamiento de agua	Třída energetické účinnosti ohřevu vody
K	Rated heat output (Average)	Номинална топлинна мощност (средна)	Potencia calorífica nominal (promedio)	Jmenovitý tepelný výkon (průměr)
L	Annual energy consumption for space heating (Average)	Годишно потребление на електроенергия за отопление на помещения (Средно)	Consumo anual de energía para calefacción de espacio (promedio)	Roční spotřeba energie pro vytápění prostor (průměr)
M	Annual electricity consumption for water heating (Average)	Годишно потребление на електроенергия за водно отопление (Средно)	Consumo anual de electricidad para calentamiento de agua (promedio)	Roční spotřeba elektřiny pro ohřev vody (průměr)
N	Seasonal space heating energy efficiency (Average)	Сезонна енергийна ефективност при отопление (Среден)	Eficiencia energética de calefacción de espacio de temporada (promedio)	Sezónní energetická účinnost vytápění prostor (průměr)
O	Water heating energy efficiency (Average)	Енергийна ефективност за водно отопление (Средна)	Eficiencia energética de calentamiento de agua (promedio)	Energetická účinnost ohřevu vody (průměr)
P	L _{WA} (sound power level, indoor)	L _{WA} (ниво на звукова мощност, в помещения)	L _{WA} (Nivel de potencia acústica, interior)	L _{WA} (Hladina akustického výkonu, vnitřní)
Q	Work only on off-peak hours	Работа само в ненатоварени часове	Funcionamiento solo en horas de menor consumo	Pouze pro akumulací vytápění
R	Specific precautions ⁱⁱ⁾	Специфични предпазни мерки ⁱⁱ⁾	Precauciones específicas ⁱⁱ⁾	Specifická opatření ⁱⁱ⁾
S	Rated heat output (Colder)	Номинална топлинна мощност (при ниски външни температури)	Potencia calorífica nominal (más frío)	Jmenovitý tepelný výkon (chladnější)
T	Rated heat output (Warmer)	Номинална топлинна мощност (при умерени външни температури)	Potencia calorífica nominal (más calor)	Jmenovitý tepelný výkon (teplejší)
U	Annual energy consumption for space heating (Colder)	Годишно потребление на електроенергия за отопление на помещения (при ниски външни температури)	Consumo anual de energía para calefacción de espacio (más frío)	Roční spotřeba energie pro vytápění prostor (chladnější)
V	Annual energy consumption for space heating (Warmer)	Годишно потребление на електроенергия за отопление на помещения (при умерени външни температури)	Consumo anual de energía para calefacción de espacio (más calor)	Roční spotřeba energie pro vytápění prostor (teplejší)
W	Annual electricity consumption for water heating (Colder)	Годишно потребление на електроенергия за водно отопление (при ниски външни температури)	Consumo anual de electricidad para calentamiento de agua (más frío)	Roční spotřeba elektřiny pro ohřev vody (chladnější)
X	Annual electricity consumption for water heating (Warmer)	Годишно потребление на електроенергия за водно отопление (при умерени външни температури)	Consumo anual de electricidad para calentamiento de agua (más calor)	Roční spotřeba elektřiny pro ohřev vody (teplejší)
Y	Seasonal space heating energy efficiency (Colder)	Сезонна енергийна ефективност за отопление на помещения (при ниски външни температури)	Eficiencia energética de calefacción de espacio de temporada (más frío)	Sezónní energetická účinnost vytápění prostor (chladnější)
Z	Seasonal space heating energy efficiency (Warmer)	Сезонна енергийна ефективност за отопление на помещения (при умерени външни температури)	Eficiencia energética de calefacción de espacio de temporada (más calor)	Sezónní energetická účinnost vytápění prostor (teplejší)
AA	Water heating energy efficiency (Colder)	Енергийна ефективност за водно отопление (при ниски външни температури)	Eficiencia energética de calentamiento de agua (más frío)	Energetická účinnost ohřevu vody (chladnější)

No	English(EN)	Bulgarian(BG)	Spanish(ES)	Czech(CS)
AB	Water heating energy efficiency (Warmer)	Енергийна ефективност за водно отопление (при умерени външни температури)	Eficiencia energética de calentamiento de agua (más calor)	Energetická účinnost ohřevu vody (teplejší)
AC	L_{WA} (sound power level, outdoor)	L_{WA} (ниво на звукова мощност, на открито)	L_{WA} (Nivel de potencia acústica, exterior)	L_{WA} (Hladina akustického výkonu, venkovní)
AD	¹⁾ Precautions as described in the installation/ user manual must be taken when assembling, installing and maintaining this product.	¹⁾ Предпазните мерки са описани в ръководството за монтаж/потребителското ръководство и трябва да се вземат предвид при събиране, монтаж и поддръжка на продукта.	¹⁾ Se deben tomar las precauciones descritas en el manual de instalación/usuario a la hora de montar, instalar y mantener este producto.	¹⁾ Při sestavování, montáži a údržbě tohoto produktu musí být dodržována opatření uvedená v návodu k použití/uživatelské příručce.
AE	Preferential heater	Преференциален отоплител	Calentador preferente	Preferenční ohřívač
AF	Seasonal space heating energy efficiency class (Average)	Сезонен клас на енергийна ефективност при отопление на помещения (Среден)	Clase de eficiencia energética de calefacción de espacio de temporada (promedio)	Třída sezónní energetické účinnosti vytápění prostor (průměr)
AG	Weight factor (Preferential and Supplementary heater)	Фактор на теглото (преференциален и допълнителен нагревател)	Factor de ponderación (calefactor preferente y complementario)	Váhový koeficient (preferenční a doplňkový ohřívač)
AH	Value of III [294/(11 x • Prated)]	Стойност на III [294/(11 x • Prated)]	Valor de III [294/(11 x • Prated)]	Hodnota III [294/(11 x • Prated)]
AI	Value of IV [115/(11 x • Prated)]	Стойност на IV [115/(11 x • Prated)]	Valor de IV [115/(11 x • Prated)]	Hodnota IV [115/(11 x • Prated)]
AJ	Difference between the seasonal space heating energy efficiencies under average and colder climate conditions	Разлика между сезонната енергийна ефективност за отопление на помещения между умерени и ниско-температурни външни условия	Diferencia entre la eficiencia energética de calefacción de espacio de temporada en condiciones climáticas medias y frías	Rozdíl mezi sezónními energetickými účinnostmi vytápění prostor při průměrných a chladnějších klimatických podmínkách
AK	Difference between the seasonal space heating energy efficiencies under warmer and average climate conditions	Разлика между сезонната енергийна ефективност за отопление на помещения между по-топли и умерени външни условия	Diferencia entre la eficiencia energética de calefacción de espacio de temporada en condiciones climáticas cálidas y medias	Rozdíl mezi sezónními energetickými účinnostmi vytápění prostor při teplejších a průměrných klimatických podmínkách
AL	Water heating	Водно отопление	Calentamiento de agua	Ohřev vody
AM	Seasonal water heating energy efficiency class (Average)	Сезонен клас на енергийна ефективност за водно отопление (Среден)	Clase de eficiencia energética de calentamiento de agua de temporada (promedio)	Třída sezónní energetické účinnosti ohřevu vody (průměr)
AN	Water heating energy efficiency of the combination heater (Average)	Енергичен клас на комбинирания отоплител при водно отопление (Среден)	Eficiencia energética de calentamiento de agua del calentador combinado (promedio)	Energetická účinnost kombinovaného ohřívače pro ohřev vody (průměr)
AO	Value of [(220 x Qref)/Qnonsol]	Стойност на [(220 x Qref)/Qnonsol]	Valor de [(220 x Qref)/Qnonsol]	Hodnota [(220 x Qref)/Qnonsol]
AP	Value of [(Qaux x 2,5)/(220 x Qref)]	Стойност на [(Qaux x 2,5)/(220 x Qref)]	Valor de [(Qaux x 2,5)/(220 x Qref)]	Hodnota [(Qaux x 2,5)/(220 x Qref)]
AQ	Declared load profile (Average)	Деклариран профил на натоварване (Среден)	Perfil de carga declarado (promedio)	Deklarovaný profil zatížení (průměr)
AR	TEMPERATURE CONTROLS	КОНТРОЛ НА ТЕМПЕРАТУРАТА	CONTROL DE TEMPERATURA	OVLÁDÁNÍ TEPLoty
AS	the class of the temperature control	Клас на контрола на температурата	La clase de control de temperatura	třída regulace teploty
AT	the contribution of the temperature control	Принос на контрола на температурата	La contribución del control de temperatura	příspěvek k regulaci teploty

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

No	Danish(DA)	German(DE)	Estonian(ET)	Greek(EL)
i	KOMMISSIONENS DELEGEREDE FORORDNING (EU) nr. 811/2013	DELEGIERTE VERORDNUNG (EU) Nr. 811/2013 DER KOMMISSION	KOMISJONI DELEGEERITUD MÄÄRUS (EL) nr 811/2013	ΚΑΤ' ΕΞΟΥΣΙΟΔΟΤΗΣΗ ΚΑΝΟΝΙΣΜΟΣ (ΕΕ) υπ' αριθμόν 811/2013
ii	DATABLAD (ENERGIMÆRKNING AF KOMBINATIONSVARMEANLÆG)	PRODUKTDATENBLATT (ENERGIEKENNZEICHNUNG DER KOMBINATIONSHOIZUNG)	TOOTEKAART (KOMBINEERITUD SOOJENDI ENERGIAMÄRGISTUS)	ΔΕΛΤΙΟ ΠΡΟΪΟΝΤΟΣ (ΕΠΙΣΗΜΑΝΣΗ ΕΝΕΡΓΕΙΑΚΗΣ ΑΠΟΔΟΣΗΣ ΘΕΡΜΑΝΤΗΡΑ ΣΥΝΔΥΑΣΜΕΝΗΣ ΛΕΙΤΟΥΡΓΙΑΣ)
iii	DATABLAD (ENERGIMÆRKNING AF KOMBINATIONSVARMEPAKKER)	PRODUKTDATENBLATT (ENERGIEKENNZEICHNUNG DER VERPACKUNGEN DER KOMBINATIONSHOIZUNG)	TOOTEKAART (KOMBINEERITUD SOOJENDI PAKENDI ENERGIAMÄRGISTUS)	ΔΕΛΤΙΟ ΠΡΟΪΟΝΤΟΣ (ΕΠΙΣΗΜΑΝΣΗ ΕΝΕΡΓΕΙΑΚΗΣ ΑΠΟΔΟΣΗΣ ΤΩΝ ΣΥΣΚΕΥΑΣΙΩΝ ΤΟΥ ΘΕΡΜΑΝΤΗΡΑ ΣΥΝΔΥΑΣΜΕΝΗΣ ΛΕΙΤΟΥΡΓΙΑΣ)
A	Leverandørens navn eller varemærke	Name oder Warenzeichen des Lieferanten	Tarnija nimi või kaubamärk	Όνομα ή εμπορικό σήμα παρόχου
B	Leverandøres model-id	Modellkennzeichen des Lieferanten	Tarnija mudeli identifikaator	Κωδικός μοντέλου παρόχου
C	Til rumopvarmning	Zum Raumheizen	Ruumi kütmiseks	Για θέρμανση χώρου
D	Middeltemperatur-applikation	Anwendung bei mittleren Temperaturen	Keskmise temperatuuriga kasutamine	Εφαρμογή μέσης θερμοκρασίας
E	Til opvarmning af vand	Für Wasserheizung	Vee soojendamiseks	Για θέρμανση νερού
F	Belastningsprofil	Lastprofil	Laadi profiil	Προφίλ φορτίου
G	Sæsonenergieffektivitetsklasse for rumopvarmning	Klasse der jahreszeitbedingten Energieeffizienz der Raumheizung	Ruumide hooajalise kütmise energiatõhususe klass	Κλάση εποχιακής ενεργειακής απόδοσης θέρμανσης χώρου
H	Middel temperatur	Mittleren Temperaturen	Keskmise temperatuuriga	Μέσης θερμοκρασίας
I	Lav temperatur	Niedrigtemperatur	Madala temperatuuriga	Χαμηλή θερμοκρασίας
J	Energieffektivitet for opvarmning af vand	Energieffizienzklasse der Wasserheizung	Veesoojendamise energiatõhususe klass	Κλάση ενεργειακής απόδοσης θέρμανσης νερού
K	Fastsat udgangvarme (gennemsnit)	Nennheizungsausgang (Durchschnitt)	Kütmise nimivõimsus (keskmise)	Ονομαστική απόδοση θέρμανσης (μέσος όρος)
L	Årligt energiforbrug til opvarmning af vand (gennemsnitligt)	Jährlicher Energieverbrauch für Raumheizung (Durchschnitt)	Aastane energiatarve ruumi kütisel (keskmise)	Ετήσια κατανάλωση ενέργειας για τη θέρμανση χώρου (μέσος όρος)
M	Årligt elektricitetsforbrug til opvarmning af vand (gennemsnitligt)	Jährlicher Energieverbrauch für Wasserheizung (Durchschnitt)	Aastane elektritarve vee soojendamisel (keskmise)	Ετήσια κατανάλωση ενέργειας για τη θέρμανση νερού (μέσος όρος)
N	Sæsonenergieffektivitet for rumopvarmning (gennemsnitligt)	Jahreszeitbedingte Energieeffizienz der Raumheizung (Durchschnitt)	Ruumide hooajalise kütmise energiatõhusus (keskmise)	Εποχιακή ενεργειακή απόδοση θέρμανσης χώρου (μέσος όρος)
O	Energieffektivitet for opvarmning af vand (gennemsnit)	Energieeffizienz der Wasserheizung (Durchschnitt)	Veesoojendamise energiatõhusus (keskmise)	Ενεργειακή απόδοση θέρμανσης νερού (μέσος όρος)
P	L _{wa} (Lydeffektniveau, indendørs)	L _{wa} (Schallleistungspegel, Innen)	L _{wa} (Helivõimsustase, sees)	L _{wa} (Στάθμη ηχητικής ισχύος, εσωτερική)
Q	Arbejdet udføres kun i timer med lav belastning	Arbeit nur außerhalb der Stoßzeiten	Töötamine ainult väljaspool tipaega	Λειτουργία μόνο κατά τις ώρες μη αιχμής
R	Særlige forholdsregler ¹⁾	Spezifische Vorsichtsmaßnahmen ¹⁾	Kindlad ettevaatusabinõud ¹⁾	Ιδιαίτερες προφυλάξεις ¹⁾
S	Fastsat udgangvarme (koldere)	Nennheizungsausgang (Kälter)	Kütmise nimivõimsus (külmem)	Ονομαστική απόδοση θέρμανσης (ψυχρότερο)
T	Fastsat udgangvarme (varmere)	Nennheizungsausgang (Wärmer)	Kütmise nimivõimsus (soojem)	Ονομαστική απόδοση θέρμανσης (θερμότερο)
U	Årligt energiforbrug til rumopvarmning (koldere)	Jährlicher Energieverbrauch für Raumheizung (Kälter)	Aastane energiatarve ruumi kütisel (külmem)	Ετήσια κατανάλωση ενέργειας για τη θέρμανση χώρου (ψυχρότερο)
V	Årligt energiforbrug til rumopvarmning (varmere)	Jährlicher Energieverbrauch für Raumheizung (Wärmer)	Aastane energiatarve ruumi kütisel (soojem)	Ετήσια κατανάλωση ενέργειας για τη θέρμανση χώρου (θερμότερο)
W	Årligt elektricitetsforbrug til opvarmning af vand (koldere)	Jährlicher Energieverbrauch für Wasserheizung (Kälter)	Aastane elektritarve vee soojendamisel (külmem)	Ετήσια κατανάλωση ενέργειας για τη θέρμανση νερού (ψυχρότερο)
X	Årligt elektricitetsforbrug til opvarmning af vand (varmere)	Jährlicher Energieverbrauch für Wasserheizung (Wärmer)	Aastane elektritarve vee soojendamisel (soojem)	Ετήσια κατανάλωση ενέργειας για τη θέρμανση νερού (θερμότερο)
Y	Sæsonenergieffektivitet for rumopvarmning (koldere)	Jahreszeitbedingte Energieeffizienz der Raumheizung (Kälter)	Ruumide hooajalise kütmise energiatõhusus (külmem)	Εποχιακή ενεργειακή απόδοση θέρμανσης χώρου (πιο κρύο)
Z	Sæsonenergieffektivitet for rumopvarmning (varmere)	Jahreszeitbedingte Energieeffizienz der Raumheizung (Wärmer)	Ruumide hooajalise kütmise energiatõhusus (soojem)	Εποχιακή ενεργειακή απόδοση θέρμανσης χώρου (πιο θερμό)
AA	Energieffektivitet for opvarmning af vand (koldere)	Energieeffizienz der Wasserheizung (Kälter)	Veesoojendamise energiatõhusus (külmem)	Ενεργειακή απόδοση θέρμανσης νερού (ψυχρότερο)
AB	Energieffektivitet for opvarmning af vand (varmere)	Energieeffizienz der Wasserheizung (Wärmer)	Veesoojendamise energiatõhusus (soojem)	Ενεργειακή απόδοση θέρμανσης νερού (θερμότερο)
AC	L _{wa} (Lydeffektniveau, udendørs)	L _{wa} (Schallleistungspegel, Außengerät)	L _{wa} (Helivõimsustase, väljas)	L _{wa} (Στάθμη ηχητικής ισχύος, εξωτερική)
AD	¹⁾ De forholdsregler, som er beskrevet i installations-/bruger-vejledningen, skal tages, når produktet samles, installeres og vedligeholdes.	¹⁾ Beim Montieren, Installieren und Warten dieses Produkts müssen die im Installations-/Benutzerhandbuch beschriebenen Vorsichtsmaßnahmen getroffen werden.	¹⁾ Toote kokkupanekul, paigaldamisel ja hooldamisel tuleb järgida paigaldus-/kasutusjuhendis kirjeldatud ettevaatusabinõusid.	¹⁾ Κατά τη συναρμολόγηση, την εγκατάσταση και τις εργασίες συντήρησης του προϊόντος πρέπει να τηρούνται όλες οι προφυλάξεις που περιγράφονται στο εγχειρίδιο εγκατάστασης και χρήσης.
AE	Primær varmeenhed	Bevorzugte Heizung	Eelistatud soojendi	Προτιμώμενος θερμαντήρας
AF	Sæsonenergieffektivitetsklasse for rumopvarmning (gennemsnit)	Klasse der jahreszeitbedingten Energieeffizienz der Raumheizung (Durchschnitt)	Ruumide hooajalise kütmise energiatõhususe klass (keskmise)	Κλάση εποχιακής ενεργειακής απόδοσης θέρμανσης χώρου (μέσος όρος)

No	Danish(DA)	German(DE)	Estonian(ET)	Greek(EL)
AG	Vægtfaktor (primær og supplerende varmenhed)	Gewichtsfaktor (Bevorzugte und Zusatzheizung)	Kaalutegur (eelistatud ja lisasoojendi)	Συντελεστής βάρους (Προτιμώμενος και δευτερεύων θερμαντήρας)
AH	Værdien af III [294/(11 x • NominelP)]	Wert von III [294/(11 x • Prated)]	Väärtus: III [294/(11 x • Prated)]	Τιμή για III [294/(11 x • Prated)]
AI	Værdien af IV [115/(11 x • NominelP)]	Wert von IV [115/(11 x • Prated)]	Väärtus: IV [115/(11 x • Prated)]	Τιμή για IV [115/(11 x • Prated)]
AJ	Forskel mellem sæsonenergieffektivitet for rumopvarmning under gennemsnitlige hhv. koldere klimaforhold	Unterschied zwischen den jahreszeitbedingten Energieeffizienzen der Raumheizung bei durchschnittlichen und kälteren Klimabedingungen	Ruumide hooajalise kütmise energiatõhususte erinevus keskmise ja külmema kliimaga oludes	Η διαφορά ανάμεσα στην εποχική ενεργειακή απόδοση θέρμανσης χώρου κάτω του μέσου όρου και των ψυχρότερων κλιματικών συνθηκών
AK	Forskel mellem sæsonenergieffektivitet for rumopvarmning under varmere hhv. gennemsnitlige klimaforhold	Unterschied zwischen den jahreszeitbedingten Energieeffizienzen der Raumheizung bei wärmeren und durchschnittlichen Klimabedingungen	Ruumide hooajalise kütmise energiatõhususte erinevus soojema ja keskmise kliimaga oludes	Η διαφορά ανάμεσα στην εποχική ενεργειακή απόδοση θέρμανσης χώρου κάτω των θερμότερων και των μέσων κλιματικών συνθηκών
AL	Opvarmning af vand	Wasserheizung	Veesoojendamine	Θέρμανση νερού
AM	Sæsonenergieffektivitetsklasse for opvarmning af vand (gennemsnit)	Klasse der jahreszeitbedingten Energieeffizienz der Wasserheizung (Durchschnitt)	Hooajalise veesoojendamise energiatõhususe klass (keskmise)	Κλάση εποχιακής ενεργειακής απόδοσης θέρμανσης νερού (μέσος όρος)
AN	Energieffektivitet for opvarmningen af vand i kombinationsvarmeanlægget (gennemsnit)	Wasserheizung-Energieeffizienz der Kombinationsheizung (Durchschnitt)	Kombineeritud soojendi veesoojendamise energiatõhusus (keskmise)	Ενεργειακή απόδοση θέρμανσης νερού του θερμαντήρα συνδυασμένης λειτουργίας (μέσος όρος)
AO	Værdien af [(220 x Qref)/Qnonsol]	Wert von [(220 x Qref)/Qnonsol]	Väärtus: [(220 x Qref)/Qnonsol]	Τιμή [(220 x Qref)/Qnonsol]
AP	Værdien af [(Qaux x 2,5)/(220 x Qref)]	Wert von [(Qaux x 2,5)/(220 x Qref)]	Väärtus: [(Qaux x 2,5)/(220 x Qref)]	Τιμή [(Qaux x 2,5)/(220 x Qref)]
AQ	Angivet belastningsprofil (gennemsnit)	Ausgewiesenes Lastprofil (Durchschnitt)	Avaldatud koormusprofiil (keskmise)	Δηλωμένο προφίλ φορτίου (μέσος όρος)
AR	TEMPERATURSTYRING	TEMPERATURSTEUERUNG	TEMPERATUURI SEADISTUS	ΤΕΛΕΧΩΣ ΘΕΡΜΟΚΡΑΣΙΑΣ
AS	temperaturstyringsklasse	die Klasse der Temperaturregelung	temperatuuriseadistuse klass	Κλάση ελέγχου θερμοκρασίας
AT	temperaturstyringsens bidrag	der Beitrag der Temperaturregelung	temperatuuriseadistuse panus	Συμβολή του ελέγχου θερμοκρασίας

COMMISSION DELEGATED REGULATION (EU) No 811/2013ⁱ⁾

No	French(FR)	Croatian(HR)	Italian(IT)	Latvian(LV)
i	RÈGLEMENT DÉLÉGUÉ PAR LA COMMISSION (UE) N° 811/2013	PROPIŠ KOMISIJE (EU) br. 811/2013	REGOLAMENTO DELEGATO DELLA COMMISSIONE (UE) N. 811/2013	KOMISIJAS DELEĢĒTĀ REGULA (ES) NR. 811/2013
ii	FICHE PRODUIT (ÉTIQUETAGE ÉNERGÉTIQUE POUR RÉCHAUFFEUR MIXTE)	DOKUMENTACIJA PROIZVODA (OZNAKA ENERGETSKE UČINKOVITOSTI KOMBINIRANIH GRUJAČA)	SCHEDA PRODOTTO (ETICHETTATURA INDICANTE IL CONSUMO DI ENERGIA DEL RISCALDATORE COMBINATO)	DATU LAPA (KOMBINĒTĀ SILDĪTĀJA ENERĢOMARĶĒJUMS)
iii	FICHE PRODUIT (ÉTIQUETAGE ÉNERGÉTIQUE POUR EMBALLAGES DE RÉCHAUFFEUR MIXTE)	DOKUMENTACIJA PROIZVODA (OZNAKA ENERGETSKE UČINKOVITOSTI PAKETA KOMBINIRANIH GRUJAČA)	SCHEDA PRODOTTO (ETICHETTATURA INDICANTE IL CONSUMO DI ENERGIA DI PACCHETTI DI RISCALDATORI COMBINATI)	DATU LAPA (KOMBINĒTĀ SILDĪTĀJA KOMPLEKTU ENERĢOMARĶĒJUMS)
A	Nom de fournisseur ou de marque	Naziv ili žig dobavljača	Nome o marchio del fornitore	Piegādātāja nosaukums vai preču zīme
B	Identifiant de modèle du fournisseur	Identifikator modela dobavljača	Identificatore modello del fornitore	Piegādātāja modeļa identifikators
C	Pour le chauffage domestique	Za grijanje prostora	Per riscaldamento di spazi	Telpu apsildei
D	Application de température moyenne	Primjena na srednjoj temperaturi	Applicazione a temperature medie	Vidējās temperatūras lietojums
E	Pour le chauffage de l'eau	Za grijanje vode	Per riscaldamento di acqua	Ūdens uzsildīšanai
F	Profils de charge	Profil opterećenja	Profilo di carico	Slodzes profils
G	Catégorie d'efficacité énergétique du chauffage domestique saisonnier	Klasa sezone energetske učinkovitosti grijanja prostora	Classe di efficienza energetica stagionale di riscaldamento dello spazio	Sezonālās telpu apsildes energoefektivitātes klase
H	Température moyenne	Srednjoj temperaturama	Temperatura di media	Vidējās temperatūras
I	Température faible	Niskim temperaturama	Temperatura di bassa	Izlādējušās temperatūra
J	Catégorie d'efficacité énergétique du chauffage de l'eau	Klasa energetske učinkovitosti grijanje vode	Efficienza energetica di riscaldamento di acqua	Ūdens uzsildīšanas energoefektivitātes klase
K	Puissance calorifique nominale (Moyenne)	Nazivna izlazna snaga grijanja (prosjek)	Emissione calore nominale (medio)	Nominālā siltumjauka (vidējā)
L	Consommation d'énergie annuelle pour le chauffage domestique (Moyenne)	Godišnja potrošnja energije za grijanje prostora (prosjek)	Consumo energetico annuale per riscaldamento di spazi (medio)	Enerģijas patēriņš gadā par telpu apsildi (vidējā)
M	Consommation d'électricité annuelle pour le chauffage de l'eau (Moyenne)	Godišnja potrošnja struje za grijanje vode (prosjek)	Consumo elettrico annuale per riscaldamento di acqua (medio)	Elektrības patēriņš gadā par ūdens uzsildīšanu (vidējā)
N	Efficacité énergétique du chauffage domestique saisonnier (Moyenne)	Sezonska energetska učinkovitost grijanja prostora (prosjek)	Efficienza energetica stagionale di riscaldamento dello spazio (media)	Sezonālās telpu apsildes energoefektivitāte (vidējā)
O	Efficacité énergétique du chauffage de l'eau (Moyenne)	Energetska učinkovitost grijanje vode (prosjek)	Efficienza energetica di riscaldamento di acqua (medio)	Ūdens uzsildīšanas energoefektivitāte (vidējā)
P	L _{wa} (Niveau de puissance sonore, Intérieur)	L _{wa} (Razina zvučne snage, unutarnja)	L _{wa} (Livello di potenza sonora, interno)	L _{wa} (Skaļuma līmenis, iekštelpu)
Q	Travailler uniquement pendant les heures creuses	Rad samo izvan sati vršne potrošnje	Funzionamento solo nelle ore di minor utilizzo	Darbojas tikai minimumslodzes laikā
R	Précautions particulières ¹⁾	Specifične mjere opreza ¹⁾	Precauzioni specifiche ¹⁾	Īpaši drošības norādījumi ¹⁾
S	Puissance calorifique nominale (Plus froid)	Nazivna izlazna snaga grijanja (hladnije)	Emissione calore nominale (più freddo)	Nominālā siltumjauka (aukstākā)
T	Puissance calorifique nominale (Plus chaud)	Nazivna izlazna snaga grijanja (toplije)	Emissione calore nominale (più caldo)	Nominālā siltumjauka (siltākā)
U	Consommation d'énergie annuelle pour le chauffage domestique (Plus froid)	Godišnja potrošnja energije za grijanje prostora (hladnije)	Consumo energetico annuale per riscaldamento di spazi (più freddo)	Enerģijas patēriņš gadā par telpu apsildi (aukstākā)
V	Consommation d'énergie annuelle pour le chauffage domestique (Plus chaud)	Godišnja potrošnja energije za grijanje prostora (toplije)	Consumo energetico annuale per riscaldamento di spazi (più caldo)	Enerģijas patēriņš gadā par telpu apsildi (siltākā)
W	Consommation d'électricité annuelle pour le chauffage de l'eau (Plus froid)	Godišnja potrošnja struje za grijanje vode (hladnije)	Consumo elettrico annuale per riscaldamento di acqua (più freddo)	Elektrības patēriņš gadā par ūdens uzsildīšanu (aukstākā)
X	Consommation d'électricité annuelle pour le chauffage de l'eau (Plus chaud)	Godišnja potrošnja struje za grijanje vode (toplije)	Consumo elettrico annuale per riscaldamento di acqua (più caldo)	Elektrības patēriņš gadā par ūdens uzsildīšanu (siltākā)
Y	Efficacité énergétique du chauffage domestique saisonnier (Plus froid)	Sezonska energetska učinkovitost grijanja prostora (hladnije)	Efficienza energetica stagionale di riscaldamento dello spazio (stagione più fredda)	Sezonālās telpu apsildes energoefektivitāte (aukstākā)
Z	Efficacité énergétique du chauffage domestique saisonnier (Plus chaude)	Sezonska energetska učinkovitost grijanja prostora (toplije)	Efficienza energetica stagionale di riscaldamento dello spazio (stagione più calda)	Sezonālās telpu apsildes energoefektivitāte (siltākā)
AA	Efficacité énergétique du chauffage de l'eau (Plus froid)	Energetska učinkovitost grijanje vode (hladnije)	Efficienza energetica di riscaldamento di acqua (più freddo)	Ūdens uzsildīšanas energoefektivitāte (aukstākā)
AB	Efficacité énergétique du chauffage de l'eau (Plus chaud)	Energetska učinkovitost grijanje vode (toplije)	Efficienza energetica di riscaldamento di acqua (più caldo)	Ūdens uzsildīšanas energoefektivitāte (siltākā)
AC	L _{wa} (Niveau de puissance sonore, extérieur)	L _{wa} (Razina zvučne snage, vanjska)	L _{wa} (Livello di potenza sonora, esterno)	L _{wa} (Skaļuma līmenis, āra)
AD	¹⁾ Les précautions décrites dans le manuel d'installation/utilisateur doivent être prises lors du montage, de l'installation et de l'entretien de ce produit.	¹⁾ Prilikom sklapanja, instalacije i održavanja ovog proizvoda moraju se poštovati mjere opreza opisane u priručniku za instalaciju / korisničkom priručniku.	¹⁾ Durante il montaggio, l'installazione e la manutenzione del prodotto, è necessario adottare le precauzioni descritte nel manuale di installazione e dell'utente.	¹⁾ Montējot, uzstādot un apkopjot šo produktu, ir jāievēro uzstādīšanas/lietošanas rokasgrāmātā sniegtie drošības norādījumi.
AE	Réchauffeur préférentiel	Preferencijalni grijač	Riscaldatore preferito	Izvēlētais sildītājs

No	French(FR)	Croatian(HR)	Italian(IT)	Latvian(LV)
AF	Catégorie d'efficacité énergétique du chauffage domestique saisonnier (Moyenne)	Klasa sezonske energetske učinkovitosti grijanja prostora (prosjeak)	Classe di efficienza energetica stagionale di riscaldamento dello spazio (medio)	Sezonālās telpu apsildes energoefektivitātes klase (vidējā)
AG	Facteur de poids (Réchauffeur supplémentaire et préférentiel)	Faktor težinskog opterećenja (preferencijalni i dodatni grijač)	Fattore peso (riscaldatore preferito e supplementare)	Svara koeficients (izvēlētajam un papildu sildītājam)
AH	Valeur de III [294/(11 x • P nominal)]	Vrijednost III [294/(11 x • Pnaz.)]	Valore di III [294/(11 x • Prated)]	III vērtība: [294/(11 x • Prated)]
AI	Valeur de IV [115/(11 x • P nominal)]	Vrijednost IV [115/(11 x • Pnaz.)]	Valore di IV [294/(11 x • Prated)]	IV vērtība: [115/(11 x • Prated)]
AJ	Différence entre les efficacités énergétiques du chauffage domestique saisonnier dans des conditions climatiques moyennes et plus froides	Razlika između sezonskih energetske učinkovitosti pri grijanju prostora u prosječnim i hladnijim klimatskim uvjetima	Differenza tra le efficienze energetiche stagionali di riscaldamento dello spazio in condizioni climatiche medie e più fredde	Atšķirība starp sezonālās telpu apsildes energoefektivitāti vidēja un aukstāka klimata apstākļos
AK	Différence entre les efficacités énergétiques du chauffage domestique saisonnier dans des conditions climatiques moyennes et plus chaudes	Razlika između sezonskih energetske učinkovitosti pri grijanju prostora u toplijim i prosječnim klimatskim uvjetima	Differenza tra le efficienze energetiche stagionali di riscaldamento dello spazio in condizioni climatiche medie e più calde	Atšķirība starp sezonālās telpu apsildes energoefektivitāti siltāka un vidēja klimata apstākļos
AL	Chauffage de l'eau	Grijanje vode	Riscaldamento di acqua	Ūdens uzsildīšana
AM	Catégorie d'efficacité énergétique du chauffage de l'eau saisonnier (Moyenne)	Klasa sezonske energetske učinkovitosti grijanja vode (prosjeak)	Classe di efficienza energetica stagionale di riscaldamento dell'acqua (medio)	Sezonālās ūdens uzsildīšanas energoefektivitātes klase (vidējā)
AN	Efficacité énergétique du chauffage de l'eau du réchauffeur mixte (Moyenne)	Energetska učinkovitost kombiniranih grijača pri grijanju vode (prosjeak)	Efficienza energetica per riscaldamento di acqua del riscaldatore combinato (medio)	Kombinētā sildītāja ūdens uzsildīšanas energoefektivitāte (vidējā)
AO	Valeur de [(220 x Qref)/Qnonsol]	Vrijednost [(220 x Qref)/Qnonsol]	Valore di [(220 x Qref)/Qnonsol]	Vērtība: [(220 x Qref)/Qnonsol]
AP	Valeur de [(Qaux x 2,5)/(220 x Qref)]	Vrijednost [(Qaux x 2,5)/(220 x Qref)]	Valore di [(Qaux x 2,5)/(220 x Qref)]	Vērtība: [(Qaux x 2,5)/(220 x Qref)]
AQ	Profil de charge déclaré (Moyenne)	Deklarirani profil opterećenja (prosjeak)	Profilo di carico dichiarato (medio)	Deklarētais slodzes profils (vidējais)
AR	CONTRÔLE DE LA TEMPÉRATURE	REGULACIJA TEMPERATURE	CONTROLLO TEMPERATURA	TEMPERATŪRAS REGULĒŠANA
AS	la catégorie de contrôle de la température	klasa regulacije temperature	la classe del controllo temperatura	temperatūras regulēšanas klase
AT	la contribution de contrôle de la température	doprinος regulacije temperature	il contributo del controllo temperatura	temperatūras regulēšanas ieguldījums

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

No	Lithuanian(LT)	Hungarian(HU)	Maltese(MT)	Dutch(NL)
i	KOMISIJOS DELEGUOTASIS REGLAMENTAS (ES) Nr. 811/2013	811/2013 BIZOTTSÁGI FELHATALMAZÁSON ALAPULÓ RENDELET (EU)	REGOLAMENT DELEGAT TAL-KUMMISSJONI (UE) Nru 811/2013	COMMISSIE GEDELEGEEERDE VERORDENING (EU) Nr. 811/2013
ii	GAMINIO MIKROKORTA (KOMBINUOTO ŠILDYTUVO ENERGIJOS SUVARTOJIMO ŽENKLINIMAS)	TERMÉK ADATLAP (KOMBINÁCIÓS FŰTŐBERENDEZÉS ENERGIAHATÉKONYSÁGI CÍMKÉZÉSE)	FICHE TAL-PRODOTT (TIKKETTA TAL-ENERĠĠJA TA' HEATER TA' KOMBINAZZJONI)	PRODUCTKAART (ENERGIELABEL VOOR COMBINATIEVERWARMING)
iii	GAMINIO MIKROKORTA (KOMBINUOTO ŠILDYTUVO PAKUOTĖS ENERGIJOS SUVARTOJIMO ŽENKLINIMAS)	TERMÉK ADATLAP (KOMBINÁCIÓS FŰTŐBERENDEZÉS CSOMAGOLÁSAINAK ENERGIAHATÉKONYSÁGI CÍMKÉZÉSE)	FICHE TAL-PRODOTT (TIKKETTA TAL-ENERĠĠJA TA' PAKKETTI TA' HEATER TA' KOMBINAZZJONI)	PRODUCTKAART (ENERGIELABEL VOOR VERPAKKINGEN VAN COMBINATIEVERWARMING)
A	Tiekėjo pavadinimas arba prekių ženklas	Szállító neve vagy védjegye	L-isem tal-fornitur jew it-trademark	Naam of handelsmerk van de leverancier
B	Tiekėjo modelio identifikatorius	A szállító modell-azonosítója	Identifikatur tal-mudell tal-fornitur	Model-id van de leverancier
C	Erdvės pašildymui	Helyiségfűtéshez	Għal Tishin taż-żona	Voor ruimteverwarming
D	Pritaikymas vidutinei temperatūrai	Közepes hőmérsékleti alkalmazás	Applikazzjoni ta' temperatura medja	Toepassing gemiddelde temperatuur
E	Vandens pašildymui	Vízfűtéshez	Għal Tishin tal-ilma	Voor waterverwarming
F	Apkrovos profilis	Profil betöltése	Profil tat-tagħbija	Profiel laden
G	Sezoninio erdvės pašildymo energetinio efektyvumo klasė	Szezonális helyiségfűtési hatások osztály	Klassi tal-effiċjenza tal-enerġija staġjonali tat-tishin taż-żona	Energie-efficiëntieklasse voor ruimteverwarming per seizoen
H	Vidutinei temperatūrai	Közepes hőmérsékleti	Temperatura medja	Gemiddelde temperatuur
I	Išseko temperatūra	Alacsony hőmérséklet	Temperatura baxxa	Laag temperatuur
J	Vandens pašildymo energetinio efektyvumo klasė	Vízfűtési hatások osztály	Tishin tal-ilma klassi tal-effiċjenza tal-enerġija	Energie-efficiëntieklasse voor waterverwarming
K	Vardinė šilumos išvestis (vidutinis klimatas)	Névleges hőteljesítmény (Átlagos)	Output tas-shana kklassifikat (Medja)	Nominale uitvoer verwarming (gemiddeld)
L	Metinis energijos sunaudojimas erdvės šildymui (vidutinis klimatas)	Helyiségfűtés éves energiafogyasztása (Átlagos)	Konsum annwali tal-enerġija għat-tishin tal-ispażju (Medja)	Energieverbruik per jaar bij ruimteverwarming (gemiddeld)
M	Metinis elektros energijos sunaudojimas vandens šildymui (vidutinis klimatas)	Helyiségfűtés éves elektromos energiafogyasztása (Átlagos)	Konsum annwali tal-eletttriku għat-tishin tal-ilma (Medja)	Elektriciteitsverbruik per jaar bij waterverwarming (gemiddeld)
N	Sezoninis erdvės šildymo energijos efektyvumas (vidutinis klimatas)	Szezonális helyiségfűtési hatások (átlagos)	Effiċjenza tal-enerġija staġjonali tat-tishin taż-żona (Medja)	Energie-efficiëntie bij ruimteverwarming per seizoen (gemiddeld)
O	Vandens pašildymo energetinis efektyvumas (vidutinis klimatas)	Vízfűtési hatások (Átlagos)	Effiċjenza fl-enerġija tat-tishin tal-ilma (Medja)	Energie-efficiëntie bij waterverwarming (gemiddeld)
P	L _{wa} (Garso galios lygis, patalpoje)	L _{wa} (Hangteljesítményszint, beltérben)	L _{wa} (livell tal-qawwa tal-hossa, fuq ġewwa)	L _{wa} (Geluidsniveau, binnen)
Q	Veikia tik ne piko valandomis	Csak csúcsidőn kívül üzemel	Jaħdem biss matul sığhat kwiet	Werkst alleen tijdens daluren
R	Specifinės atsargumo priemonės ¹⁾	Különleges óvintézkedések ¹⁾	Prekawżjonijiet speċifiċi ¹⁾	Specifieke voorzorgsmaatregelen ¹⁾
S	Vardinė šilumos išvestis (šaltinis klimatas)	Névleges hőteljesítmény (Hidegebb)	Output tas-shana kklassifikat (Aktar kiesha)	Nominale uitvoer verwarming (kouder)
T	Vardinė šilumos išvestis (šiltesnis klimatas)	Névleges hőteljesítmény (Melegebb)	Output tas-shana kklassifikat (Aktar shuna)	Nominale uitvoer verwarming (warmer)
U	Metinis energijos sunaudojimas erdvės šildymui (šaltinis klimatas)	Helyiségfűtés éves energiafogyasztása (Hidegebb)	Konsum annwali tal-enerġija għat-tishin tal-ispażju (lkessah)	Energieverbruik per jaar bij ruimteverwarming (kouder)
V	Metinis energijos sunaudojimas erdvės šildymui (šiltesnis klimatas)	Helyiségfűtés éves energiafogyasztása (Melegebb)	Konsum annwali tal-enerġija għat-tishin tal-post (Isaħħan)	Energieverbruik per jaar bij ruimteverwarming (warmer)
W	Metinis elektros energijos sunaudojimas vandens šildymui (šaltinis klimatas)	Vízfűtés éves elektromos energiafogyasztása (Hidegebb)	Konsum annwali tal-eletttriku għat-tishin tal-ilma (lkessah)	Elektriciteitsverbruik per jaar bij waterverwarming (kouder)
X	Metinis elektros energijos sunaudojimas vandens šildymui (šiltesnis klimatas)	Vízfűtés éves elektromos energiafogyasztása (Melegebb)	Konsum annwali tal-eletttriku għat-tishin tal-ilma (Isaħħan)	Elektriciteitsverbruik per jaar bij waterverwarming (warmer)
Y	Sezoninis erdvės šildymo energijos efektyvumas (šaltinis klimatas)	Szezonális helyiségfűtési hatások (hidegebb)	Effiċjenza tal-enerġija staġjonali tat-tishin taż-żona (Aktar kiesha)	Energie-efficiëntie bij ruimteverwarming per seizoen (kouder)
Z	Sezoninis erdvės šildymo energijos efektyvumas (šiltesnis klimatas)	Szezonális helyiségfűtési hatások (melegebb)	Effiċjenza tal-enerġija staġjonali tat-tishin taż-żona (Aktar shuna)	Energie-efficiëntie bij ruimteverwarming per seizoen (warmer)
AA	Vandens pašildymo energetinis efektyvumas (šaltinis klimatas)	Vízfűtési hatások (Hidegebb)	Effiċjenza tal-enerġija tat-tishin tal-ilma (Aktar kiesha)	Energie-efficiëntie bij waterverwarming (kouder)
AB	Vandens pašildymo energetinis efektyvumas (šiltesnis klimatas)	Vízfűtési hatások (Melegebb)	Effiċjenza tal-enerġija tat-tishin tal-ilma (Aktar shuna)	Energie-efficiëntie bij waterverwarming (warmer)
AC	L _{wa} (Garso galios lygis, lauke)	L _{wa} (Hangteljesítményszint, kültérben)	L _{wa} (livell tal-qawwa tal-hoss, fuq barra)	L _{wa} (Geluidsniveau, buiten)
AD	¹⁾ Montavimo / naudotojo vadove nurodytų atsargumo priemonių būtina laikytis įrengiant ir montuojant gaminį bei atliekant jo techninę priežiūrą.	¹⁾ A termék összeállítás, telepítése és karbantartása során a telepítési/felhasználói kézikönyvben leírt óvintézkedéseket be kell tartani.	¹⁾ Iridu jittieħdu l-prekawżjonijiet kif deskritti fil-manwal tal-installazzjoni/utent meta wieħed ikun qed jimmonta, jinstalla u jżomm dan il-prodott.	¹⁾ Voorzorgsmaatregelen die worden beschreven in de installatie-/gebruikershandleiding dienen altijd te worden uitgevoerd bij het monteren, installeren en onderhouden van dit product.
AE	Pasirenkamas šildytuvas	Preferenciális fűtőberendezés	Ħiter preferenzjali	Geprefereerde verwarming
AF	Sezoninio erdvės pašildymo energetinio efektyvumo klasė (vidutinis klimatas)	Szezonális helyiségfűtési hatások osztály (Átlagos)	Klassi tal-effiċjenza tal-enerġija staġjonali tat-tishin taż-żona (Medja)	Energie-efficiëntieklasse voor ruimteverwarming per seizoen (gemiddeld)
AG	Svorio faktorius (pasirenkamas ir papildomas šildytuvas)	Súlytényező (preferenciális és kiegészítő fűtőberendezés)	Fattur ta' peżatura (Ħiter Preferenzjali u Supplementari)	Factor gewicht (geprefereerde en aanvullende verwarming)

No	Lithuanian(LT)	Hungarian(HU)	Maltese(MT)	Dutch(NL)
AH	III reikšmė [294/(11 x • Prated)]	III értéke [294/(11 x • Pnévleges)]	Valur ta' III [294/(11 x • Prated)]	Waarde van III [294/(11 x • Pnominaal)]
AI	IV reikšmė [115/(11 x • Prated)]	IV értéke [115/(11 x • Pnévleges)]	Valur ta' IV [115/(11 x • Prated)]	Waarde van IV [115/(11 x • Pnominaal)]
AJ	Skirtumas tarp sezoninio erdvės šildymo energetinio efektyvumo esant vidutinėms ir šaltesnėms klimato sąlygoms	Az átlagos és a hidegebb éghajlati viszonyok mellett mért szezonális helyiségfűtési hatásokok közötti különbség	Differenza bejn l-effiċjenzi tal-enerġija staġjonali tat-tishin taż-żona taht kundizzjonijiet klimatiċi medji u aktar kiesha	Verskil tussen de efficiëntie bij ruimteverwarming per seizoen in gemiddelde en koudere klimaatsomstandigheden
AK	Skirtumas tarp sezoninio erdvės šildymo energetinio efektyvumo esant šiltesnėms ir vidutinėms klimato sąlygoms	A melegebb és az átlagos éghajlati viszonyok mellett mért szezonális helyiségfűtési hatásokok közötti különbség	Differenza bejn l-effiċjenzi tal-enerġija staġjonali tat-tishin taż-żona taht kundizzjonijiet klimatiċi aktar sħan u medji	Verskil tussen de efficiëntie bij ruimteverwarming per seizoen in warmere en gemiddelde klimaatsomstandigheden
AL	Vandens pašildymas	Vízfűtés	Tishin tal-ilma	Waterverwarming
AM	Sezoninio vandens pašildymo energetinio efektyvumo klasė (vidutinis klimatas)	Szezonális vízfűtési hatások osztály (Átlagos)	Klassi tal-effiċjenza tal-enerġija staġjonali tat-tishin tal-ilma (Medja)	Energie-efficiëntieklasse voor waterverwarming per seizoen (gemiddeld)
AN	Kombinuotojo šildytuvo vandens pašildymo energetinio efektyvumo klasė (vidutinis klimatas)	A kombinációs fűtőberendezések vízfűtési energiahatékonysága (Átlagos)	Effiċjenza tal-enerġija tat-tishin tal-ilma tal-hiter ikkombinat (Medja)	Energie-efficiëntie bij waterverwarming van de combinatieverwarming (gemiddeld)
AO	Reikšmė [(220 x Qref)/Qnonsol]	[(220 x Qref)/Qnonsol] értéke	Valur ta' [(220 x Qref)/Qnonsol]	Waarde van [(220 x Qref)/Qnonsol]
AP	Reikšmė [(Qaux x 2,5)/(220 x Qref)]	[(Qaux x 2,5)/(220 x Qref)] értéke	Valur ta' [(Qaux x 2,5)/(220 x Qref)]	Waarde van [(Qaux x 2,5)/(220 x Qref)]
AQ	Deklaruojamas apkrovos profilis (vidutinis klimatas)	Közzétett terhelési profil (Átlagos)	Profil tat-tagħbija ddikkjarat (Medja)	Opgegeven belastingsprofiel (gemiddeld)
AR	TEMPERATŪROS VALDYMAS	HŐMÉRSÉKLETSZABÁLYOZÁS	REGOLATORI TAT-TEMPERTURA	TEMPERATUURINSTELLING
AS	temperatūros valdiklio klasė	a hőmérséklet-szabályozás osztálya	il-klassi tar-regolatur tat-temperatura	de klasse van de temperatuurinstelling
AT	temperatūros valdiklio įnašas	a hőmérséklet-szabályozás hozzájárulása	il-kontribuzzjoni tar-regolatur tat-temperatura	de bijdrage van de temperatuurinstelling

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

No	Polish(PL)	Portuguese(PT)	Romanian(RO)	Slovak(SK)
i	ROZPORZĄDZENIE DELEGOWANE KOMISJI (UE) NR 811/2013	REGULAMENTO DELEGADO (UE) N.º 811/2013 DA COMISSÃO	REGULAMENTUL DELEGAT (UE) 811/2013 AL COMISIEI	DELEGOVANÉ NARIADENIE KOMISIE (EÚ) č. 811/2013
ii	KARTA PRODUKTU (W ODNIESIENIU DO ETYKIET EFEKTYWNOŚCI ENERGETYCZNEJ DLA OGRZEWACZA WIELOFUNKCYJNEGO)	FICHA DO PRODUTO (ROTULAGEM ENERGÉTICA DE AQUECEDOR COMBINADO)	FIȘA PRODUSULUI (ETICHETAREA ENERGETICĂ A INSTALAȚIEI DE ÎNCĂLZIRE CU FUNCȚIE DUBLĂ)	OPIS VÝROBKU (ENERGETICKÉ OZNAČOVANIE KOMBINOVANÉHO OHRIEVAČA)
iii	KARTA PRODUKTU (W ODNIESIENIU DO ETYKIET EFEKTYWNOŚCI ENERGETYCZNEJ DLA ZESTAWÓW OGRZEWACZA WIELOFUNKCYJNEGO)	FICHA DO PRODUTO (ROTULAGEM ENERGÉTICA DE SISTEMAS MISTOS DE AQUECEDOR COMBINADO)	FIȘA PRODUSULUI (ETICHETAREA ENERGETICĂ A PACHETELOR DE INSTALAȚII DE ÎNCĂLZIRE CU FUNCȚIE DUBLĂ)	OPIS VÝROBKU (ENERGETICKÉ OZNAČOVANIE BALÍKOV KOMBINOVANÉHO OHRIEVAČA)
A	Nazwa dostawcy lub znak towarowy	Nome do fornecedor ou marca comercial	Numele sau marca furnizorului	Názov alebo značka dodávateľa
B	Identyfikator modelu dostawcy	Identificador do modelo do fornecedor	Identificatorul de model al furnizorului	Identifikátor modelu dodávateľa
C	Dla ogrzewania pomieszczeń	Para aquecimento ambiente	Pentru încălzirea spațiului	Na vykurovanie priestoru
D	Zastosowanie średnotemperaturowe	Aplicação de média temperatura	Aplicare temperatură medie	Použitie pri strednej teplote
E	Dla podgrzewania wody	Para aquecimento de água	Pentru încălzirea apei	Na ohrievanie vody
F	Profil obciążenia	Perfil de carga	Profil de sarcină	Záťažový profil
G	Klasa sezonowej efektywności energetycznej ogrzewania pomieszczeń	Classe de eficiência energética sazonal de aquecimento ambiente	Clasa de eficiență energetică de încălzire a spațiilor deschise sezonier	Trieda energetickej účinnosti sezónneho vykurovania priestoru
H	Średnia temperatura	Média temperatura	Temperatură medie	Strednej teploty
I	Niskiej temperaturze	Baixa temperatura	Temperatură mică	Nízkej teplote
J	Klasa wydajności energetycznej podgrzewania wody	Classe de eficiência energética do aquecimento de água	Clasa de eficiență energetică de încălzire a apei	Trieda energetickej účinnosti režimu ohrievania vody
K	Znamionowa moc cieplna (klimat umiarkowany)	Potência calorífica nominal (média)	Putere termică nominală (medie)	Menovitý tepelný výkon (priemer)
L	Roczne zużycie energii — ogrzewanie pomieszczeń (klimat umiarkowany)	Consumo anual de energia para aquecimento ambiente (média)	Consum anual de energie pentru încălzirea spațiului (medie)	Ročná spotreba energie na vykurovanie priestoru (priemer)
M	Roczne zużycie energii elektrycznej — podgrzewanie wody (klimat umiarkowany)	Consumo anual de electricidade para aquecimento de água (média)	Consum anual de electricitate pentru încălzirea apei (medie)	Ročná spotreba elektrickej energie na ohrievanie vody (priemer)
N	Sezonowa efektywność energetyczna ogrzewania pomieszczeń (klimat umiarkowany)	Eficiência energética sazonal de aquecimento ambiente (média)	Eficiență energetică de încălzire a spațiilor deschise sezonier (medie)	Energetická účinnost sezónneho vykurovania priestoru (priemer)
O	Efektowność energetyczna podgrzewania wody (klimat umiarkowany)	Eficiência energética do aquecimento de água (média)	Eficiență energetică de încălzire a apei (medie)	Energetická účinnost ohrievania vody (priemer)
P	L _{WA} (Poziom mocy akustycznej, wewnętrzna)	L _{WA} (Nível de potência sonora, interior)	L _{WA} (Nivel de putere acustică, interior)	L _{WA} (Hladina akustického výkonu, vnitřní)
Q	Praca wyłącznie poza godzinami szczytu	Apenas funciona fora das horas de pico	Funcționează doar în afara orelor de vârf	Prevádzka iba mimo špičky
R	Szczegółne środki ostrożności ¹⁾	Precauções específicas ¹⁾	Măsuri specifice de precauție ¹⁾	Osobitné opatrenia ¹⁾
S	Znamionowa moc cieplna (klimat zimny)	Potência calorífica nominal (mais frio)	Putere termică nominală (mai rece)	Menovitý tepelný výkon (chladnejšie)
T	Znamionowa moc cieplna (klimat ciepły)	Potência calorífica nominal (mais quente)	Putere termică nominală (mai cald)	Menovitý tepelný výkon (teplejšie)
U	Roczne zużycie energii — ogrzewanie pomieszczeń (klimat zimny)	Consumo anual de energia para aquecimento ambiente (mais frio)	Consum anual de energie pentru încălzirea spațiului (mai rece)	Ročná spotreba energie na vykurovanie priestoru (chladnejšie)
V	Roczne zużycie energii — ogrzewanie pomieszczeń (klimat ciepły)	Consumo anual de energia para aquecimento ambiente (mais quente)	Consum anual de energie pentru încălzirea spațiului (mai cald)	Ročná spotreba energie na vykurovanie priestoru (teplejšie)
W	Roczne zużycie energii elektrycznej — podgrzewanie wody (klimat zimny)	Consumo anual de electricidade para aquecimento de água (mais frio)	Consum anual de electricitate pentru încălzirea apei (mai rece)	Ročná spotreba elektrickej energie na ohrievanie vody (chladnejšie)
X	Roczne zużycie energii elektrycznej — podgrzewanie wody (klimat ciepły)	Consumo anual de electricidade para aquecimento de água (mais quente)	Consum anual de electricitate pentru încălzirea apei (mai cald)	Ročná spotreba elektrickej energie na ohrievanie vody (teplejšie)
Y	Sezonowa wydajność energii do ogrzewania pomieszczeń (zimniej)	Eficiência energética sazonal de aquecimento ambiente (mais frio)	Eficiență energetică de încălzire a spațiilor deschise sezonier (mai rece)	Energetická účinnost sezónneho vykurovania priestoru (chladnejšie)
Z	Sezonowa wydajność energii do ogrzewania pomieszczeń (cieplej)	Eficiência energética sazonal de aquecimento ambiente (mais quente)	Eficiență energetică de încălzire a spațiilor deschise sezonier (mai cald)	Energetická účinnost sezónneho vykurovania priestoru (teplejšie)
AA	Efektowność energetyczna podgrzewania wody (klimat zimny)	Eficiência energética do aquecimento de água (mais frio)	Eficiență energetică de încălzire a apei (mai rece)	Energetická účinnost ohrievania vody (chladnejšie)
AB	Efektowność energetyczna podgrzewania wody (klimat ciepły)	Eficiência energética do aquecimento de água (mais quente)	Eficiență energetică de încălzire a apei (mai cald)	Energetická účinnost ohrievania vody (teplejšie)
AC	L _{WA} (Poziom mocy akustycznej, zewnętrzna)	L _{WA} (Nível de potência sonora, exterior)	L _{WA} (Nivel de putere acustică, exterior)	L _{WA} (Hladina akustického výkonu, vonku)
AD	¹⁾ Podczas montażu, instalacji i konserwacji urządzenia należy stosować środki ostrożności opisane w instrukcji instalacji i obsługi.	¹⁾ As precauções descritas no manual de instalação/utilização devem ser observadas durante a montagem, instalação e manutenção deste produto.	¹⁾ La asamblarea, instalarea și întreținerea acestui produs, trebuie luate măsuri de precauție conform indicațiilor din manualul de instalare/utilizare.	¹⁾ Pri montovaní, inštalácii a údržbe tohto výrobku je nutné dodržiavať opatrenia opísané v návode na inštaláciu/používanie.
AE	Ogrzewacz preferencyjny	Aquecedor preferencial	Instalație de încălzire preferențială	Uprednostňovaný ohrievač
AF	Klasa sezonowej efektywności energetycznej ogrzewania pomieszczeń (klimat umiarkowany)	Classe de eficiência energética sazonal de aquecimento ambiente (média)	Clasa de eficiență energetică de încălzire a spațiilor deschise sezonier (medie)	Trieda energetickej účinnosti sezónneho vykurovania priestoru (priemer)
AG	Współczynnik wagi (ogrzewacz preferencyjny i dodatkowy)	Fator de ponderação (aquecedor preferencial e complementar)	Factorul de ponderare (Instalație de încălzire preferențială și suplimentară)	Váhový faktor (uprednostňovaný a doplnkový ohrievač)

No	Polish(PL)	Portuguese(PT)	Romanian(RO)	Slovak(SK)
AH	Wartość: III [294/(11 x • Prated)]	O valor de III [294/(11 x • Prated)]	Valoarea III [294/(11 x • Pnominală)]	Hodnota III [294/(11 x • Prated)]
AI	Wartość: IV [115/(11 x • Prated)]	O valor de IV [115/(11 x • Prated)]	Valoarea IV [115/(11 x • Pnominală)]	Hodnota IV [115/(11 x • Prated)]
AJ	Różnica między sezonową efektywnością energetyczną ogrzewania pomieszczeń (w warunkach klimatu umiarkowanego i chłodnego)	O valor da diferença entre as eficiências energéticas do aquecimento ambiente sazonal em condições climáticas médias e em condições climáticas mais frias	Diferența dintre eficiențele energetice de încălzire a spațiilor deschise sezonier în condiții de climă medie și rece	Rozdiel medzi energetickou účinnosťou sezónneho vykurovania priestoru pri priemerných a chladnejších klimatických podmienkach
AK	Różnica między sezonową efektywnością energetyczną ogrzewania pomieszczeń (w warunkach klimatu ciepłego i umiarkowanego)	O valor da diferença entre as eficiências energéticas do aquecimento ambiente sazonal em condições climáticas mais quentes e em condições climáticas médias	Diferența dintre eficiențele energetice de încălzire a spațiilor deschise sezonier în condiții de climă caldă și medie	Rozdiel medzi energetickou účinnosťou sezónneho vykurovania priestoru pri teplejších a priemerných klimatických podmienkach
AL	Podgrzewanie wody	Aquecimento de água	Încălzirea apei	Ohrievanie vody
AM	Klasa sezonowej efektywności energetycznej podgrzewania wody (klimat umiarkowany)	Classe de eficiência energética sazonal do aquecimento de água (média)	Clasa de eficiență energetică de încălzire a apei sezonier (medie)	Trieda energetickej účinnosti sezónneho ohrievania vody (priemer)
AN	Efektywność energetyczna podgrzewania wody – ogrzewacz wielofunkcyjny (klimat umiarkowany)	Eficiência energética do aquecimento de água do aquecedor combinado (média)	Eficiență energetică de încălzire a apei pentru instalația de încălzire cu funcție dublă (medie)	Energetická účinnosť ohrievania vody kombinovaného ohrievača (priemer)
AO	Wartość: [(220 x Qref)/Qnonsol]	Valor de [(220 x Qref)/Qnonsol]	Valoarea [(220 x Qref)/Qnonsol]	Hodnota [(220 x Qref)/Qnonsol]
AP	Wartość: [(Qaux x 2,5)/(220 x Qref)]	Valor de [(Qaux x 2,5)/(220 x Qref)]	Valoarea [(Qaux x 2,5)/(220 x Qref)]	Hodnota [(Qaux x 2,5)/(220 x Qref)]
AQ	Deklarowany profil obciążenia (klimat umiarkowany)	Perfil de carga declarado (média)	Profilul de sarcină declarat (medie)	Deklarovaný profil zaťaženia (priemer)
AR	KONTROLA TEMPERATURY	CONTROLO DA TEMPERATURA	REGLAREA TEMPERATURII	REGULÁCIA TEPLOTY
AS	klasa regulatora temperatury	a classe do controlo da temperatura	clasa funcției de controlare a temperaturii	trieda regulácie teploty
AT	udział regulatora temperatury	a contribuição do controlo da temperatura	contribuția funcției de controlare a temperaturii	prínos regulácie teploty

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

No	Slovenian(SL)	Finnish(FI)	Swedish(SV)	Srpski(SR)	Türkçe(TR)
i	DELEGIRANA UREDBA KOMISIJE (EU) št. 811/2013	DELEGOITU KOMISSIION ASETUS (EU) N:o 811/2013	KOMMISSIONENS DELEGERADE FÖRORDNING (EU) nr 811/2013	DELEGIRANA UREDBA KOMISIJE (EU) Br. 811/2013	KOMİSYON YETKİLİ YÖNETMELİĞİ (AB) No 811/2013
ii	KARTICA IZDELKA (ENERGIJSKO OZNAČEVANJE KOMBINIRANIH GREJNIKOV)	TUOTESELOSTE (YHDISTELMÄLÄMMITTIMEN ENERGIAMERKINTÄ)	INFORMATIONSBLAG OM PRODUKTEN (ENERGIMÄRKNING AV KOMBINATIONSVÄRMARE)	DOKUMENTACIJA O PROIZVODU (OBELEŽAVANJE ENERGETSKE EFIKASNOSTI KOMBINOVANOG GREJAČA)	ÜRÜN FİŞİ (KOMBİNASYON İSİTİCİNİN ENERJİ ETİKETLEMESİ)
iii	KARTICA IZDELKA (ENERGIJSKO OZNAČEVANJE PAKETOV KOMBINIRANIH GREJNIKOV)	TUOTESELOSTE (YHDISTELMÄLÄMMITTIMEN PAKKAUSTEN ENERGIAMERKINTÄ)	INFORMATIONSBLAG OM PRODUKTEN (ENERGIMÄRKNING AV PAKET MED KOMBINATIONSVÄRMARE)	DOKUMENTACIJA O PROIZVODU (OBELEŽAVANJE ENERGETSKE EFIKASNOSTI PAKETA KOMBINOVANOG GREJAČA)	ÜRÜN FİŞİ (KOMBİNASYON İSİTİCİ PAKETLERİNİN ENERJİ ETİKETLEMESİ)
A	Ime dobavitelja ali blagovna znamka	Tavarantoimittajan nimi tai tavaramerkki	Leverantörens namn eller varumärke	Naziv ili zaštitni znak dobavljača	Tedarikçinin adı veya ticari markası
B	Dobaviteljeva identifikacijska oznaka modela	Tavarantoimittajan mallitunniste	Leverantörens modellidentifiering	Identifikator modela dobavljača	Tedarikçinin model tanımlayıcısı
C	Za ogrevanje prostorov	Tilan lämmitystä varten	För rumsuppvärmning	Za zagrevanje prostora	Alan ısıtma için
D	Uporaba pri srednji temperaturi	Käyttö keskilämpimässä	Mellantemperaturtillämpning	Primenja srednje temperature	Orta derece sıcaklık uygulaması
E	Za ogrevanje vode	Veden lämmitys	För vattenuppvärmning	Za grejanje vode	Su ısıtma için
F	Profil obremenitve	Lataa profiili	Lastprofil	Profil opterećenja	Yük profili
G	Razred energijske učinkovitosti za sezonsko ogrevanje prostorov	Kausitilan lämmitysenergiatohokkuusluokka	Energieffektivitetsklass säsongsuppvärmning	Klasa sezoneke energetske efikasnosti zagrevanja prostorija	Mevsimsel alan ısıtıcı enerji verimliliği sınıfı
H	Srednji temperaturi	Keskittala lämpötila	Mellantemperatur	Srednja temperatura	Orta sıcaklık
I	Nizko temperatura	Matala lämpötila	Lågtemperatur	Niska temperatura	Düşük sıcaklık
J	Razred energijske učinkovitosti za ogrevanje vode	Veden lämmityksen energiatohokkuusluokka	Energieffektivitetsklass för vattenuppvärmning	Klasa energetske efikasnosti grejanja vode	Su ısıtma enerji verimliliği sınıfı
K	Nazivna toplotna izhodna moč (povprečno)	Nimellinen lämpöteho (keskiarvo)	Nominell värmeeffekt (genomsnitt)	Nazivni izlaz toplote (prosek)	Nominal ısı çıkışı (Ortalama)
L	Letna poraba energije za ogrevanje prostorov (povprečno)	Ilman lämmityksen vuotuinen energiankulutus (keskimääräinen)	Årlig energiförbrukning för rumsuppvärmning (genomsnitt)	Godišnja potrošnja energije za zagrevanje prostora (prosek)	Alan ısıtması için yıllık enerji tüketimi (Ortalama)
M	Letna poraba elektrike za ogrevanje vode (povprečno)	Veden lämmityksen vuotuinen sähkönkulutus (keskimääräinen)	Årlig strömförbrukning för vattenuppvärmning (genomsnitt)	Godišnja potrošnja struje za grejanje vode (prosek)	Su ısıtması için yıllık elektrik tüketimi (Ortalama)
N	Sezonska učinkovitost gretja prostorov (povprečno)	Kausitilan lämmitysenergiatohokkuus (keskimääräinen)	Energieffektiv säsongsuppvärmning (genomsnitt)	Sezonska energetska efikasnost zagrevanja prostorija (prosek)	Mevsimsel alan ısıtıcı enerji verimliliği (Ortalama)
O	Razred energijske učinkovitosti za ogrevanje vode (povprečno)	Veden lämmityksen energiatohokkuus (keskimääräinen)	Energieffektivitet för vattenuppvärmning (genomsnitt)	Energetska efikasnost grejanja vode (prosek)	Su ısıtma enerji verimliliği (Ortalama)
P	L _{WA} (Raven zvočne moči, znotraj)	L _{WA} (Äänitehotaso, sisällä)	L _{WA} (Ljudeffektivit, inomhus)	L _{WA} (nivo jačine zvuka, unutra)	L _{WA} (ses güç seviyesi, içerisi)
Q	Deluje samo v času manjše porabe	Toiminta vain huippukäyttötajan ulkopuolisten tuntien aikana	Kör endast under lågbelastningstid	Radi samo u periodima nižeg opterećenja	Yalnızca yoğun saatlerin dışında çalışır
R	Posebna varnostna opozorila ¹⁾	Eriyiset varoitusmerkit ¹⁾	Specifika försiktighetsåtgärder ¹⁾	Posebne mere opreza ¹⁾	Özel önlemler ¹⁾
S	Nazivna toplotna izhodna moč (hladneje)	Nimellinen lämpöteho (kylmä)	Nominell värmeeffekt (kallare)	Nazivni izlaz toplote (hladnije)	Nominal ısı çıkışı (Daha soğuk)
T	Nazivna toplotna izhodna moč (topleje)	Nimellinen lämpöteho (lämmin)	Nominell värmeeffekt (varmare)	Nazivni izlaz toplote (toplije)	Nominal ısı çıkışı (Daha sıcak)
U	Letna poraba energije za ogrevanje prostorov (hladneje)	Ilman lämmityksen vuotuinen energiankulutus (kylmä)	Årlig energiförbrukning för rumsuppvärmning (kallare)	Godišnja potrošnja energije za zagrevanje prostora (hladnije)	Alan ısıtması için yıllık enerji tüketimi (Daha soğuk)
V	Letna poraba energije za ogrevanje prostorov (topleje)	Ilman lämmityksen vuotuinen energiankulutus (lämmin)	Årlig energiförbrukning för rumsuppvärmning (varmare)	Godišnja potrošnja energije za zagrevanje prostora (toplije)	Alan ısıtması için yıllık enerji tüketimi (Daha sıcak)
W	Letna poraba elektrike za ogrevanje vode (hladneje)	Veden lämmityksen vuotuinen sähkönkulutus (kylmä)	Årlig strömförbrukning för vattenuppvärmning (kallare)	Godišnja potrošnja struje za grejanje vode (hladnije)	Su ısıtması için yıllık elektrik tüketimi (Daha soğuk)
X	Letna poraba elektrike za ogrevanje vode (topleje)	Veden lämmityksen vuotuinen sähkönkulutus (lämmin)	Årlig strömförbrukning för vattenuppvärmning (varmare)	Godišnja potrošnja struje za grejanje vode (toplije)	Su ısıtması için yıllık elektrik tüketimi (Daha sıcak)
Y	Sezonska učinkovitost gretja prostorov (hladneje)	Kausitilan lämmitysenergiatohokkuus (kylmä)	Energieffektiv säsongsuppvärmning (kallare)	Sezonska energetska efikasnost zagrevanja prostorija (hladnije)	Mevsimsel alan ısıtıcı enerji verimliliği (Daha soğuk)
Z	Sezonska učinkovitost gretja prostorov (topleje)	Kausitilan lämmitysenergiatohokkuus (lämmin)	Energieffektiv säsongsuppvärmning (varmare)	Sezonska energetska efikasnost zagrevanja prostorija (toplije)	Mevsimsel alan ısıtıcı enerji verimliliği (Daha sıcak)
AA	Energjska učinkovitost za ogrevanje vode (hladneje)	Vedenlämmitysenergiatohokkuus (kylmä)	Energieffektivitet för vattenuppvärmning (kallare)	Energetska efikasnost grejanja vode (hladnije)	Su ısıtma enerji verimliliği (Daha soğuk)
AB	Energjska učinkovitost za ogrevanje vode (topleje)	Vedenlämmitysenergiatohokkuus (lämmin)	Energieffektivitet för vattenuppvärmning (varmare)	Energetska efikasnost grejanja vode (toplije)	Su ısıtma enerji verimliliği (Daha sıcak)
AC	L _{WA} (Raven zvočne moči, zunaj)	L _{WA} (Äänitehotaso, ulkona)	L _{WA} (Ljudeffektivit, utomhus)	L _{WA} (nivo jačine zvuka, napolju)	L _{WA} (ses güç seviyesi, dışarısı)

No	Slovenian(SL)	Finnish(FI)	Swedish(SV)	Srpski(SR)	Türkçe(TR)
AD	¹¹ Med sestavljanjem, nameščanjem in vzdrževanjem izdelka morate upoštevati varnostna opozorila, opisana v priročniku za namestitev/ uporabniškem priročniku.	¹¹ Asennusohjeessa ja käyttöoppaassa olevia varotoimenpiteitä on noudatettava tämän tuotteen kokoamisessa, asentamisessa ja ylläpitämisessä.	¹¹ Försiktighetsåtgärder enligt vad som beskrivs i denna installations-/ bruksanvisning måste vidtas när produkten monteras, installeras och underhålls.	¹¹ Mere opreza opisane u priročniku za instalaciju/korisnika se moraju preduzeti prilikom sklapanja, instaliranja i održavanja ovog proizvoda.	¹¹ Kurulum/kullanıcı el kitabı açıklanan önlemler bu ürünü monte ederken, kurarken veya ürüne bakım yaparken dikkate alınmalıdır.
AE	Preferenčni grelnik	Ensisijainen lämmitin	Tillvalsvärmare	Prioritetni grejač	Tercih edilen ısıtıcı
AF	Razred energijske učinkovitosti za sezonsko ogrevanje prostorov (povprečno)	Kausitilan lämmitysenergiatohokkuusluokka (keskimääräinen)	Energieffektivitetsklass säsongsuppvärmning (genomsnitt)	Klasa sezonske energetske efikasnosti zagrevanja prostorija (prosek)	Mevsimsel alan ısıtıcı enerji verimliliği sınıfı (Ortalama)
AG	Težnostni faktor (preferenčni ali dodatni grelnik)	Painokerroin (ensisijainen lämmitin ja lisälämmitin)	Viktfaktor (tillvalsvärmare och kompletterande värmare)	Faktor težine (prioritetni i dopunski grejač)	Ağırlık faktörü (Tercih Edilen ve Yedek ısıtıcı)
AH	Vrednost za III [294 / (11 x • P-nazivna)]	III-arvo [294/(11 x • Nimellinen)]	Värde för III [294/(11 x • Prated)]	Vrednost III [294/(11 x • Pnomin.)]	III değeri [294/(11 x • Nominal Güç)]
AI	Vrednost za IV [115 / (11 x • P-nazivna)]	IV-arvo [115/(11 x • Nimellinen)]	Värde för IV [115/(11 x • Prated)]	Vrednost IV [115/(11 x • Pnomin.)]	IV değeri [115/(11 x • Nominal Güç)]
AJ	Razlika med energijsko učinkovitostjo za sezonsko ogrevanje prostorov v povprečnih in hladnejših podnebnih razmerah	Kausitilan lämmitysenergiatohokkuudet keskimääräisissä ja kylmissä ilmasto-olosuhteissa	Skillnaden mellan energieffektiv säsongsuppvärmning under genomsnittliga och kallare klimatförhållanden	Razlika između sezonske energetske efikasnosti zagrevanja prostora u prosečnim i hladnijim klimatskim uslovima	Ortalama ve daha soğuk iklim koşullarında mevsimsel ısıtma enerjisi verimlilikleri arasındaki fark
AK	Razlika med energijsko učinkovitostjo za sezonsko ogrevanje prostorov v toplejših in povprečnih podnebnih razmerah	Kausitilan lämmitysenergiatohokkuudet lämpimissä ja keskimääräisissä ilmasto-olosuhteissa	Skillnaden mellan energieffektiv säsongsuppvärmning under varmare och genomsnittliga klimatförhållanden	Razlika između sezonske energetske efikasnosti zagrevanja prostora u toplijim i prosečnim klimatskim uslovima	Daha sıcak ve ortalama iklim koşullarında mevsimsel ısıtma enerjisi verimlilikleri arasındaki fark
AL	Ogrevanje vode	Veden lämmitys	Vattenuppvärmning	Grejanje vode	Su ısıtma
AM	Razred energijske učinkovitosti za sezonsko ogrevanje vode (povprečno)	Kausiveden lämmitysenergiatohokkuusluokka (keskimääräinen)	Energieffektivitetsklass säsongsvattenuppvärmning (genomsnitt)	Klasa sezonske energetske efikasnosti grejanja vode (prosek)	Mevsimsel su ısıtma enerji verimliliği sınıfı (Ortalama)
AN	Energijska učinkovitost za ogrevanje vode pri kombiniranih grelnikih (povprečno)	Yhdistelmälämmittimen vedenlämmityksen energiatohokkuus (keskimääräinen)	Energieffektivitet för vattenuppvärmning för kombinationsvärmare (genomsnitt)	Energetska efikasnost grejanja vode kombinovanog grejača (prosek)	Kombinasyon ısıtıcının su ısıtma enerjisi verimliliği (Ortalama)
AO	Vrednost za [(220 x Qref) / Qnonsol]	Arvo [(220 x Qref)/Qnonsol]	Värde för [(220 x Qref)/Qnonsol]	Vrednost [(220 x Qref)/Qnonsol]	[(220 x Qref)/Qnonsol] değeri
AP	Vrednost za [(Qaux x 2,5) / (220 x Qref)]	Arvo [(Qaux x 2,5)/(220 x Qref)]	Värde för [(Qaux x 2,5)/(220 x Qref)]	Vrednost [(Qaux x 2,5)/(220 x Qref)]	[(Qaux x 2,5)/(220 x Qref)] değeri
AQ	Navedeni profil obremenitve (povprečno)	Ilmoitettu kuormitusprofiili (keskimääräinen)	Deklarerad lastprofil (genomsnitt)	Deklarisani profil opterećenja (prosek)	Belirlilen yük profili (Ortalama)
AR	UPRAVLJANJE TEMPERATURE	LÄMPÖTILAN SÄÄTÖ	TEMPERATURSTYRNING	REGULACIJA TEMPERATURE	SICAKLIK KONTROLÜ
AS	razred upravljanja temperature	lämpötilaohjauksen luokka	temperaturstyrningens klass	Klasa kontrole temperature	Sıcaklık kontrol sınıfı
AT	prispevek upravljanja temperature	lämpötilaohjauksen vaikutus	temperaturstyrningens bidrag	doprinos kontrole temperature	sıcaklık kontrol katkısı

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF SPACE HEATERS) ⁱⁱⁱ⁾

a	Supplier's name or trademark			Samsung
b	Supplier's model identifier			AE125DXE DEG / AE160DNYSPG
c	Seasonal space heating energy efficiency class	Medium-temperature ^(p)	-	A++
		Low-temperature ^(q)	-	A+++
d	Rated heat output (Average)	Medium-temperature ^(p)	kW	12,1
		Low-temperature ^(q)	kW	12,5
e	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(p)	%	135
		Low-temperature ^(q)	%	186
f	Annual energy consumption (Average)	Medium-temperature ^(p)	kWh	7221
		Low-temperature ^(q)	kWh	5454
g	L _{WA} (sound power level, indoor)			dB
h	Specific precautions ¹⁾			-
i	Rated heat output (Colder)	Medium-temperature ^(p)	kW	12,1
		Low-temperature ^(q)	kW	12,5
j	Rated heat output (Warmer)	Medium-temperature ^(p)	kW	12,1
		Low-temperature ^(q)	kW	12,5
k	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(p)	%	121
		Low-temperature ^(q)	%	159
l	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(p)	%	183
		Low-temperature ^(q)	%	263
m	Annual energy consumption (Colder)	Medium-temperature ^(p)	kWh	9587
		Low-temperature ^(q)	kWh	7577
n	Annual energy consumption (Warmer)	Medium-temperature ^(p)	kWh	3442
		Low-temperature ^(q)	kWh	2479
o	L _{WA} (sound power level, outdoor)			dB
				61

r ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF SPACE HEATER) ⁱⁱⁱ⁾

a	Supplier's name or trademark		Samsung
b	Supplier's model identifier		AE125DXE DEG / AE160DNYSPG / Temp-Control
s	Seasonal space heating energy efficiency class of package		A++
t	Seasonal space heating energy efficiency of package	%	139
u	Seasonal space heating energy efficiency of package (colder climate conditions)	%	125
v	Seasonal space heating energy efficiency of package (warmer climate conditions)	%	187
w	Seasonal space heating energy efficiency class (Preferential space heater)		A++
x	Seasonal space heating energy efficiency (Preferential space heater)	%	135
y	Factor for weighting the heat output (Preferential space heater)	-	0
z	Mathematical expression : $294 / (11 \cdot \text{Prated})$ ¹⁾	-	2,2
aa	Mathematical expression : $115 / (11 \cdot \text{Prated})$ ²⁾	-	0,9
ab	The difference between the seasonal space heating energy efficiencies under average and colder climate conditions ³⁾	%	14
ac	The difference between the seasonal space heating energy efficiencies under warmer and average climate conditions ⁴⁾	%	48
ad	The class of the temperature control	-	CLASS VI
ae	The contribution of the temperature control to seasonal space heating energy efficiency	%	4

af ¹⁾ Whereby Prated is related to the preferential space heater.

ag ²⁾ Whereby Prated is related to the preferential space heater.

ah ^{3),4)} For preferential heat pump space heaters

PRODUCT FICHE (ENERGY LABELLING OF SPACE HEATERS)ⁱⁱ⁾

a	Supplier's name or trademark			Samsung
b	Supplier's model identifier			AE125DXE DEG / AE160DNZSPG
c	Seasonal space heating energy efficiency class	Medium-temperature ^(a)	-	A++
		Low-temperature ^(a)	-	A+++
d	Rated heat output (Average)	Medium-temperature ^(a)	kW	12,1
		Low-temperature ^(a)	kW	12,5
e	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(a)	%	135
		Low-temperature ^(a)	%	186
f	Annual energy consumption (Average)	Medium-temperature ^(a)	kWh	7221
		Low-temperature ^(a)	kWh	5454
g	L _{WA} (sound power level, indoor)			dB
h	Specific precautions ¹⁾			-
i	Rated heat output (Colder)	Medium-temperature ^(a)	kW	12,1
		Low-temperature ^(a)	kW	12,5
j	Rated heat output (Warmer)	Medium-temperature ^(a)	kW	12,1
		Low-temperature ^(a)	kW	12,5
k	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(a)	%	121
		Low-temperature ^(a)	%	159
l	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(a)	%	183
		Low-temperature ^(a)	%	263
m	Annual energy consumption (Colder)	Medium-temperature ^(a)	kWh	9587
		Low-temperature ^(a)	kWh	7577
n	Annual energy consumption (Warmer)	Medium-temperature ^(a)	kWh	3442
		Low-temperature ^(a)	kWh	2479
o	L _{WA} (sound power level, outdoor)			dB

r ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF SPACE HEATER)ⁱⁱⁱ⁾

a	Supplier's name or trademark		Samsung
b	Supplier's model identifier		AE125DXE DEG / AE160DNZSPG / Temp-Control
s	Seasonal space heating energy efficiency class of package		A++
t	Seasonal space heating energy efficiency of package	%	139
u	Seasonal space heating energy efficiency of package (colder climate conditions)	%	125
v	Seasonal space heating energy efficiency of package (warmer climate conditions)	%	187
w	Seasonal space heating energy efficiency class (Preferential space heater)		A++
x	Seasonal space heating energy efficiency (Preferential space heater)	%	135
y	Factor for weighting the heat output (Preferential space heater)	-	0
z	Mathematical expression : $294 / (11 \bullet \text{Prated})$ ¹⁾	-	2,2
aa	Mathematical expression : $115 / (11 \bullet \text{Prated})$ ²⁾	-	0,9
ab	The difference between the seasonal space heating energy efficiencies under average and colder climate conditions ³⁾	%	14
ac	The difference between the seasonal space heating energy efficiencies under warmer and average climate conditions ⁴⁾	%	48
ad	The class of the temperature control	-	CLASS VI
ae	The contribution of the temperature control to seasonal space heating energy efficiency	%	4

af ¹⁾ Whereby Prated is related to the preferential space heater.

ag ²⁾ Whereby Prated is related to the preferential space heater.

ah ^{3),4)} For preferential heat pump space heaters

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF SPACE HEATERS) ⁱⁱⁱ⁾

a	Supplier's name or trademark			Samsung
b	Supplier's model identifier			AE160DXE DEG / AE160DNYSPG
c	Seasonal space heating energy efficiency class	Medium-temperature ^(p)	-	A++
		Low-temperature ^(q)	-	A+++
d	Rated heat output (Average)	Medium-temperature ^(p)	kW	12,5
		Low-temperature ^(q)	kW	13,5
e	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(p)	%	135
		Low-temperature ^(q)	%	185
f	Annual energy consumption (Average)	Medium-temperature ^(p)	kWh	7481
		Low-temperature ^(q)	kWh	5930
g	L _{WA} (sound power level, indoor)			dB
h	Specific precautions ¹⁾			-
i	Rated heat output (Colder)	Medium-temperature ^(p)	kW	12,5
		Low-temperature ^(q)	kW	13,5
j	Rated heat output (Warmer)	Medium-temperature ^(p)	kW	12,3
		Low-temperature ^(q)	kW	12,7
k	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(p)	%	122
		Low-temperature ^(q)	%	159
l	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(p)	%	183
		Low-temperature ^(q)	%	262
m	Annual energy consumption (Colder)	Medium-temperature ^(p)	kWh	9865
		Low-temperature ^(q)	kWh	8225
n	Annual energy consumption (Warmer)	Medium-temperature ^(p)	kWh	3502
		Low-temperature ^(q)	kWh	2519
o	L _{WA} (sound power level, outdoor)			dB

r ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF SPACE HEATER) ⁱⁱⁱ⁾

a	Supplier's name or trademark		Samsung
b	Supplier's model identifier		AE160DXE DEG / AE160DNYSPG / Temp-Control
s	Seasonal space heating energy efficiency class of package		A++
t	Seasonal space heating energy efficiency of package	%	139
u	Seasonal space heating energy efficiency of package (colder climate conditions)	%	126
v	Seasonal space heating energy efficiency of package (warmer climate conditions)	%	187
w	Seasonal space heating energy efficiency class (Preferential space heater)		A++
x	Seasonal space heating energy efficiency (Preferential space heater)	%	135
y	Factor for weighting the heat output (Preferential space heater)	-	0
z	Mathematical expression : $294 / (11 \cdot \text{Prated})$ ¹⁾	-	2,1
aa	Mathematical expression : $115 / (11 \cdot \text{Prated})$ ²⁾	-	0,8
ab	The difference between the seasonal space heating energy efficiencies under average and colder climate conditions ³⁾	%	13
ac	The difference between the seasonal space heating energy efficiencies under warmer and average climate conditions ⁴⁾	%	48
ad	The class of the temperature control	-	CLASS VI
ae	The contribution of the temperature control to seasonal space heating energy efficiency	%	4

af ¹⁾ Whereby Prated is related to the preferential space heater.

ag ²⁾ Whereby Prated is related to the preferential space heater.

ah ^{3),4)} For preferential heat pump space heaters

PRODUCT FICHE (ENERGY LABELLING OF SPACE HEATERS) ii)

a	Supplier's name or trademark			Samsung
b	Supplier's model identifier			AE160DXE DEG / AE160DNZSPG
c	Seasonal space heating energy efficiency class	Medium-temperature ^(a)	-	A++
		Low-temperature ^(a)	-	A+++
d	Rated heat output (Average)	Medium-temperature ^(a)	kW	12,5
		Low-temperature ^(a)	kW	13,5
e	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(a)	%	135
		Low-temperature ^(a)	%	185
f	Annual energy consumption (Average)	Medium-temperature ^(a)	kWh	7481
		Low-temperature ^(a)	kWh	5930
g	L _{WA} (sound power level, indoor)			dB
h	Specific precautions ¹⁾			-
i	Rated heat output (Colder)	Medium-temperature ^(a)	kW	12,5
		Low-temperature ^(a)	kW	13,5
j	Rated heat output (Warmer)	Medium-temperature ^(a)	kW	12,3
		Low-temperature ^(a)	kW	12,7
k	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(a)	%	122
		Low-temperature ^(a)	%	159
l	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(a)	%	183
		Low-temperature ^(a)	%	262
m	Annual energy consumption (Colder)	Medium-temperature ^(a)	kWh	9865
		Low-temperature ^(a)	kWh	8225
n	Annual energy consumption (Warmer)	Medium-temperature ^(a)	kWh	3502
		Low-temperature ^(a)	kWh	2519
o	L _{WA} (sound power level, outdoor)			dB

r ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF SPACE HEATER) iii)

a	Supplier's name or trademark		Samsung
b	Supplier's model identifier		AE160DXE DEG / AE160DNZSPG / Temp-Control
s	Seasonal space heating energy efficiency class of package		A++
t	Seasonal space heating energy efficiency of package	%	139
u	Seasonal space heating energy efficiency of package (colder climate conditions)	%	126
v	Seasonal space heating energy efficiency of package (warmer climate conditions)	%	187
w	Seasonal space heating energy efficiency class (Preferential space heater)		A++
x	Seasonal space heating energy efficiency (Preferential space heater)	%	135
y	Factor for weighting the heat output (Preferential space heater)	-	0
z	Mathematical expression : $294 / (11 \bullet \text{Prated})$ ¹⁾	-	2,1
aa	Mathematical expression : $115 / (11 \bullet \text{Prated})$ ²⁾	-	0,8
ab	The difference between the seasonal space heating energy efficiencies under average and colder climate conditions ³⁾	%	13
ac	The difference between the seasonal space heating energy efficiencies under warmer and average climate conditions ⁴⁾	%	48
ad	The class of the temperature control	-	CLASS VI
ae	The contribution of the temperature control to seasonal space heating energy efficiency	%	4

af ¹⁾ Whereby Prated is related to the preferential space heater.

ag ²⁾ Whereby Prated is related to the preferential space heater.

ah ^{3),4)} For preferential heat pump space heaters

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF SPACE HEATERS) ⁱⁱⁱ⁾

a	Supplier's name or trademark			Samsung
b	Supplier's model identifier			AE125DXEDGG / AE160DNYS PG
c	Seasonal space heating energy efficiency class	Medium-temperature ^(p)	-	A++
		Low-temperature ^(q)	-	A+++
d	Rated heat output (Average)	Medium-temperature ^(p)	kW	12,1
		Low-temperature ^(q)	kW	12,5
e	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(p)	%	135
		Low-temperature ^(q)	%	186
f	Annual energy consumption (Average)	Medium-temperature ^(p)	kWh	7221
		Low-temperature ^(q)	kWh	5454
g	L _{WA} (sound power level, indoor)			dB
h	Specific precautions ¹⁾			-
i	Rated heat output (Colder)	Medium-temperature ^(p)	kW	12,1
		Low-temperature ^(q)	kW	12,5
j	Rated heat output (Warmer)	Medium-temperature ^(p)	kW	12,1
		Low-temperature ^(q)	kW	12,5
k	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(p)	%	121
		Low-temperature ^(q)	%	159
l	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(p)	%	183
		Low-temperature ^(q)	%	263
m	Annual energy consumption (Colder)	Medium-temperature ^(p)	kWh	9587
		Low-temperature ^(q)	kWh	7577
n	Annual energy consumption (Warmer)	Medium-temperature ^(p)	kWh	3442
		Low-temperature ^(q)	kWh	2479
o	L _{WA} (sound power level, outdoor)			dB

r ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF SPACE HEATER) ⁱⁱⁱ⁾

a	Supplier's name or trademark		Samsung
b	Supplier's model identifier		AE125DXEDGG / AE160DNYS PG / Temp-Control
s	Seasonal space heating energy efficiency class of package		A++
t	Seasonal space heating energy efficiency of package	%	139
u	Seasonal space heating energy efficiency of package (colder climate conditions)	%	125
v	Seasonal space heating energy efficiency of package (warmer climate conditions)	%	187
w	Seasonal space heating energy efficiency class (Preferential space heater)		A++
x	Seasonal space heating energy efficiency (Preferential space heater)	%	135
y	Factor for weighting the heat output (Preferential space heater)	-	0
z	Mathematical expression : $294 / (11 \cdot \text{Prated})$ ¹⁾	-	2,2
aa	Mathematical expression : $115 / (11 \cdot \text{Prated})$ ²⁾	-	0,9
ab	The difference between the seasonal space heating energy efficiencies under average and colder climate conditions ³⁾	%	14
ac	The difference between the seasonal space heating energy efficiencies under warmer and average climate conditions ⁴⁾	%	48
ad	The class of the temperature control	-	CLASS VI
ae	The contribution of the temperature control to seasonal space heating energy efficiency	%	4

af ¹⁾ Whereby Prated is related to the preferential space heater.

ag ²⁾ Whereby Prated is related to the preferential space heater.

ah ^{3/4)} For preferential heat pump space heaters

PRODUCT FICHE (ENERGY LABELLING OF SPACE HEATERS) ii)

a	Supplier's name or trademark			Samsung
b	Supplier's model identifier			AE125DXEDGG / AE160DNZSPG
c	Seasonal space heating energy efficiency class	Medium-temperature ^(a)	-	A++
		Low-temperature ^(a)	-	A+++
d	Rated heat output (Average)	Medium-temperature ^(a)	kW	12,1
		Low-temperature ^(a)	kW	12,5
e	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(a)	%	135
		Low-temperature ^(a)	%	186
f	Annual energy consumption (Average)	Medium-temperature ^(a)	kWh	7221
		Low-temperature ^(a)	kWh	5454
g	L _{WA} (sound power level, indoor)			dB
h	Specific precautions ¹⁾			-
i	Rated heat output (Colder)	Medium-temperature ^(a)	kW	12,1
		Low-temperature ^(a)	kW	12,5
j	Rated heat output (Warmer)	Medium-temperature ^(a)	kW	12,1
		Low-temperature ^(a)	kW	12,5
k	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(a)	%	121
		Low-temperature ^(a)	%	159
l	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(a)	%	183
		Low-temperature ^(a)	%	263
m	Annual energy consumption (Colder)	Medium-temperature ^(a)	kWh	9587
		Low-temperature ^(a)	kWh	7577
n	Annual energy consumption (Warmer)	Medium-temperature ^(a)	kWh	3442
		Low-temperature ^(a)	kWh	2479
o	L _{WA} (sound power level, outdoor)			dB

r ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF SPACE HEATER) iii)

a	Supplier's name or trademark		Samsung
b	Supplier's model identifier		AE125DXEDGG / AE160DNZSPG / Temp-Control
s	Seasonal space heating energy efficiency class of package		A++
t	Seasonal space heating energy efficiency of package	%	139
u	Seasonal space heating energy efficiency of package (colder climate conditions)	%	125
v	Seasonal space heating energy efficiency of package (warmer climate conditions)	%	187
w	Seasonal space heating energy efficiency class (Preferential space heater)		A++
x	Seasonal space heating energy efficiency (Preferential space heater)	%	135
y	Factor for weighting the heat output (Preferential space heater)	-	0
z	Mathematical expression : $294 / (11 \bullet \text{Prated})$ ¹⁾	-	2,2
aa	Mathematical expression : $115 / (11 \bullet \text{Prated})$ ²⁾	-	0,9
ab	The difference between the seasonal space heating energy efficiencies under average and colder climate conditions ³⁾	%	14
ac	The difference between the seasonal space heating energy efficiencies under warmer and average climate conditions ⁴⁾	%	48
ad	The class of the temperature control	-	CLASS VI
ae	The contribution of the temperature control to seasonal space heating energy efficiency	%	4

af ¹⁾ Whereby Prated is related to the preferential space heater.

ag ²⁾ Whereby Prated is related to the preferential space heater.

ah ^{3),(4)} For preferential heat pump space heaters

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ⁱ⁾

PRODUCT FICHE (ENERGY LABELLING OF SPACE HEATERS) ⁱⁱⁱ⁾

a	Supplier's name or trademark			Samsung
b	Supplier's model identifier			AE160DXEDGG / AE160DNYSPG
c	Seasonal space heating energy efficiency class	Medium-temperature ^(q)	-	A++
		Low-temperature ^(q)	-	A+++
d	Rated heat output (Average)	Medium-temperature ^(q)	kW	12,5
		Low-temperature ^(q)	kW	13,5
e	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(q)	%	135
		Low-temperature ^(q)	%	185
f	Annual energy consumption (Average)	Medium-temperature ^(q)	kWh	7481
		Low-temperature ^(q)	kWh	5930
g	L _{WA} (sound power level, indoor)			dB
h	Specific precautions ¹⁾			-
i	Rated heat output (Colder)	Medium-temperature ^(q)	kW	12,5
		Low-temperature ^(q)	kW	13,5
j	Rated heat output (Warmer)	Medium-temperature ^(q)	kW	12,3
		Low-temperature ^(q)	kW	12,7
k	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(q)	%	122
		Low-temperature ^(q)	%	159
l	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(q)	%	183
		Low-temperature ^(q)	%	262
m	Annual energy consumption (Colder)	Medium-temperature ^(q)	kWh	9865
		Low-temperature ^(q)	kWh	8225
n	Annual energy consumption (Warmer)	Medium-temperature ^(q)	kWh	3502
		Low-temperature ^(q)	kWh	2519
o	L _{WA} (sound power level, outdoor)			dB
				62

r ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF SPACE HEATER) ⁱⁱⁱ⁾

a	Supplier's name or trademark		Samsung
b	Supplier's model identifier		AE160DXEDGG / AE160DNYSPG / Temp-Control
s	Seasonal space heating energy efficiency class of package		A++
t	Seasonal space heating energy efficiency of package	%	139
u	Seasonal space heating energy efficiency of package (colder climate conditions)	%	126
v	Seasonal space heating energy efficiency of package (warmer climate conditions)	%	187
w	Seasonal space heating energy efficiency class (Preferential space heater)		A++
x	Seasonal space heating energy efficiency (Preferential space heater)	%	135
y	Factor for weighting the heat output (Preferential space heater)	-	0
z	Mathematical expression : $294 / (11 \cdot \text{Prated})$ ¹⁾	-	2,1
aa	Mathematical expression : $115 / (11 \cdot \text{Prated})$ ²⁾	-	0,8
ab	The difference between the seasonal space heating energy efficiencies under average and colder climate conditions ³⁾	%	13
ac	The difference between the seasonal space heating energy efficiencies under warmer and average climate conditions ⁴⁾	%	48
ad	The class of the temperature control	-	CLASS VI
ae	The contribution of the temperature control to seasonal space heating energy efficiency	%	4

af ¹⁾ Whereby Prated is related to the preferential space heater.

ag ²⁾ Whereby Prated is related to the preferential space heater.

ah ^{3),4)} For preferential heat pump space heaters

PRODUCT FICHE (ENERGY LABELLING OF SPACE HEATERS)ⁱⁱ⁾

a	Supplier's name or trademark			Samsung
b	Supplier's model identifier			AE160DXEDGG / AE160DNZSPG
c	Seasonal space heating energy efficiency class	Medium-temperature ^(a)	-	A++
		Low-temperature ^(a)	-	A+++
d	Rated heat output (Average)	Medium-temperature ^(a)	kW	12,5
		Low-temperature ^(a)	kW	13,5
e	Seasonal space heating energy efficiency (Average)	Medium-temperature ^(a)	%	135
		Low-temperature ^(a)	%	185
f	Annual energy consumption (Average)	Medium-temperature ^(a)	kWh	7481
		Low-temperature ^(a)	kWh	5930
g	L _{WA} (sound power level, indoor)			dB
h	Specific precautions ¹⁾			-
i	Rated heat output (Colder)	Medium-temperature ^(a)	kW	12,5
		Low-temperature ^(a)	kW	13,5
j	Rated heat output (Warmer)	Medium-temperature ^(a)	kW	12,3
		Low-temperature ^(a)	kW	12,7
k	Seasonal space heating energy efficiency (Colder)	Medium-temperature ^(a)	%	122
		Low-temperature ^(a)	%	159
l	Seasonal space heating energy efficiency (Warmer)	Medium-temperature ^(a)	%	183
		Low-temperature ^(a)	%	262
m	Annual energy consumption (Colder)	Medium-temperature ^(a)	kWh	9865
		Low-temperature ^(a)	kWh	8225
n	Annual energy consumption (Warmer)	Medium-temperature ^(a)	kWh	3502
		Low-temperature ^(a)	kWh	2519
o	L _{NRA} (sound power level, outdoor)			dB
				62

r ¹⁾ Precautions as described in the installation/user manual must be taken when assembling, installing and maintaining this product.

PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF SPACE HEATER)ⁱⁱⁱ⁾

a	Supplier's name or trademark		Samsung
b	Supplier's model identifier		AE160DXEDGG / AE160DNZSPG / Temp-Control
s	Seasonal space heating energy efficiency class of package		A++
t	Seasonal space heating energy efficiency of package	%	139
u	Seasonal space heating energy efficiency of package (colder climate conditions)	%	126
v	Seasonal space heating energy efficiency of package (warmer climate conditions)	%	187
w	Seasonal space heating energy efficiency class (Preferential space heater)		A++
x	Seasonal space heating energy efficiency (Preferential space heater)	%	135
y	Factor for weighting the heat output (Preferential space heater)	-	0
z	Mathematical expression : $294 / (11 \cdot \text{Prated})$ ¹⁾	-	2,1
aa	Mathematical expression : $115 / (11 \cdot \text{Prated})$ ²⁾	-	0,8
ab	The difference between the seasonal space heating energy efficiencies under average and colder climate conditions ³⁾	%	13
ac	The difference between the seasonal space heating energy efficiencies under warmer and average climate conditions ⁴⁾	%	48
ad	The class of the temperature control	-	CLASS VI
ae	The contribution of the temperature control to seasonal space heating energy efficiency	%	4

af ¹⁾ Whereby Prated is related to the preferential space heater.

ag ²⁾ Whereby Prated is related to the preferential space heater.

ah ³⁾⁽⁴⁾ For preferential heat pump space heaters

COMMISSION DELEGATED REGULATION (EU) No 811/2013¹⁾

No	English(EN)	Bulgarian(BG)	Spanish(ES)	Czech(CS)
i	COMMISSION DELEGATED REGULATION (EU) No 811/2013	ДЕЛЕГИРАН РЕГЛАМЕНТ (ЕС) № 811/2013 НА КОМИСИЯТА	REGLAMENTO DELEGADO (UE) No 811/2013 DE LA COMISIÓN	NAŘÍZENÍ KOMISE V PŘENESENÉ PRÁVOMOCI (EU) č. 811/2013
ii	PRODUCT FICHE (ENERGY LABELLING OF SPACE HEATERS)	Продуктов фиш (енергийното етикетуване на отоплителни топлоизточници)	Ficha del producto (etiquetado energético de aparatos de calefacción)	Informační list výrobku (energie na energetických štítcích ohřivačů pro vytápění vnitřních prostorů)
iii	PRODUCT FICHE (ENERGY LABELLING OF PACKAGES OF SPACE HEATER)	Продуктов фиш (енергийното етикетуване на комплекти от отоплителен топлоизточник)	Ficha del producto (etiquetado energético de EQUIPOS COMBINADOS DE APARATO DE CALEFACCIÓN)	Informační list výrobku (energie na energetických štítcích ohřivačů pro soupravy sestávajících z ohřivače pro vytápění vnitřních prostorů)
a	Supplier's name or trademark	наименование или търговска марка на доставчика	nombre o marca comercial del proveedor	název nebo ochranná známka dodavatele
b	Supplier's model identifier	идентификатор на доставчика за модела	identificador del modelo del proveedor	identifikační značka modelu používaná dodavatelem
c	Seasonal space heating energy efficiency class	класът на сезонна отоплителна енергийна ефективност	la clase de eficiencia energética estacional de calefacción	třída sezonní energetické účinnosti vytápění
d	Rated heat output (Average)	номиналната топлинна мощност (средни)	la potencia calorífica nominal (medias)	jmenovitý tepelný výkon (průměrných)
e	Seasonal space heating energy efficiency (Average)	сезонната енергийна ефективност при отопление (средни)	la eficiencia energética estacional de calefacción (medias)	sezonní energetická účinnost vytápění (průměrných)
f	Annual energy consumption (Average)	годишното потребление на енергия (средни)	el consumo anual de energía (medias)	roční spotřeba energie (průměrných)
g	L _{WA} (sound power level, indoors)	L _{WA} (ниво на звуковата мощност, на закрито)	L _{WA} (el nivel de potencia acústica, en interiores)	L _{WA} (případně hladina akustického výkonu, vnitřním prostorem)
h	Specific precautions ¹⁾	специфични предпазни ¹⁾	precauciones específicas ¹⁾	konkrétní preventivní opatření ¹⁾
i	Rated heat output (Colder)	номиналната топлинна мощност (по-студени)	la potencia calorífica nominal (más frías)	jmenovitý tepelný výkon (chladnějších)
j	Rated heat output (Warmer)	номиналната топлинна мощност (по-топли)	la potencia calorífica nominal (más cálidas)	jmenovitý tepelný výkon (teplejších)
k	Seasonal space heating energy efficiency (Colder)	сезонната енергийна ефективност при отопление (по-студени)	la eficiencia energética estacional de calefacción (más frías)	sezonní energetická účinnost vytápění (chladnějších)
l	Seasonal space heating energy efficiency (Warmer)	сезонната енергийна ефективност при отопление (по-топли)	la eficiencia energética estacional de calefacción (más cálidas)	sezonní energetická účinnost vytápění (teplejších)
m	Annual energy consumption (Colder)	годишното потребление на енергия (по-студени)	el consumo anual de energía (más frías)	roční spotřeba energie (chladnějších)
n	Annual energy consumption (Warmer)	годишното потребление на енергия (по-топли)	el consumo anual de energía (más cálidas)	roční spotřeba energie (teplejších)
o	L _{WA} (sound power level, outdoors)	L _{WA} (ниво на звуковата мощност, на открито)	L _{WA} (el nivel de potencia acústica, en exteriores)	L _{WA} (případně hladina akustického výkonu, venkovním prostorem)
p	Medium-temperature	среднотемпературни	de temperatura media	středněteplotní
q	Low-temperature	нискотемпературни	de baja temperatura	nízkoteplotní
r	¹⁾ Precautions as described in the installation/ user manual must be taken when assembling, installing and maintaining this product.	¹⁾ Описаните в ръководството за монтаж/ръководството за потребителя предпазни мерки трябва да се спазват при сглобяване, монтиране и поддръжка на продукта.	¹⁾ Las precauciones descritas en los manuales de usuario e instalación deben tomarse cuando se ensambla, instala y mantiene este producto	¹⁾ Při montáži, instalaci a údržbě tohoto produktu je třeba se řídit bezpečnostními opatřeními popsanými v instalační a uživatelské příručce.
s	Seasonal space heating energy efficiency class of package	Клас на сезонна енергийна ефективност на комплект при отопление	Clase de eficiencia energética de calefacción de espacio de temporada del paquete	Třída energetické účinnosti balíčku sezonního vytápění prostor
t	Seasonal space heating energy efficiency of package	Сезонна енергийна ефективност на комплект при отопление	Eficiencia energética de calefacción de espacio de temporada del paquete	Energetická účinnost balíčku sezonního vytápění prostor
u	Seasonal space heating energy efficiency of package (colder climate conditions)	Сезонна енергийна ефективност на комплект при отопление (по-студени климатични условия)	Eficiencia energética de calefacción de espacio de temporada del paquete (clima más frío)	Energetická účinnost balíčku sezonního vytápění prostor (chladnější klimatické podmínky)
v	Seasonal space heating energy efficiency of package (warmer climate conditions)	Сезонна енергийна ефективност на комплект при отопление (по-топли климатични условия)	Eficiencia energética de calefacción de espacio de temporada del paquete (clima más cálido)	Energetická účinnost balíčku sezonního vytápění prostor (teplejší klimatické podmínky)
w	Seasonal space heating energy efficiency class (Preferential space heater)	класът на сезонна отоплителна енергийна ефективност (преференциален нагревател)	la clase de eficiencia energética estacional de calefacción (calentador preferente)	třída sezonní energetické účinnosti vytápění (zvláštní zařízení pro vytápění prostor)
x	Seasonal space heating energy efficiency (Preferential space heater)	сезонната енергийна ефективност при отопление (приоритетно използвания отоплителен топлоизточник)	la eficiencia energética estacional de calefacción (aparato de calefacción preferente)	Seasonal space heating energy efficiency (preferovaného ohřivače pro vytápění vnitřních prostorů)
y	Factor for weighting the heat output (Preferential space heater)	тегловният коефициент за претегляне на топлинната енергия (приоритетно използвания отоплителен топлоизточник)	el factor de ponderación de la potencia calorífica (aparato de calefacción preferente)	factor pro porovnání tepelného výkonu (preferovaného ohřivače pro vytápění vnitřních prostorů)
z	Mathematical expression : 294 / (11 • Prated) ¹⁾	математически израз : 294 / (11 • Prated) ¹⁾	la expresión matemática : 294 / (11 • Prated) ¹⁾	hodnotu matematického výrazu : 294 / (11 • Prated) ¹⁾
aa	Mathematical expression : 115 / (11 • Prated) ²⁾	математически израз : 115 / (11 • Prated) ²⁾	la expresión matemática : 115 / (11 • Prated) ²⁾	hodnotu matematického výrazu : 115 / (11 • Prated) ²⁾
ab	The difference between the seasonal space heating energy efficiencies under average and colder climate conditions ³⁾	разликата между сезонната отоплителна енергийна ефективност при средни климатични условия и тази при по-студени климатични условия ³⁾	la diferencia entre las eficiencias energéticas estacionales de calefacción en condiciones climáticas medias y más frías, expresado en porcentaje	rozdíl sezonních energetických účinností vytápění za průměrných a chladnějších klimatických podmínek ³⁾
ac	The difference between the seasonal space heating energy efficiencies under warmer and average climate conditions ⁴⁾	разликата между сезонната отоплителна енергийна ефективност при по-топли климатични условия и тази при средни климатични условия ⁴⁾	la diferencia entre las eficiencias energéticas estacionales de calefacción en condiciones climáticas más cálidas y medias, expresado en porcentaje	rozdíl sezonních energetických účinností vytápění za teplejších a průměrných klimatických podmínek ⁴⁾
ad	The class of the temperature control	класът на регулатора на температурата	la clase del control de temperatura	třída regulátoru teploty
ae	The contribution of the temperature control to seasonal space heating energy efficiency	приносът на регулатора на температурата към сезонната енергийна ефективност при отопление	la contribución del control de temperatura a la eficiencia energética estacional de calefacción	přínos regulátoru teploty k sezonní energetické účinnosti vytápění
af	¹⁾ Whereby Prated is related to the preferential space heater.	¹⁾ където Prated е свързана с приоритетно използвания отоплителен топлоизточник	¹⁾ donde la Prated está relacionada con el aparato de calefacción preferente	¹⁾ přičemž Prated se vztahuje k preferovanému ohřivači pro vytápění vnitřních prostorů
ag	²⁾ Whereby Prated is related to the preferential space heater.	²⁾ където Prated е свързана с приоритетно използвания отоплителен топлоизточник	²⁾ donde la Prated está relacionada con el aparato de calefacción preferente	²⁾ preferovanému ohřivači pro vytápění vnitřních prostorů
ah	^{3/4)} For preferential heat pump space heaters	^{3/4)} за приоритетно използвания отоплителен термопомпнен агрегат	^{3/4)} en lo que respecta a los aparatos de calefacción preferentes con bomba de calor	^{3/4)} preferovaných ohřivačů pro vytápění vnitřních prostorů s tepelným čerpadlem navíc

No	Danish(DA)	German(DE)	Estonian(ET)	Greek(EL)
i	KOMMISSIONENS DELEGEREDE FORORDNING (EU) Nr. 811/2013	DELEGIERTE VERORDNUNG (EU) Nr. 811/2013 DER KOMMISSION	KOMISJONI DELEGEERITUD MÄÄRUS (EL) nr 811/2013	ΚΑΤ' ΕΞΟΥΣΙΟΔΟΤΗΣΗ ΚΑΝΟΝΙΣΜΟΣ (ΕΕ) αριθ. 811/2013 ΤΗΣ ΕΠΙΤΡΟΠΗΣ
ii	Produktdatablad (energimærkning af anlæg til rumopvarmning)	Produktdatenblatt (Energiekennzeichnung von Raumheizgeräten)	Tootekirjeldus (energiamärgistusega kohta kütteseadmest)	Δελτίο προϊόντος (ενεργειακή επισήμανση των θερμαντήρων χώρου)
iii	Produktdatablad (energimærkning af anlæg til pakker med anlæg til rumopvarmning)	Produktdatenblatt (Energiekennzeichnung von Verbundanlagen aus Raumheizgeräten)	Tootekirjeldus (energiamärgistusega kohta kütteseadme, komplekt)	Δελτίο προϊόντος (ενεργειακή επισήμανση των των των συγκροτημάτων θερμαντήρα χώρου)
a	leverandørens navn eller varemærke	Name oder Warenzeichen des Lieferanten	tarnija nimi või kaubamärk	το όνομα/η επωνυμία του προμηθευτή ή εμπορικό σήμα
b	leverandørens modelidentifikation	Modellkennung des Lieferanten	tarnija mudelitähis	το αναγνωριστικό μοντέλου από τον προμηθευτή
c	klasse for årsvirkningsgrad ved rumopvarmning fastslået	die Klasse für die jahreszeitbedingte Raumheizungs-Energieeffizienz	kütmise sesoonse energiatõhususe klass	η τάξη ενεργειακής απόδοσης της εποχιακής θέρμανσης χώρου
d	den nominelle nytteeffekt (gennemsnitlige)	die Wärmenennleistung (durchschnittlichen)	nimisoojusvõimsus (keskmistel)	η ονομαστική θερμική ισχύς (μέσες)
e	årsvirkningsgraden ved rumopvarmning (gennemsnitlige)	die jahreszeitbedingte Raumheizungs-Energieeffizienz (durchschnittlichen)	kütmise sesoonne energiatõhusus (keskmistel)	η ενεργειακή απόδοση της εποχιακής θέρμανσης χώρου σε (μέσες)
f	det årlige energiforbrug (gennemsnitlige)	den jährlichen Energieverbrauch (durchschnittlichen)	aastane energiatarbimine (keskmistel)	ετήσια κατανάλωση ενέργειας (μέσες)
g	L _{WA} (lydeffektivniveauet, inde)	L _{WA} (den Schalleistungspegel, in Innenräumen)	L _{WA} (müraavimsustase, siseruumis)	L _{WA} (η στάθμη ηχητικής ισχύος, εσωτερικού χώρου)
h	specifikke forholdsregler ¹⁾	besonderen Vorkehrungen ¹⁾	ettevaatusmeetmed kütteseadme koostamisel ¹⁾	ειδικές προφυλάξεις ¹⁾
i	den nominelle nytteeffekt (koldere)	die Wärmenennleistung (kälteren)	nimisoojusvõimsus (külmema)	η ονομαστική θερμική ισχύς (ψυχρότερες)
j	den nominelle nytteeffekt (varmere)	die Wärmenennleistung (wärmeren)	nimisoojusvõimsus (soojema)	η ονομαστική θερμική ισχύς (θερμότερες)
k	årsvirkningsgraden ved rumopvarmning (koldere)	die jahreszeitbedingte Raumheizungs-Energieeffizienz (kälteren)	kütmise sesoonne energiatõhusus (külmema)	η ενεργειακή απόδοση της εποχιακής θέρμανσης χώρου σε (ψυχρότερες)
l	årsvirkningsgraden ved rumopvarmning (varmere)	die jahreszeitbedingte Raumheizungs-Energieeffizienz (wärmeren)	kütmise sesoonne energiatõhusus (soojema)	η ενεργειακή απόδοση της εποχιακής θέρμανσης χώρου σε (θερμότερες)
m	det årlige energiforbrug (koldere)	den jährlichen Energieverbrauch (kälteren)	aastane energiatarbimine (külmema)	ετήσια κατανάλωση ενέργειας (ψυχρότερες)
n	det årlige energiforbrug (varmere)	den jährlichen Energieverbrauch (wärmeren)	aastane energiatarbimine (soojema)	ετήσια κατανάλωση ενέργειας (θερμότερες)
o	L _{WA} (lydeffektivniveauet, ude)	L _{WA} (den Schalleistungspegel, im Freien)	L _{WA} (müraavimsustase, väljas)	L _{WA} (η στάθμη ηχητικής ισχύος, εξωτερικού χώρου)
p	middeltemperatur	Mitteltemperatur	keskmisel temperatuuril	μέσες θερμοκρασίας
q	lavtemperatur	Niedertemperatur	Madala temperatuuriga	χαμηλής θερμοκρασίας
r	¹⁾ Du skal tage de forholdsregler, der er beskrevet i installations-/brugervejledningen, når du samler, installerer og vedligeholder dette produkt.	¹⁾ Beim Montieren, Installieren und Warten des Geräts müssen die im Installations-/Benutzerhandbuch beschriebenen Vorsichtsmaßnahmen eingehalten werden.	¹⁾ Toote kokkupanekul, installimisel ja hooldamisel järgige paigaldus-/kasutusjuhendis kirjeldatud ettevaatusabinõusid.	¹⁾ Όταν συναρμολογείτε, εγκαθιστάτε και συντηρείτε αυτό το προϊόν, πρέπει να λαμβάνετε τις προφυλάξεις που περιγράφονται στο εγχειρίδιο εγκατάστασης/χρήσης.
s	Pakkens sæsonenergieffektivitetsklasse for rumopvarmning	Jahreszeitbedingte Energieeffizienzklasse der Raumheizung der Verpackung	Komplekti ruumide hooajalise kütmise energiatõhususe klass	Τάξη εποχιακής ενεργειακής απόδοσης θέρμανσης χώρου συγκροτήματος
t	Pakkens sæsonenergieffektivitet for rumopvarmning	Jahreszeitbedingte Energieeffizienz der Raumheizung der Verpackung	Komplekti ruumide hooajalise kütmise energiatõhusus	Εποχιακή ενεργειακή απόδοση θέρμανσης χώρου συγκροτήματος
u	Pakkens sæsonenergieffektivitet for rumopvarmning (koldere klimaforhold)	Jahreszeitbedingte Energieeffizienz der Raumheizung der Verpackung (kältere Klimabedingungen)	Komplekti ruumide hooajalise kütmise energiatõhusus (külmemas kliimas)	Εποχιακή ενεργειακή απόδοση θέρμανσης χώρου συγκροτήματος (ψυχρότερες κλιματικές συνθήκες)
v	Pakkens sæsonenergieffektivitet for rumopvarmning (varmere klimaforhold)	Jahreszeitbedingte Energieeffizienz der Raumheizung der Verpackung (wärmere Klimabedingungen)	Komplekti ruumide hooajalise kütmise energiatõhusus (soojemas kliimas)	Εποχιακή ενεργειακή απόδοση θέρμανσης χώρου συγκροτήματος (θερμότερες κλιματικές συνθήκες)
w	klasse for årsvirkningsgrad ved rumopvarmning fastslået (Foretrukken rumvarmer)	die Klasse für die jahreszeitbedingte Raumheizungs-Energieeffizienz (bevorzugte Raumheizung)	kütmise sesoonse energiatõhususe klass (eelistatud ruumisoojendi)	η τάξη ενεργειακής απόδοσης της εποχιακής θέρμανσης χώρου (προτιμώμενο θερμαντήρα χώρου)
x	årsvirkningsgraden ved rumopvarmning (det primære anlæg til rumopvarmning)	die jahreszeitbedingte Raumheizungs-Energieeffizienz (Vorzugsraumheizgerätes)	kütmise sesoonne energiatõhusus (põhikütteseadme)	η ενεργειακή απόδοση της εποχιακής θέρμανσης χώρου σε (προτιμώμενο θερμαντήρα χώρου)
y	faktoren for vægtning af den nominelle nytteeffekt (det primære anlæg til rumopvarmning)	Faktor zur Gewichtung der Wärmeleistung (Vorzugsraumheizgerätes)	soojusvõimsuse kaalumistegur vastavalt (põhikütteseadme kütmise)	ο συντελεστής στάθμησης της θερμικής ισχύος (προτιμώμενο θερμαντήρα χώρου)
z	værdien af det matematiske udtryk : 294 / (11 • Prated) ¹⁾	Wert des mathematischen Ausdrucks : 294 / (11 • Prated) ¹⁾	matemaatilise avaldise : 294 / (11 • Prated) ¹⁾	η τιμή του μαθηματικού τύπου : 294 / (11 • Prated) ¹⁾
aa	værdien af det matematiske udtryk : 115 / (11 • Prated) ²⁾	Wert des mathematischen Ausdrucks : 115 / (11 • Prated) ²⁾	matemaatilise avaldise : 115 / (11 • Prated) ²⁾	η τιμή του μαθηματικού τύπου : 115 / (11 • Prated) ²⁾
ab	værdien af forskellen mellem årsvirkningsgraden ved rumopvarmning under gennemsnitlige og koldere klimaforhold ³⁾	Wert der Differenz zwischen der jahreszeitbedingten Raumheizungs-Energieeffizienz bei durchschnittlichen und derjenigen bei kälteren Klimaverhältnissen ³⁾	keskmistel kliimatingimustel ja külmema kliima korral leitud kütmise sesoonsete energiatõhususte vahe ³⁾	διαφοράς της ενεργειακής απόδοσης της εποχιακής θέρμανσης χώρου υπό μέσες και ψυχρότερες κλιματικές συνθήκες ³⁾
ac	værdien af forskellen mellem årsvirkningsgraden ved rumopvarmning under varmere og gennemsnitlige klimaforhold ⁴⁾	Wert der Differenz zwischen der jahreszeitbedingten Raumheizungs-Energieeffizienz bei wärmeren und derjenigen bei durchschnittlichen Klimaverhältnissen ⁴⁾	soojema kliima korral ja keskmistel kliimatingimustel leitud kütmise sesoonsete energiatõhususte vahe ⁴⁾	διαφοράς της ενεργειακής απόδοσης της εποχιακής θέρμανσης χώρου υπό θερμότερες και μέσες κλιματικές συνθήκες ⁴⁾
ad	klasse for temperaturstyring	die Klasse des Temperaturreglers	temperatuuril regulaatori klass	η τάξη του ρυθμιστή θερμοκρασίας
ae	temperaturstyringens andel af årsvirkningsgraden ved rumopvarmning i procent afrundet til en decimal	Beitrag des Temperaturreglers zur jahreszeitbedingten Raumheizungs-Energieeffizienz	temperatuuriregulaatori osa kütmise sesoonsete energiatõhususes	το μερίδιο του ρυθμιστή θερμοκρασίας στην ενεργειακή απόδοση της εποχιακής θέρμανσης χώρου
af	¹⁾ hvor Prated vedrører det primære anlæg til rumopvarmning	¹⁾ wobei sich Prated auf das Vorzugsraumheizgerät bezieht	¹⁾ siin Prated iseloomustab põhikütteseadet	1) όπου Prated αφορά τον προτιμώμενο θερμαντήρα χώρου
ag	²⁾ hvor Prated vedrører det primære anlæg til rumopvarmning	²⁾ wobei sich Prated auf das Vorzugsraumheizgerät bezieht	²⁾ siin Prated iseloomustab põhikütteseadet	2) όπου Prated αφορά τον προτιμώμενο θερμαντήρα χώρου
ah	^{3,4)} for primære varmepumpeanlæg til rumopvarmning	^{3,4)} für Vorzugsraumheizgeräte mit Wärmepumpe	^{3,4)} soojuspumbaga põhikütteseadmete kohta	^{3,4)} για τους προτιμώμενους θερμαντήρες χώρου με αντλία θερμότητας

COMMISSION DELEGATED REGULATION (EU) No 811/2013¹⁾

No	French(FR)	Croatian(HR)	Italian(IT)	Latvian(LV)
i	RÈGLEMENT DÉLÉGUÉ (UE) No 811/2013 DE LA COMMISSION	DELEGIRANA UREDBA KOMISIJE (EU) br. 811/2013	REGOLAMENTO DELEGATO N. 811/2013 DELLA COMMISSIONE EUROPEA	KOMISIJAS DELEĢĒTĀ REGULA (ES) Nr. 811/2013
ii	Fiche de produit (l'étiquetage énergétique des dispositifs de chauffage des locaux)	Informacijski list proizvoda (označivanja energetske učinkovitosti grijača prostora)	Scheda prodotto (l'etichetta indica il consumo d'energia degli apparati per il riscaldamento)	Ražojuma datu lapa (energomarkējumu uz telpu sildītāju)
iii	Fiche de produit (l'étiquetage énergétique des produit combiné constitué d'un dispositif de chauffage des locaux)	Informacijski list proizvoda (označivanja energetske učinkovitosti kompleta koji sadržavaju grijač prostora)	Scheda prodotto (l'etichetta indica il consumo d'energia degli insiemi di apparati per il riscaldamento)	Ražojuma datu lapa (energomarkējumu uz telpu sildītāja iekārtas, komplektu)
a	le nom du fournisseur ou la marque commerciale	naziv ili zaštitni znak dobavljača	il nome o marchio del fornitore	piegādātāja nosaukums vai preču zīme
b	la référence du modèle donnée par le fournisseur	dobavljačeva identifikacijska oznaka modela	Identificativo del modello del fornitore	piegādātāja modeļa identifikators
c	la classe d'efficacité énergétique saisonnière, pour le chauffage des locaux	razred sezone energetske učinkovitosti pri zagrijavanju prostora	la classe di efficienza energetica stagionale di riscaldamento	telpu apsildes sezonas energoefektivitātes klase
d	la puissance thermique nominale (moyennes)	nazivna toplinska snaga (prosječnim)	la potenza termica nominale (medie)	nominālā siltuma jauda (vidējās)
e	l'efficacité énergétique saisonnière pour le chauffage des locaux (moyennes)	sezonska energetska učinkovitost pri zagrijavanju prostora (prosječnim)	l'efficienza energetica stagionale di riscaldamento dell'ambiente (medie)	telpu apsildes sezonas energoefektivitāte (vidējās)
f	la consommation annuelle d'énergie (moyennes)	godišnja potrošnja energije (prosječnim)	il consumo annuo di energia (medie)	gada enerģijas patēriņš (vidējās)
g	L _{wa} (le niveau de puissance acoustique, à l'intérieur)	L _{wa} (razina zvučne snage, u zatvorenom)	L _{wa} (il livello di potenza sonora, interna)	L _{wa} (akustiskās jaudas līmenis, telpās)
h	les précautions particulières ¹⁾	posebne mjere opreza ¹⁾	eventuali precauzioni ¹⁾	īpaši piesardzības pasākumi ¹⁾
i	la puissance thermique nominale (plus froides)	nazivna toplinska snaga (hladnijim)	la potenza termica nominale (più fredde)	nominālā siltuma jauda (aukstākās)
j	la puissance thermique nominale (plus chaudes)	nazivna toplinska snaga (toplijim)	la potenza termica nominale (più calde)	nominālā siltuma jauda (siltākās)
k	l'efficacité énergétique saisonnière pour le chauffage des locaux (plus froides)	sezonska energetska učinkovitost pri zagrijavanju prostora (hladnijim)	l'efficienza energetica stagionale di riscaldamento (più fredde)	telpu apsildes sezonas energoefektivitāte (aukstākās)
l	l'efficacité énergétique saisonnière pour le chauffage des locaux (plus chaudes)	sezonska energetska učinkovitost pri zagrijavanju prostora (toplijim)	l'efficienza energetica stagionale di riscaldamento (più calde)	telpu apsildes sezonas energoefektivitāte (siltākās)
m	la consommation annuelle d'énergie (plus froides)	godišnja potrošnja energije (hladnijim)	il consumo annuo di energia (più fredde)	gada enerģijas patēriņš (aukstākās)
n	la consommation annuelle d'énergie (plus chaudes)	godišnja potrošnja energije (toplijim)	il consumo annuo di energia (più calde)	gada enerģijas patēriņš (siltākās)
o	L _{wa} (le niveau de puissance acoustique, à l'extérieur)	L _{wa} (razina zvučne snage, na otvorenom)	L _{wa} (il livello di potenza sonora, all'esterno)	L _{wa} (akustiskās jaudas līmenis, ārpus telpām)
p	moyenne température	srednjim temperatūram	media temperatura	vidējās temperatūras
q	basse température	nisko temperatūru	bassa temperatura	Zemas temperatūras
r	¹⁾ Des précautions, comme décrit dans le manuel d'installation/d'utilisation, doivent être prises lors du montage, de l'installation et de l'entretien de l'appareil.	¹⁾ Prilikom sastavljanja, instalacije i održavanja proizvoda potrebno je poduzeti mjere opreza navedene u priručniku za instalaciju / korisničkom priručniku.	¹⁾ Le precauzioni descritte nel manuale Installazione/utente devono essere rispettate in fase di montaggio, installazione e manutenzione del prodotto	¹⁾ Izstrādājuma salikšanas, uzstādīšanas un apkopes laikā jāievēro uzstādīšanas/lietošanas rokasgrāmātā norādītie piesardzības pasākumi.
s	Catégorie d'efficacité énergétique du chauffage domestique saisonnier de l'emballage	Sezonska klasa energetske učinkovitosti uređaja pri grijanju prostora	Classe di efficienza energetica stagionale di riscaldamento dello spazio dell'imballo	Komplekta sezonālās telpu apsildes energoefektivitātes klase
t	Efficacité énergétique du chauffage domestique saisonnier de l'emballage	Sezonska energetska učinkovitost uređaja pri grijanju prostora	Efficienza energetica stagionale di riscaldamento dello spazio dell'imballo	Komplekta sezonālās telpu apsildes energoefektivitāte
u	Efficacité énergétique du chauffage domestique saisonnier de l'emballage (conditions climatiques plus froides)	Sezonska energetska učinkovitost uređaja pri grijanju prostora (hladniji klimatski uvjeti)	Efficienza energetica stagionale di riscaldamento dello spazio dell'imballo (condizioni climatiche più fredde)	Komplekta sezonālās telpu apsildes energoefektivitāte (aukstāka klimata apstākļi)
v	Efficacité énergétique du chauffage domestique saisonnier de l'emballage (conditions climatiques plus chaudes)	Sezonska energetska učinkovitost uređaja pri grijanju prostora (topliji klimatski uvjeti)	Efficienza energetica stagionale di riscaldamento dello spazio dell'imballo (condizioni climatiche più calde)	Komplekta sezonālās telpu apsildes energoefektivitāte (siltāka klimata apstākļi)
w	la classe d'efficacité énergétique saisonnière, pour le chauffage des locaux (Appareil de chauffage domestique préférentiel)	razred sezone energetske učinkovitosti pri zagrijavanju prostora (preferencijalni uređaj za grijanje prostora)	la classe di efficienza energetica stagionale di riscaldamento (termoconvettore preferito)	telpu apsildes sezonas energoefektivitātes klase (izvēlētais telpu sildītājs)
x	l'efficacité énergétique saisonnière pour le chauffage des locaux (du dispositif de chauffage des locaux utilisé à titre principal)	sezonska energetska učinkovitost pri zagrijavanju prostora (primarnog grijača prostora)	l'efficienza energetica stagionale di riscaldamento (preferenziale per il riscaldamento)	telpu apsildes sezonas energoefektivitāte (preferenciālā telpu sildītāja)
y	le coefficient de pondération de la puissance thermique (du dispositif de chauffage des locaux utilisé à titre principal)	težinski faktor toplinske snage (primarnog grijača prostora)	il fattore di ponderazione della potenza termica (preferenziale per il riscaldamento d'ambiente)	sildītāja siltuma jaudas svērtās vērtības iegūšanai (preferenciālā telpu sildītāja)
z	l'expression mathématique : 294 / (11 • Prated) ¹⁾	matematičke formule : 294 / (11 • Prated) ¹⁾	espressione matematica : 294 / (11 • Prated) ¹⁾	matemātiskās izteiksmes : 294 / (11 • Prated) ¹⁾
aa	l'expression mathématique : 115 / (11 • Prated) ²⁾	matematičke formule : 115 / (11 • Prated) ²⁾	espressione matematica : 115 / (11 • Prated) ²⁾	matemātiskās izteiksmes : 115 / (11 • Prated) ²⁾
ab	la différence entre les efficacités énergétiques saisonnières pour le chauffage des locaux dans les conditions climatiques moyennes et plus froides ³⁾	razlike između sezonskih energetske učinkovitosti pri zagrijavanju prostora u prosječnim i hladnijim klimatskim uvjetima ³⁾	Differenza tra l'efficienza energetica stagionale del riscaldamento in condizioni climatiche medie e più fredde ³⁾	atšķirība starp telpu apsildes sezonas energoefektivitāti vidējās un aukstākās apstākļos ³⁾
ac	la différence entre les efficacités énergétiques saisonnières pour le chauffage des locaux dans les conditions climatiques plus chaudes et moyennes ⁴⁾	razlike između sezonskih energetske učinkovitosti pri zagrijavanju prostora u toplijim i prosječnim klimatskim uvjetima ⁴⁾	Differenza tra l'efficienza energetica stagionale del riscaldamento in condizioni climatiche più calde e medie ⁴⁾	atšķirība starp telpu apsildes sezonas energoefektivitāti siltākās un vidējās apstākļos ⁴⁾
ad	la classe du régulateur de température	razred uređaja za upravljanje temperaturom	la classe del dispositivo di controllo della temperatura	temperatūras regulatora klase
ae	la contribution du régulateur de température à l'efficacité énergétique saisonnière pour le chauffage des locaux	doprinos uređaja za upravljanje temperaturom sezonskoj energetske učinkovitosti pri zagrijavanju prostora	il contributo del dispositivo di controllo della temperatura all'efficienza energetica stagionale di riscaldamento	temperatūras regulatora devums telpu apsildes sezonas energoefektivitātē
af	¹⁾ dans laquelle Prated renvoie au dispositif de chauffage des locaux utilisé à titre principal	¹⁾ pri čemu se Prated odnosi na primarni grijač prostora	¹⁾ dove P _{nom} si riferisce all'apparecchio per il riscaldamento preferenziale	¹⁾ vērtība, kur Prated attiecas uz preferenciālo telpu sildītāju
ag	²⁾ dans laquelle Prated renvoie au dispositif de chauffage des locaux utilisé à titre principal	²⁾ pri čemu se Prated odnosi na primarni grijač prostora	²⁾ dove P _{nom} si riferisce all'apparato per il riscaldamento preferenziale	²⁾ vērtība, kur Prated attiecas uz preferenciālo telpu sildītāju
ah	^{3,4)} pour les dispositifs de chauffage des locaux par pompe à chaleur utilisés à titre principal	^{3,4)} za primarne toplinske crpke za grijanje prostora	^{3,4)} per gli apparati per il riscaldamento preferenziali a pompa di calore	^{3,4)} preferenciālajiem siltumsūkņa telpu sildītājiem

No	Lithuanian(LT)	Hungarian(HU)	Maltese(MT)	Dutch(NL)
i	KOMISIJOS DELEGUOTASIS REGLAMENTAS (ES) Nr. 811/2013	A BIZOTTSÁG 811/2013/EU FELHATALMAZÁSON ALAPULÓ RENDELETE	REGOLAMENT TA' DELEGA TAL-KUMMISSJONI (UE) Nru 811/2013	GEDELEGEERDE VERORDENING (EU) Nr. 811/2013 VAN DE COMMISSIE
ii	Gaminio vardinų parametru lentelė (energijos vartojimo efektyvumo ženklinimo dėl patalpų šildytuvo)	Termékismertető adatlap (energiafogyasztásának címkézése a helyiségfűtő berendezések)	L-iskeda tat-tagħrif tal-prodott (tikketar enerġetiku ta' hiters tal-post)	Productkaart (de energie-etikettering van ruimteverwarmingstoestellen)
iii	Gaminio vardinų parametru lentelė (energijos vartojimo efektyvumo ženklinimo dėl patalpų šildytuvo, komplektu)	Termékismertető adatlap (energiafogyasztásának címkézése a helyiségfűtő berendezésből)	L-iskeda tat-tagħrif tal-prodott (tikketar enerġetiku ta' pakketti magħmulin minn hiter tal-post)	Productkaart (de energie-etikettering van pakketten van ruimteverwarmingstoestellen)
a	tiekejo pavadinimas arba prekės ženklas	a beszállító neve vagy védjegye	isem il-fornitur jew il-marka kummerċjali tiegħu	de naam van de leverancier of het handelsmerk
b	tiekejo modelio žymuo	a beszállító által megadott modellazonosító	l-identifikatur tal-mudell tal-fornitur	de typeaanduiding van de leverancier
c	sezoninio energijos patalpoms šildyti vartojimo efektyvumo klasė	szezonális helyiségfűtési energiahatékonysági osztálya	il-klassi tal-effiċjenza enerġetika staġonali tat-tishin tal-post	de seizoensgebonden energie-efficiëntieklasse voor ruimteverwarming
d	vardinis šilumos atidavimas (vidutinio)	a mért hőteljesítmény (átlagos)	il-potenza termika nominali (medji)	de nominale warmteafgifte (gemiddelde)
e	sezoninis energijos patalpoms šildyti vartojimo efektyvumas (vidutinio)	a szezonális helyiségfűtési hatások (átlagos)	l-effiċjenza enerġetika staġonali tat-tishin tal-post (medji)	de seizoensgebonden energie-efficiëntie voor ruimteverwarming (gemiddelde)
f	metinis energijos suvartojimas (vidutinio)	az éves energiafogyasztás (átlagos)	il-konsum annwali tal-enerġija (medji)	het jaarlijkse energieverbruik (gemiddelde)
g	L _{wa} (garso galios lygis, patalpoje decibelais)	L _{wa} (hangteljesítményszint, beltéri)	L _{wa} (il-livell ta' qawwa tal-hoss, fuq ġewwa)	L _{wa} (het geluidsvermogensniveau, binnen)
h	specialios atsargumo priemonės ¹⁾	külön óvintézkedések ¹⁾	prekawżjonijet speċifika ¹⁾	specifieke voorzorgsmaatregelen ¹⁾
i	vardinis šilumos atidavimas (šaltiesnio)	a mért hőteljesítmény (hidegebb)	il-potenza termika nominali (iksaħ)	de nominale warmteafgifte (koudere)
j	vardinis šilumos atidavimas (šiltiesnio)	a mért hőteljesítmény (melegebb)	il-potenza termika nominali (išan)	de nominale warmteafgifte (warmere)
k	sezoninis energijos patalpoms šildyti vartojimo efektyvumas (šaltiesnio)	a szezonális helyiségfűtési hatások (hidegebb)	l-effiċjenza enerġetika staġonali tat-tishin tal-post (iksaħ)	de seizoensgebonden energie-efficiëntie voor ruimteverwarming (koudere)
l	sezoninis energijos patalpoms šildyti vartojimo efektyvumas (šiltiesnio)	a szezonális helyiségfűtési hatások (melegebb)	l-effiċjenza enerġetika staġonali tat-tishin tal-post (išan)	de seizoensgebonden energie-efficiëntie voor ruimteverwarming (warmere)
m	metinis energijos suvartojimas (šaltiesnio)	az éves energiafogyasztás (hidegebb)	il-konsum annwali tal-enerġija (iksaħ)	het jaarlijkse energieverbruik (koudere)
n	metinis energijos suvartojimas (šiltiesnio)	az éves energiafogyasztás (melegebb)	il-konsum annwali tal-enerġija (išan)	het jaarlijkse energieverbruik (warmere)
o	L _{wa} (garso galios lygis, lauke decibelais)	L _{wa} (hangteljesítményszint, kültéri)	L _{wa} (il-livell ta' qawwa tal-hoss, fuq barra)	L _{wa} (het geluidsvermogensniveau, buiten)
p	vidutinėje temperatūroje	közepes hőmérsékletű	b'temperatura medja	midtemperatuur
q	žematemperatūris	alacsony hőmérsékletű	b'temperatura baxxa	lagetemperatuur
r	¹⁾ Montuojant ar įrengiant šį produktą, taip pat atliekant jo techninę priežiūrą, būtina atsižvelgti į montavimo / naudojimo vadove aprašytas atsargumo priemones.	¹⁾ A termék összeszerelése, telepítése és a karbantartása során tartsa be a telepítési / használati útmutatóban leírt óvintézkedéseket.	¹⁾ Prekawżjonijiet kif deskritt fl-installazzjoni u l-utent manwali għandhom jittieħdu meta jaqqa 'installazzjoni, u ż-żamma dan il-prodott	¹⁾ De voorzorgsmaatregelen die in de gebruikershandleiding worden beschreven, moeten in acht worden genomen bij montage, installatie en onderhoud van dit product.
s	Pakuotės sezoninio erdvės šildymo energijos efektyvumo klasė	A csomag szezonális helyiségfűtési hatások osztálya	Klassi tal-effiċjenza tal-enerġija staġonali tat-tishin taż-żona tal-pakkett	Seizoensgebonden energie-efficiëntieklasse van ruimteverwarming door pakket
t	Pakuotės sezoninio erdvės šildymo energijos efektyvumas	A csomag szezonális helyiségfűtési hatások	Effiċjenza tal-enerġija staġonali tat-tishin taż-żona tal-pakkett	Seizoensgebonden energie-efficiëntie van ruimteverwarming door pakket
u	Pakuotės sezoninio erdvės šildymo energijos efektyvumas (šaltiesnio klimato sąlygos)	A csomag szezonális helyiségfűtési hatások (hidegebb klimatikus körülmények)	Effiċjenza tal-enerġija staġonali tat-tishin taż-żona tal-pakkett (kundizzjonijiet klimatiki aktar kišhin)	Seizoensgebonden energie-efficiëntie van ruimteverwarming door pakket (koudere klimaatomstandigheden)
v	Pakuotės sezoninio erdvės šildymo energijos efektyvumas (šiltiesnio klimato sąlygos)	A csomag szezonális helyiségfűtési hatások (melegebb klimatikus körülmények)	Effiċjenza tal-enerġija staġonali tat-tishin taż-żona tal-pakkett (kundizzjonijiet klimatiki aktar išan)	Seizoensgebonden energie-efficiëntie van ruimteverwarming door pakket (warmere klimaatomstandigheden)
w	sezoninio energijos patalpoms šildyti vartojimo efektyvumo klasė (Pasirenkamas erdvės šildytuvai)	szezonális helyiségfűtési energiahatékonysági osztálya (Preferált helyiségfűtés)	il-klassi tal-effiċjenza enerġetika staġonali tat-tishin tal-post (heater taż-żona preferenzjali)	de seizoensgebonden energie-efficiëntieklasse voor ruimteverwarming (geprefereerde ruimteverwarmingstoestel)
x	sezoninis energijos patalpoms šildyti vartojimo efektyvumas (pirmausia naudojamu patalpų šildytuvu)	a szezonális helyiségfűtési hatások (az elsődleges helyiségfűtő berendezés)	l-effiċjenza enerġetika staġonali tat-tishin tal-post (tat-tishin tal-post tal-hiter tal-post preferenzjali)	de seizoensgebonden energie-efficiëntie voor ruimteverwarming (ruimteverwarming van de hoofdverwarming)
y	šilumos atidavimo svoris koeficientas (pirmausia naudojamu patalpų šildytuvu)	hőteljesítményének súlyozására szolgáló tényező (helyiségfűtő berendezés elsődleges)	il-fattur għall-ippažar tal-potenza termika tal-hiters (tat-tishin tal-post tal-hiter tal-post preferenzjali)	de factor voor het wegen van de warmteafgifte (ruimteverwarming van de hoofdverwarming)
z	matematinio reiškinio : 294 / (11 • Prated) ¹⁾	matematikai kifejezés : 294 / (11 • Prated) ¹⁾	tal-formola matematika : 294 / (11 • Prated) ¹⁾	de wiskundige formule : 294 / (11 • Prated) ¹⁾
aa	matematinio reiškinio : 115 / (11 • Prated) ²⁾	matematikai kifejezés : 115 / (11 • Prated) ²⁾	tal-formola matematika : 115 / (11 • Prated) ²⁾	de wiskundige formule : 115 / (11 • Prated) ²⁾
ab	sezoninių energijos patalpoms šildyti vartojimo efektyvum skirtum vidutinio ir šaltiesnio klimato sąlygomis ³⁾	az átlagos és a hidegebb éghajlati viszonyok mellett mért szezonális helyiségfűtési hatások közötti különbség ³⁾	tad-differenza bejn l-effiċjenza enerġetika staġonali tat-tishin tal-post f'kundizzjonijiet klimatiki medji u dik f'kundizzjonijiet klimatiki iksaħ ³⁾	het verschil tussen de seizoensgebonden energie-efficiënties voor ruimteverwarming onder warmere en gemiddelde klimaatomstandigheden ³⁾
ac	sezoninių energijos patalpoms šildyti vartojimo efektyvum skirtum šiltiesnio ir vidutinio klimato sąlygomis ⁴⁾	a melegebb és az átlagos éghajlati viszonyok mellett mért szezonális helyiségfűtési hatások közötti különbség ⁴⁾	tad-differenza bejn l-effiċjenza enerġetika staġonali tat-tishin tal-post f'kundizzjonijiet klimatiki išan u dik f'kundizzjonijiet klimatiki iksaħ ⁴⁾	het verschil tussen de seizoensgebonden energie-efficiënties voor ruimteverwarming onder gemiddelde en koudere klimaatomstandigheden ⁴⁾
ad	temperatūros regulatoriaus klasė	a hőmérséklet-szabályozó osztálya	il-klassi tar-regolatur tat-temperatura	de klasse van de temperatuurregelaar
ae	temperatūros regulatoriaus sandas sezoniniam energijos patalpoms šildyti vartojimo efektyvumui	a hőmérséklet-szabályozó szezonális helyiségfűtési hatásokhoz való hozzájárulásának	il-kontribut tar-regolatur tat-temperatura għall-effiċjenza enerġetika staġonali tat-tishin tal-post	de bijdrage van de temperatuurregelaar aan de seizoensgebonden energie-efficiëntie voor ruimteverwarming
af	¹⁾ kur Prated yra susijęs su pirmiausia naudojamu patalpų šildytuvu	¹⁾ ahol a Prated az elsődleges helyiségfűtő berendezésre vonatkozik	¹⁾ fejn il-valur ta' Prated huwa marbut mal-hiter tal-post preferenzjali	¹⁾ waarbij Prated is gerelateerd aan het ruimteverwarmingstoestel als hoofdverwarming
ag	²⁾ kur Prated yra susijęs su pirmiausia naudojamu patalpų šildytuvu	²⁾ ahol a Prated az elsődleges helyiségfűtő berendezésre vonatkozik	²⁾ fejn il-valur ta' Prated huwa marbut mal-hiter tal-post preferenzjali	²⁾ waarbij Prated is gerelateerd aan het ruimteverwarmingstoestel als hoofdverwarming
ah	^{3,4)} pirmiausia naudojamu patalpų šildytuvų su šilumos siurbliu	^{3,4)} elsődleges hőszivattyús helyiségfűtő berendezések esetében	^{3,4)} għall-hiters tal-post preferenzjali b'pompa tas-shana	^{3,4)} voor ruimteverwarmingstoestellen met warmtepomp als hoofdverwarming

COMMISSION DELEGATED REGULATION (EU) No 811/2013 ¹⁾

No	Polish(PL)	Portuguese(PT)	Romanian(RO)	Slovak(SK)
i	ROZPORZĄDZENIE DELEGOWANE KOMISJI (UE) NR 811/2013	REGULAMENTO DELEGADO (UE) Nº 811/2013 DA COMISSÃO	REGULAMENTUL DELEGAT AL COMISIEI (UE) NR. 811/2013	DELEGOVANÉ NARIADENIE KOMISIE (EÚ) č. 811/2013
ii	Karta produktu (w odniesieniu do etykiety efektywności energetycznej dla ogrzewaczy pomieszczeń)	Ficha de produto (rotulagem energética dos aquecedores de ambiente)	Fișa produsului (ce privește clasa de energie a instalațiilor pentru încălzirea incintelor)	OPIS VÝROBKU (ENERGETICKÉ OZNAČOVANIE ZARIADENÍ NA VYKUROVANIE PRIESTORU)
iii	Karta produktu (w odniesieniu do etykiety efektywności energetycznej dla zestawów zawierających ogrzewacz pomieszczeń)	Ficha de produto (rotulagem energética dos sistemas mistos de aquecedor de ambiente)	Fișa produsului (ce privește clasa de energie instalațiilor pentru încălzirea incintelor)	OPIS VÝROBKU (ENERGETICKÉ OZNAČOVANIE BALÍKOV ZARIADENÍ NA VYKUROVANIE PRIESTORU)
a	nazwa dostawcy lub jego znak towarowy	Nome do fornecedor	Denumirea sau marca comercială a furnizorului	meno dodávateľa alebo ochranná známka
b	identyfikator modelu dostawcy	Identificador do modelo do fornecedor	Modelul identificator al furnizorului	identifikačný kód modelu
c	klasa sezonowej efektywności energetycznej ogrzewania pomieszczeń	Classe de eficiência energética do aquecimento ambiente sazonal	Clasa de eficiență energetică sezonieră aferentă încălzirii incintelor	trieda sezónnej energetickej účinnosti vykurovania priestoru
d	Znamionowa moc cieplna (uśredniona)	Potência calorífica nominal (condições climáticas médias)	Puterea termică nominală (medie)	menovitý tepelný výkon (priemerný)
e	Sezonowa efektywność energetyczna ogrzewania pomieszczeń (uśredniona)	Eficiência energética do aquecimento ambiente sazonal (condições climáticas médias)	Eficiență energetică sezonieră aferentă încălzirii incintelor (medie)	sezónna energetická účinnosť vykurovania priestoru (priemerná)
f	Roczne zużycie energii (uśrednione)	Consumo anual de energia (condições climáticas médias)	Consumul anual de energie (medie)	ročná spotreba energie (priemerná)
g	L _{WA} (poziom mocy akustycznej, w pomieszczeniu)	L _{WA} (Nível de potência sonora, no interior)	L _{WA} (nivelul de putere acustică, la interior)	L _{WA} (hladina akustického výkonu, vnútorné jednotky)
h	Szczególne środki ostrożności ³⁾	Precauções específicas ³⁾	Măsură de precauție specifică ³⁾	osobitné bezpečnostné opatrenie ³⁾
i	znamionowa moc cieplna (chłodnego)	Potência calorífica nominal (condições climáticas mais frias)	Puterea termică nominală (mai reci)	menovitý tepelný výkon (chladnejší)
j	znamionowa moc cieplna (ciepłego)	Potência calorífica nominal (condições climáticas mais quentes)	Puterea termică nominală (mai calde)	menovitý tepelný výkon (teplejší)
k	sezonowa efektywność energetyczna ogrzewania pomieszczeń (chłodnego)	Eficiência energética do aquecimento ambiente sazonal (condições climáticas mais frias)	Eficiență energetică sezonieră aferentă încălzirii incintelor (mai reci)	sezónna energetická účinnosť vykurovania priestoru (chladnejší)
l	sezonowa efektywność energetyczna ogrzewania pomieszczeń (ciepłego)	Eficiência energética do aquecimento ambiente sazonal (condições climáticas mais quentes)	Eficiență energetică sezonieră aferentă încălzirii incintelor (mai calde)	sezónna energetická účinnosť vykurovania priestoru (teplejší)
m	roczne zużycie energii (chłodnego)	Consumo anual de energia (condições climáticas mais frias)	Consumul anual de energie (mai reci)	ročná spotreba energie (chladnejší)
n	roczne zużycie energii (ciepłego)	Consumo anual de energia (condições climáticas mais quentes)	Consumul anual de energie (mai calde)	ročná spotreba energie (teplejší)
o	L _{WA} (poziom mocy akustycznej, na zewnątrz)	L _{WA} (Nível de potência sonora, no exterior)	L _{WA} (nivelul de putere acustică, la exterior)	L _{WA} (hladina akustického výkonu, vonkajšie jednotky)
p	średnia temperaturowa	média temperatura	Temperatură medie	stredná teplota
q	niska temperaturowa	baixa temperatura	Temperatură scăzută	nízko teplotné
r	¹⁾ Podczas montażu, instalacji oraz serwisowaniu produktu należy stosować szczególne środki ostrożności zgodnie z informacjami zawartymi w instrukcji instalacji/podreczniku użytkownika.	¹⁾ As precauções descritas no manual de instalação/instruções dever ser adotadas durante a montagem, instalação ou manutenção do produto.	¹⁾ Atenționări, descrise în manualul de instalare/operare, ce trebuie luate în considerare când se asamblează, instalează sau întreține acest produs.	¹⁾ Bezpečnostné opatrenia, ktoré sú popísané v inštaláčnej/používateľskej príručke, sa musia vykonať pri inštalácii a údržbe tohto produktu.
s	Sezonowa wydajność energii do ogrzewania pomieszczeń — oznaczenie klasy na opakowaniu	Classe de eficiência energética sazonal de aquecimento ambiente da embalagem	Clasa ambalajului de eficiență energetică de încălzire a spațiilor deschise sezonier	Trieda sezónnej energetickej účinnosti vykurovania priestoru zostavy
t	Sezonowa wydajność energii do ogrzewania pomieszczeń — oznaczenie na opakowaniu	Eficiência energética sazonal de aquecimento ambiente da embalagem	Eficiență energetică de încălzire a spațiilor deschise sezonier a ambalajului	Sezónna energetická účinnosť vykurovania priestoru zostavy
u	Sezonowa wydajność energii do ogrzewania pomieszczeń — oznaczenie na opakowaniu (warunki klimatu chłodnego)	Eficiência energética sazonal de aquecimento ambiente da embalagem (condições climáticas mais frias)	Eficiență energetică de încălzire a spațiilor deschise sezonier a ambalajului (condiții de climă rece)	Sezónna energetická účinnosť vykurovania priestoru zostavy (chladnejšie klimatické podmienky)
v	Sezonowa wydajność energii do ogrzewania pomieszczeń — oznaczenie na opakowaniu (warunki klimatu ciepłego)	Eficiência energética sazonal de aquecimento ambiente da embalagem (condições climáticas mais quentes)	Eficiență energetică de încălzire a spațiilor deschise sezonier a ambalajului (condiții de climă caldă)	Sezónna energetická účinnosť vykurovania priestoru zostavy (teplejšie klimatické podmienky)
w	klasa sezonowej efektywności energetycznej ogrzewania pomieszczeń (preferencyjny grzejnik)	Classe de eficiência energética do aquecimento ambiente sazonal (aquecedor elétrico preferencial)	Clasa de eficiență energetică sezonieră aferentă încălzirii incintelor (încălzitor de spațiu preferențial)	Trieda sezónnej energetickej účinnosti vykurovania priestoru (uprednostňovaný tepelný zdroj na vykurovanie priestoru)
x	sezonowa efektywność energetyczna ogrzewania pomieszczeń (podstawowego ogrzewacza pomieszczeń)	Eficiência energética do aquecimento ambiente sazonal (do aquecedor de ambiente preferencial)	Eficiență energetică sezonieră aferentă încălzirii incintelor (al instalației preferențiale pentru încălzirea incintelor)	sezónna energetická účinnosť vykurovania priestoru (uprednostňované tepelné zdroje na vykurovanie priestoru)
y	współczynnik ważący moc cieplną ogrzewaczy (podstawowego ogrzewacza pomieszczeń)	o fator de ponderação da potência calorífica (do aquecedor de ambiente preferencial)	factorul de ponderare a puterii termice (al instalației preferențiale pentru încălzirea incintelor)	súčiniteľ na vázanie tepelného výkonu (uprednostňovaného tepelného zdroja na vykurovanie priestoru)
z	Wartość wyrażenia matematycznego : 294 / (11 • Prated) ³⁾	Expressão matemática : 294 / (11 • Prated) ³⁾	Valoarea expresiei matematice : 294 / (11 • P _{nominal}) ³⁾	matematický výraz : 294 / (11 • Prated) ³⁾
aa	Wartość wyrażenia matematycznego : 115 / (11 • Prated) ³⁾	Expressão matemática : 115 / (11 • Prated) ³⁾	Valoarea expresiei matematice : 115 / (11 • P _{nominal}) ³⁾	matematický výraz : 115 / (11 • Prated) ³⁾
ab	Różnica między sezonowymi efektywnościami energetycznymi ogrzewania pomieszczeń w warunkach klimatu umiarkowanego i chłodnego ³⁾	Diferença entre as eficiências energéticas do aquecimento ambiente sazonal em condições climáticas médias e em condições climáticas mais frias ³⁾	Diferența dintre eficiența energetică sezonieră aferentă încălzirii incintelor în condiții climatice medii și mai reci ³⁾	hodnota rozdielu sezónnych energetických účinností vykurovania priestoru za priemerných a chladnejších podmienok ³⁾
ac	Różnica między sezonowymi efektywnościami energetycznymi ogrzewania pomieszczeń w warunkach klimatu ciepłego i umiarkowanego ⁴⁾	Diferença entre as eficiências energéticas do aquecimento ambiente sazonal em condições climáticas mais quentes e em condições climáticas médias ⁴⁾	Diferența dintre eficiența energetică sezonieră aferentă încălzirii incintelor în condiții climatice calde și medii ⁴⁾	hodnota rozdielu sezónnych energetických účinností vykurovania priestoru za teplejších a priemerných podmienok ⁴⁾
ad	klasa regulatora temperatury	A classe do dispositivo de controle de temperatura	Clasa regulatorului de temperatură	trieda regulátora teploty
ae	udział regulatora temperatury w sezonowej efektywności energetycznej ogrzewania pomieszczeń	A contribuição do dispositivo de controle de temperatura para a eficiência energética do aquecimento ambiente sazonal	Contribuția regulatorului de temperatură la eficiența energetică sezonieră aferentă încălzirii incintelor	príspevok regulátora teploty k sezónnej energetickej účinnosti vykurovania priestoru
af	³⁾ gdzie Prated dotyczy podstawowego ogrzewacza pomieszczeń	³⁾ em que Prated diz respeito ao aquecedor de ambiente preferencial	³⁾ Unde P _{nominal} se referă la instalația preferențială pentru încălzirea incintelor.	³⁾ kde Prated súvisí s uprednostňovaným tepelným zdrojom na vykurovanie priestoru
ag	³⁾ gdzie Prated dotyczy podstawowego ogrzewacza pomieszczeń	³⁾ em que Prated diz respeito ao aquecedor de ambiente preferencial	³⁾ Unde P _{nominal} se referă la instalația preferențială pentru încălzirea incintelor.	³⁾ kde Prated súvisí s uprednostňovaným tepelným zdrojom na vykurovanie priestoru
ah	³⁴⁾ Dla podstawowych ogrzewaczy pomieszczeń z pompą ciepła	³⁴⁾ para os aquecedores de ambiente preferenciais com bomba de calor	³⁴⁾ Pentru instalațiile preferențiale cu pompă de căldură pentru încălzirea incintelor.	³⁴⁾ pre uprednostňované tepelné zdroje na vykurovanie priestoru – tepelné čerpadlá

No	Slovenian(SL)	Finnish(FI)	Swedish(SV)	Srpski(SR)	Türkçe (TR)
i	DELEGIJANA UREDBA KOMISIJE (EU) št. 811/2013	KOMISSIION DELEGOITU ASETUS (EU) N:o 811/2013	KOMMISSIONENS DELEGERADE FÖRORDNING (EU) nr 811/2013	DELEGIJANA UREDBA KOMISUE (EU) Br. 811/2013	KOMİSYON YETKİLİ YÖNETMELİĞİ (AB) No 811/2013
ii	Podatkovni list izdelka (energijskega označevanja grelnikov prostorov)	Tuoteseloste (tilälämittimien, energiamerkinnän)	Produktblad (energimärkning av pannor och värmepumpar för rumsuppvärmning)	DOKUMENTACIJA O PROIZVODU (OBELEŽAVANJE ENERGIJE GREJAČA PROSTORA)	ÜRÜN FİŞİ (ALAN İSTİCİLERİN ENERJİ ETİKETLEMESİ)
iii	Podatkovni list izdelka (energijskega označevanja kompletnih grelnikov prostorov)	Tuoteseloste (tilälämittimistä, energiamerkinnän)	Produktblad (energimärkning av paket med pannor och värmepumpar för rumsuppvärmning)	DOKUMENTACIJA O PROIZVODU (OBELEŽAVANJE ENERGIJE PAKOVANJUA GREJAČA PROSTORA)	ÜRÜN FİŞİ (ALAN İSTİCİ PAKETLERİNİN ENERJİ ETİKETLEMESİ)
a	dobaviteljavo ime ali blagovna znamka	tavarantoimittajan nimi tai tavaramerkki	Leverantörens namn eller varumärke	Naziv ili zaštitni znak dobavljača	Tedarikçinin adı veya ticari markası
b	dobaviteljava identifikacijska oznaka modela	tavarantoimittajan mallitunniste	Leverantörens modellbeteckning	Identifikator modela dobavljača	Tedarikçinin model tanımlayıcısı
c	razred sezonske energetske učinkovitosti pri ogrevanju prostorov	tilälämittimyksen kausittainen energiatehokkuusluokka	säsöngsrelaterade energieffektivitetsklass vid rumsuppvärmning	Klasa sezonske energetske efikasnosti zagrevanja prostorija	Mevsimsel alan ısıtıcı enerji verimliliği sınıfı
d	nazivna izhodna toplota (povprečnih)	nimellislämpöteho, mukaan lukien mahdollisen lisälämittimien nimellislämpöteho (keskimääräisissä)	Den nominella avgivna värmeeffekten (genomsnittliga)	Nazivni izlaz toplote (prosek)	Nominal ısı çıkışı (Ortalama)
e	sezonska energetska učinkovitost pri ogrevanju prostorov (povprečnih)	tilälämittimyksen kausittainen energiatehokkuus (keskimääräisissä)	Säsöngsmedelverkningsgrad för rumsuppvärmning (genomsnittliga)	Sezonska energetska efikasnost zagrevanja prostorija (prosek)	Mevsimsel alan ısıtıcı enerji verimliliği (Ortalama)
f	letna poraba energije (povprečnih)	vuotuinen energiankulutus (keskimääräisissä)	Årlig energiförbrukning (genomsnittliga)	Godišnja potrošnja energije (prosek)	Yıllık enerji tüketimi (Ortalama)
g	$L_{w, \text{r}}$ (raven zvočne moči, notranja)	$L_{w, \text{r}}$ (äänioteho, sisällä desibeleinä)	$L_{w, \text{r}}$ (Ljudeffektiv, inomhus)	$L_{w, \text{r}}$ (nivo jačine zvuka, unutra)	$L_{w, \text{r}}$ (ses güç seviyesi, içerisi)
h	posebni varnostni ukrepi ¹⁾	erityiset varotoimenpiteet ¹⁾	särskilda försiktighetsåtgärder ¹⁾	Posebne mere opreza ¹⁾	Özel önlemler ¹⁾
i	nazivna izhodna toplota (hladnejših)	nimellislämpöteho, mukaan lukien mahdollisen lisälämittimien nimellislämpöteho (kylmissä)	Den nominella avgivna värmeeffekten (kallare)	Nazivni izlaz toplote (hladnije)	Nominal ısı çıkışı (Daha soğuk)
j	nazivna izhodna toplota (toplejših)	nimellislämpöteho, mukaan lukien mahdollisen lisälämittimien nimellislämpöteho (lämpimissä)	Den nominella avgivna värmeeffekten (varmare)	Nazivni izlaz toplote (toplije)	Nominal ısı çıkışı (Daha sıcak)
k	sezonska energetska učinkovitost pri ogrevanju prostorov (hladnejših)	tilälämittimyksen kausittainen energiatehokkuus (kylmissä)	Säsöngsmedelverkningsgrad för rumsuppvärmning (kallare)	Sezonska energetska efikasnost zagrevanja prostorija (hladnije)	Mevsimsel alan ısıtıcı enerji verimliliği (Daha soğuk)
l	sezonska energetska učinkovitost pri ogrevanju prostorov (toplejših)	tilälämittimyksen kausittainen energiatehokkuus (lämpimissä)	Säsöngsmedelverkningsgrad för rumsuppvärmning (varmare)	Sezonska energetska efikasnost zagrevanja prostorija (toplije)	Mevsimsel alan ısıtıcı enerji verimliliği (Daha sıcak)
m	letna poraba energije (hladnejših)	vuotuinen energiankulutus (kylmissä)	Årlig energiförbrukning (kallare)	Godišnja potrošnja energije (hladnije)	Yıllık enerji tüketimi (Daha soğuk)
n	letna poraba energije (toplejših)	vuotuinen energiankulutus (lämpimissä)	Årlig energiförbrukning (varmare)	Godišnja potrošnja energije (toplije)	Yıllık enerji tüketimi (Daha sıcak)
o	$L_{w, \text{r}}$ (raven zvočne moči, zunanja)	$L_{w, \text{r}}$ (äänioteho, ulkona desibeleinä)	$L_{w, \text{r}}$ (Ljudeffektiv, utomhus)	$L_{w, \text{r}}$ (nivo jačine zvuka, napoliu)	$L_{w, \text{r}}$ (ses güç seviyesi, dışarı)
p	srednjih temperatura	keskilämpötila	mediumtemperatur	Orta-sıcaklık	Orta-sıcaklık
q	nizkotemperaturna	matalan lämpötilan	lågtemperatur	Niska temperatura	Düşük sıcaklık
r	¹⁾ Pri sestavljanju, nameščanju ter vzdrževanju izdelka upoštevajte previdnostne ukrepe, ki so navedeni v priložniku za uporabo in namestitve.	¹⁾ Aseennus- tai käyttöoppaassa kuvattuja turvohjeita on noudatettava laitteen kokoamisen, asennuksen ja huollon aikana.	¹⁾ Försiktighetsåtgärderna som beskrivs i installationsmanualen/bruksanvisningen måste följas vid montering, installation och underhåll av denna produkt.	¹⁾ Mere opreza opisane u priložniku za instalaciju/korisnika se moraju preduzeti prilikom sklopavanja, instaliranja i održavanja ovog proizvoda.	¹⁾ Kurulum/kullanıcı kılavuzunda açıklanan önlemler bu ürünü monte ederken, kurarken veya ürüne bakım yaparken dikkate alınmalıdır.
s	Razred sezonske učinkovitosti grejta prostorov za paket	Pakkauksen kausittainen lämmitysergiehokkuusluokka	Paketets energieffektivitetsklass för säsöngsuppvärmning	Klasa sezonske energetske efikasnosti zagrevanja prostorija za komplete	Paketin mevsimsel alan ısıtıcı enerji verimliliği sınıfı
t	Sezonska učinkovitost grejta prostorov za paket	Pakkauksen kausittainen lämmitysergiehokkuus	Paketets energieffektivitet för säsöngsuppvärmning	Sezonska energetska efikasnost zagrevanja prostorija za komplete	Mevsimsel alan ısıtıcı enerji verimliliği
u	Sezonska učinkovitost grejta prostorov za paket (hladnejše podnebne razmere)	Pakkauksen kausittainen lämmitysergiehokkuus (kylmät ilmast-olosuhteet)	Paketets energieffektivitet för säsöngsuppvärmning (kallare klimat)	Sezonska energetska efikasnost zagrevanja prostorija za komplete (hladnij klimatski uslovi)	Paketin mevsimsel alan ısıtıcı enerji verimliliği (daha soğuk iklim şartları)
v	Sezonska učinkovitost grejta prostorov za paket (toplejšee podnebne razmere)	Pakkauksen kausittainen lämmitysergiehokkuus (lämpimät ilmast-olosuhteet)	Paketets energieffektivitet för säsöngsuppvärmning (varmare klimat)	Sezonska energetska efikasnost zagrevanja prostorija za komplete (topliji klimatski uslovi)	Paketin mevsimsel alan ısıtıcı enerji verimliliği (daha sıcak iklim şartları)
w	razred sezonske energetske učinkovitosti pri ogrevanju prostorov (Preferenčni grelnik prostorov)	tilälämittimyksen kausittainen energiatehokkuus (ensisijainen tilälämittimien)	säsöngsrelaterade energieffektivitetsklass vid rumsuppvärmning (tillsvalvare)	Klasa sezonske energetske efikasnosti zagrevanja prostorija (prioritetan grejač prostora)	Mevsimsel alan ısıtıcı enerji verimliliği sınıfı (Tercih edilen alan ısıtıcı)
x	sezonska energetska učinkovitost pri ogrevanju prostorov (za prednostni grelnik prostorov)	tilälämittimyksen kausittainen energiatehokkuus (ensisijaisen tilälämittimien tilälämittimyksen)	Säsöngsmedelverkningsgrad för rumsuppvärmning (primära pannans eller värmepumpens)	Sezonska energetska efikasnost zagrevanja prostorija (prioritetan grejač prostora)	Mevsimsel alan ısıtıcı enerji verimliliği (Tercih edilen alan ısıtıcı)
y	utežni faktor izhodne toplote (za prednostni grelnik prostorov)	lämpötehon painotuskerroin (lisälämittimien tilälämittimien tilälämittimyksen)	Viktningssfaktor för värmeproduktion för paket (primära pannans eller värmepumpens)	Faktor za merenje izlaza toplote prioritnih i dodatnih grejača	Tercih edilen ve destekleyici ısıtıcıların ısı çıkışının ölçülmesi ile ilgili faktör
z	matematične enačbe: 294 / (T1 • Prated) ¹⁾	matemaattisen lainsu: 294 / (T1 • Prated) ¹⁾	matematiska formeln: 294 / (T1 • Prated) ¹⁾	Matematički izraz: 294 / (T1 • Prated) ¹⁾	Matematijsel ifadesi: 294 / (T1 • Prated) ¹⁾
aa	matematične enačbe: 115 / (T1 • Prated) ²⁾	matemaattisen lainsu: 115 / (T1 • Prated) ²⁾	matematiska formeln: 115 / (T1 • Prated) ²⁾	Matematički izraz: 115 / (T1 • Prated) ²⁾	Matematijsel ifadesi: 115 / (T1 • Prated) ²⁾
ab	razlike med sezonskima energetska učinkovitostima pri ogrevanju prostorov v povprečnih in hladnejših podnebnih razmerah ³⁾	keskimääräisissä ja kylmissä ilmast-olosuhteissa saavutettavien tilälämittimyksen kausittaisen energiatehokkuuksien ero ³⁾	Skillnaden mellan den säsöngsrelaterade energieffektiviteten vid rumsuppvärmning under genomsnittliga och kallare klimatförhållanden ³⁾	Razlika između sezonske energetske efikasnosti grejača prostora u prosečnim i hladnijim klimatskim uslovima ³⁾	Ortalama ve daha soğuk iklim koşullarında mevsimsel ısıtma enerjisi verimlilikleri arasındaki fark ³⁾
ac	razlike med sezonskima energetska učinkovitostima pri ogrevanju prostorov v toplejših in povprečnih podnebnih razmerah ⁴⁾	lämpimissä ja keskimääräisissä ilmast-olosuhteissa saavutettavien tilälämittimyksen kausittaisen energiatehokkuuksien ero ⁴⁾	Skillnaden mellan den säsöngsrelaterade energieffektiviteten vid rumsuppvärmning under varmare och genomsnittliga klimatförhållanden ⁴⁾	Razlika između sezonske energetske efikasnosti grejača prostora u toplijim i prosečnim klimatskim uslovima ⁴⁾	Ortalama ve daha sıcak iklim koşullarında mevsimsel ısıtma enerjisi verimlilikleri arasındaki fark ⁴⁾
ad	razred naprave za uravnavanje temperature	lämmönsäätölaitteen luokka	Temperaturregulatorns klass	Klasa kontrole temperature	Sıcaklık kontrol sınıfı
ae	prispevek naprave za uravnavanje temperature k sezonski energetska učinkovitost pri ogrevanju prostorov	lämmönsäätölaitteen vaikutus tilälämittimyksen kausittaisen energiatehokkuuteen	Temperaturregulatorns bidrag till säsöngsmedelverkningsgraden för rumsuppvärmning	Doprinos kontrole temperature sezonskoj energetske efikasnosti grejača prostora	Sıcaklık kontrolünün mevsimsel ısıtma enerjisi verimliliğine katkısı
af	¹⁾ Pri čemer se Prated navezuje na prednostni grelnik prostorov	¹⁾ Jossa Prated liittyy ensisijaiseen tilälämittimieen	¹⁾ där Prated är relaterat till den primära pannan eller värmepumpen	¹⁾ Gde se Prated odnosi na prioritetni grejač prostora.	¹⁾ Burada Prated tercih edilen alan ısıtıcı ile ilgilidir.
ag	²⁾ Pri čemer se Prated navezuje na prednostni grelnik prostorov	²⁾ Jossa Prated liittyy ensisijaiseen tilälämittimieen	²⁾ där Prated är relaterat till den primära pannan eller värmepumpen	²⁾ Gde se Prated odnosi na prioritetni grejač prostora.	²⁾ Burada Prated tercih edilen alan ısıtıcı ile ilgilidir.
ah	^{3,4)} prednostne toplotne črpalke za ogrevanje prostorov	^{3,4)} ensisijaisista lämpöpumpuista/tilälämittimistä	^{3,4)} för primära värmare med värmepump för rumsuppvärmning	^{3,4)} Za prioritete grejače prostora toplotne pumpe	^{3,4)} Tercih edilen ısı pompası alan ısıtıcı için